

## เอกสารอ้างอิง

กนกวรรณ, 2547, ความหลากหลายทางชีวภาพของราเอนโดไฟท์และความสามารถในการสร้างสาร **2-Acetyl-1-Pyrroline** ของราที่แยกได้จากข้าวพันธุ์ต่างๆในประเทศไทย, วิทยานิพนธ์วิทยาศาสตร์ มหาวิทยาลัย, สายวิชาเทคโนโลยีชีวภาพ, คณะทรัพยากรชีวภาพและเทคโนโลยี, มหาวิทยาลัยเทคโนโลยีพระจอมเกล้าธนบุรี, กรุงเทพมหานคร, หน้า 50.

งามชื่น คงเสรี, 2541, **มาตรฐานสินค้าข้าวหอมมะลิไทย**, เอกสารประกอบการบรรยายหลักสูตร เทคโนโลยีการผลิตข้าวหอมมะลิกุณภาพดี โครงการผลิตและจำหน่ายข้าวหอมมะลิของสหกรณ์, กรมวิชาการเกษตรและส่งเสริมสหกรณ์, หน้า 187-189.

ทวี คุปต์กาญจนากุล, 2541, **ความรู้เรื่องข้าวและเทคโนโลยีการผลิตข้าว**, เอกสารประกอบการบรรยาย หลักสูตร เทคโนโลยีการผลิตข้าวหอมมะลิกุณภาพดี โครงการผลิตและจำหน่ายข้าวหอมมะลิของ สหกรณ์, กรมวิชาการเกษตรและส่งเสริมสหกรณ์, หน้า 1-14.

ไพฑูรย์ อุไรรงค์ และ กิตติยา กิจวรดี, 2541, **การเก็บเกี่ยวและการปฏิบัติหลังการเก็บเกี่ยวข้าวหอม มะลิ**, เอกสารประกอบการบรรยายหลักสูตร เทคโนโลยีการผลิตข้าวหอมมะลิกุณภาพดี โครงการผลิต และจำหน่ายข้าวหอมมะลิของสหกรณ์, กรมวิชาการเกษตรและส่งเสริมสหกรณ์, หน้า 139-170.

เลขา มาโนช, 2543, **เห็ดรา**, บทความปริทัศน์งานวิจัยด้านความหลากหลายทางชีวภาพในประเทศไทย (Review of Biodiversity Research in Thailand), หน้า 219-246.

วิฑูรย์ เลี่ยนจำรูญ และ นิรมล ชวนบุญ, 2545, **หอมกลิ่นข้าวมะลิหอม เรื่องราวและการต่อสู้เพื่อรักษา พันธุ์ข้าวขาวดอกมะลิ**, จัดพิมพ์โดย องค์การความหลากหลายทางชีวภาพและภูมิปัญญาไทย (BIOTHAI) มุลนิธิเกษตรกรรมยั่งยืน (ประเทศไทย), 200 หน้า

คันสนลักษณ์ รัชฎาวงศ์ และ วิไลรัตน์ ลีวงศ์สถาพร, 2545, **การเก็บรวบรวมและแยกเชื้อราเอนโดไฟต์ จากพืชตระกูล Gramineae ที่เก็บจากพื้นที่ในภาคกลางของประเทศไทย**, รายงานการวิจัยพัฒนาและ วิสวกรรมฉบับสมบูรณ์, ศูนย์พันธุวิศวกรรมและเทคโนโลยีชีวภาพแห่งชาติ, 170 หน้า.

สถานีทดลองข้าวพระนครศรีอยุธยา, 2543, พันธุ์ข้าวดีของรัฐบาลที่เหมาะสมจะปลูกในจังหวัดพระนครศรีอยุธยา, สถาบันวิจัยข้าว กรมวิชาการเกษตร กระทรวงเกษตรและสหกรณ์, 14 หน้า.

สายสมร ถ้ายอง, เนาวรัตน์ ชีพธรรม และ พิภพ ถ้ายอง, 2547, ฟังใจที่เจริญในต้นพืชป่าไม้ล้มลุก ในเขตอุทยานแห่งชาติดอยสุเทพ ปุย จังหวัดเชียงใหม่, รายงานการวิจัยในโครงการ BRT, หน้า 63-81.

Azevedo, J.L., Walter M.Jr., Pereira, J.O. and Araujo, W.L.D., 2000, "Endophytic Microorganisms: A review on Insect Control and Recent Advances on Tropical Plants", **Environmental Biotechnology**, vol.3, No.1, pp.1-32.

Bacon, C.W. and Battista, C.W., 1991, **Endophytic Fungi of Grasses**, Handbook of Applied Mycology, vol.3, pp.231-256.

Bacon, C. W., and White, J.R. Jr., 2000, **Microbial Endophytes** Marcel Dekker, Inc., New york, 487p.

Bacon, C. W., and White, J.R. Jr., 1997, "Modification and Uses of Endophyte-Enhanced Turfgrasses: A Role for Molecular Technology", **Crop Science**, Vol.37, No.5, pp.1415-1423.

Barnett H. L. and Hunter B. B., 1972, "**Illustrated Genera of Imperfect Fungi**", Third edition, Burgess Publishing Company, pp. 12-34.

Bayman P., Angulo-Sandoval P. and Baez-Ortiz Z., 1998, "Distribution and dispersal of *Xylaria* endophytes in two tree species in Puerto Rico", **Mycol. Res.**, vol. 102, No. 8, pp. 944-948.

Carmichael, J.W., Kendrick, W.B., Connors, I.L., and Sigler, L. 1980, "**Genera of Hyphomycetes**", Alberta, Canada: University of Alberta Press, pp. 66-79.

Ellis, M.B., 1971, **Dematiaceous Hyphomycetes**, Commonwealth Mycological Institute, England, pp.404-406.

Ellis, M.B. 1976, “**More dematiaceous hyphomycetes**”, Commonwealth, Mycological Institute, Kew, UK, pp. 123-134.

Fisher, P.J. and Petrini O., 1991, “Fungal Saprobes and Pathogens as Endophytes of Rice (*Oryza sativa* L.)”, **New Phytol.**, vol.120, pp.137-143.

Hironori K., Koji D., Osamu N., Masashi M., “A novel inoculation method of *Magnaporthe grisea* for cytological observation of the infection process using intact leaf sheaths of rice plants”, **Physiological and Molecular Plant Pathology**, vol. 64, pp. 67–72.

Huang, Y., Wang, J., Li, G., Zheng, Z. and Su, W., 2001, “Antitumor and antifungal activities in endophytic fungi isolated from pharmaceutical plants *Taxus mairei*, *Cephalotaxus fortunei* and *Torreya grandis*”, **Fems Immunology and Medical Microbiology**, vol.31, pp. 163-167.

Klich, M.A. and Pitt J.I., 1988, **A Laboratory Guide to the Common *Aspergillus* Species and Their Teleomorphs**, 108 p.

Koo S.Y. and Kyung-Suk C., 2009, “Isolation and Characterization of a Plant Growth-Promoting Rhizobacterium, *Serratia* sp. SY5”, **J. Microbiol. Biotechnol.**, vol. 19 (11), pp. 1431-1438.

Kumaresan, V. and Suryanarayanan, T.S., 2002, “Endophyte Assemblages in Young, Mature and Senescent Leaves of *Rhizophora apiculata*: Evidence for the Role of Endophytes in Mangrove Litter Degradation”, **Fungal Diversity**, vol.9, pp.81-91.

Latiffah Z., Amira S.Y., Baharuddin S., and Maziah Z., 2010, “Endophytic Fungi from Paddy”, **Tropical Life Sciences Research**, vol. 21(1), pp. 101–107.

Lei S., Fubin Q., Xiaoxia Z., Xin D., Xiuzhu D., and Wei S., 2008, “Endophytic Bacterial Diversity in Rice (*Oryza sativa* L.) Roots Estimated by 16S rDNA Sequence Analysis”, **Microb Ecol**, vol. 55, pp. 415-424.

- Liewkongsataporn, W., Inban, K., Tanticharoen M. and Rachadawong, S., 2002, "Characterization of endophytic fungi isolated from grasses of agricultural Importance", **Poster presentation at The 14<sup>th</sup> Annual Meeting of the Thai Society for Biotechnology**, 12-15 November, 2002. Sofitel Raja Orchid Khon Kaen, Khon Kaen, Thailand
- Magaurran, A.E., 1988, **Ecological Diversity and Its Measurement**, Princeton University Press, Princeton, New Jersey, USA, 179p.
- Otero, J.T., Ackerman, J.D., and Bayman, P., 2002, "Diversity and host specificity of endophytic *Rhizoctonia*-like fungi from tropical orchids", **Am. J. Bot.**, vol.89, No.11, pp.1852-1858.
- Panphut, W., 1997, **Bioactive compounds from endophytic fungi of Thai medicinal plants**, M.Sc.(Microbiology) Thesis, Faculty of Science, Mahidol University, Bangkok, Thailand.
- Photita, W., Lumyong, S., Lumyong, P., and Hyde, K.D., 2001, "Endophytic fungi of wild banana (*Musa acuminata*) at Doi Suthep Pui National Park, Thailand", **Mycol. Res.**, vol. 105, pp. 1508-1513.
- Saikkonen, K., Wali, P., Helander, M. and Faeth, H.S., 2004, "Evolution of Endophyte-plant Symbioses", **Trends in Plant Science**, vol.9, No.6, pp.275-279.
- Scannerini, S., Fusconi, A. and Mucciarelli, M., 2001, "The Effect of Endophytic Fungi on Plant Morphogenesis", **Symbiosis**, pp.425-447.
- Scott, B., 2001, "**Epichloe endophytes: fungal symbionts of grasses**", *Curr. Opinion Microbiol.*, vol. 4, pp.393-398.
- Subramanian, C.V., 1976, **Hyphomycetes**, Indian Council of Agricultural Research, New Delhi, pp.779-792.
- Toofanee, S.B. and Dulymamode, R., 2002, "Fungal Endophytes Associated with *Cordemoya integrifolia*", **Fungal Diversity**, vol.11, pp.169-175.

Watanabe T., 1994, **Pictorial Atlas of Soil and Seed Fungi**, CRC Press, Inc., Lewis Publishers, pp.17-20.

Yuan, J., Jian-Nan, B., Bing, Y., and Xu-Dong, Z., 2006, "Taxol-Producing Fungi: A New Approach to Industrial Production of Taxol", **Chin J Biotech**, vol. 22(1), pp. 1-6.

Zhiyuan T., Thomas H., Prasad G., Jagdish K. L., and Babara R.H., 2001, "Novel Endophytes of Rice form a Taxonomically Distinct Subgroup of *Serratia marcescens*", **System. Appl. Microbiol.**, vol. 24, pp. 245–251.