LITERATURE CITED

Acland, J.D. 1977. East African crops. FAO and Longman. 5: 29–32.

- Azam-Ali S. H. and Judge E. C. 2001. **Small-scale cashew nut processing.** Available Source: http://www.fao.org/AG/ags/agsi/Cashew/Cashew.html, December 3, 2006.
- Bola Raghvendra Kamath& Sons. **Cashew nut shell liquid a versatile raw material.** Available Source: http://www.bolocashew.com/cnsl.html, September 13, 2006.
- Das, P. and Ganesh, A. 2003. Bio-oil from pyrolysis of cashew nut shell-A near fuel. Biomass and Bioenergy. 25: 113–117.
- Das, P., Sreelatha, T. and Ganesh, A. 2004. Bio-oil from pyrolysis of cashew nut shell-characterization and related properties. Biomass and Bioenergy. 27: 265–275.
- David Kristin. 2006. **Cashew.** Echo technical note. Available Source: http://www. echonet.org, October 15, 2006.
- De Mattos. 1831. Chemical in cashew. Journal de Pharmaceuticals. 5: 98-103.
- Edoga, M. O., Fadipe, L. and Edoga, R. N. 2006. Extraction of polyphenols from cashew nut shell. Leonardo Electronic Journal of Practices and Technologies. 9: 107-112.
- Ganesh, A., Patel, R. and Bandyopadhyay, S. 2006. Extraction of cashew (Anacardium occidentale) nut shell liquid using supercritical carbon dioxide.Bioresource Technology. 97: 847-853.

- General Foods Corporation (Rye, NY). 1946. Improved process for the separation of acid constituent from Cashew nut shell liquid or hydrogenated cashew nut shell liquid. Indian Patent 34671.
- Gedam P.H. and Sampathkumaran P.S. 1986. Cashew nut shell liquid: extraction, chemistry and applications. **Progress in Organic Coatings**. 14:115–57.
- Hartley L. 1998. Secondary compounds within the Anacardiaceae. Available Source: http://www.colostate.edu/Depts/ Entomology/ courses/en570/ papers1998/ hartley.html, August 15, 2006.
- Kurucheve ,V., G.J. Ezhilalnad and J. Jayraj.1997. Screening of higher plants for fungitoxicity against Rhizoctonia solani in vitro. Indian phytopathology. 50: 235-241.
- Kubo, I., Komatsu, S. and Ochi, M. 1986. Molluscicides from the Cashew Anacardium occidentale and their large-scale isolation. J. Agric. Food Chem. 34: 970-973.
- Linstromberg W. Walter and Baumgarten E. D.C. 1987. **Organic Experiments.** 6th ed. Heath and Company.
- Ohler, J.G. 1979. **Cashew Communication**, pp.71. Koninklijk Institut voor de Tropen, Amsterdam.
- Menon, A., R.R. Pillai., Sudha, J.D. and Mathew, A.G. 1985. Cashew nut shell liquid-its polymeric and other industrial products. J. Sci. Ind. Res. 44: 324-338.
- Morton, Julia. 1987. **Fruits of warm climates**. Available Source:http://www.hort. purdue.edu/newcrop/morton/cashewapple.html, September 1, 2006.

- Nagabhushana, K. S. and Ravindranath, B. 1995. Efficient mediumscale chromato graphic group separation of anacardic acids from solvent-extracted cashew nut (Anacardium occidentale) shell liquid. **J. Agric. Food Chem.** 43: 2381-2383.
- Palmer International, Inc. 2001. **Developing Nature's Resources.** Available Source:http://www.palmerint.com/global.html, September 1, 2006.
- Roger J. Wilson. 1975. The market for Cashew-nut kernel and cashew-nut shell Liquid. Tropical products Institute. London.
- Shobha, S.V. and Ravindranath, B. 1991. Supercritical carbon dioxide and solvent extraction of the phenolic lipids of cashew nut (Anacardium occidentale) shells. J. Agric. Food Chem. 39: 2214–2217.
- Spiegel, A. and C. Dobrin. 1895. J. hem. Sot London. 70: 653.
- Stadeler, L. 1847. Ann. Chem. Pharm. 63: 137.
- Toyomizu, M., Okamoto, K., Ishibashi, T., Chen, Z. and Nakatsu, T. 2000. Uncoupling effect of anacardic acids from cashew nut shell oil on oxidative phosphorylation of rat liver mitochondria. Life Sci. 66: 229–234.
- Tsunetaro, K. and Mitsuo, K. 1995. Separation and purification of anacardic acids using anion-exchange resin. Japanese Patent JP1995000062290.
- Tychopoulas, V. and Tyman, J. H. P. 1990. Long chain phenols-Thermal and oxidation deterioration of phenolic lipids from the cashew (Anacardium occidentale) nut shell. J. Sci. Food and Agiric. 52: 71-83.
- Tyman, J.H.P., Johnson, R.A., Muir, M. and Rokhgar, R. 1989. The extraction of natural cashew nut-shell liquid from the cashew nut (Anacardium occidentale).J. Am.Oil Chem. Soc. 66: 553–557.

- Tyman, J.H.P. 1996. Synthetic and Natural Phenols Studies in Organic Chemistry, pp 518–521. Elsevier, Amsterdam.
- Tyman, J.H.P. and Bruce I.E. 2003. Journal of Surfactants and Detergents. 4: 289-297
- Wassermann, D. and Dawson, C. R. 1948. Cashew nut shell liquid III. The cardol component of Indian cashew nut shell liquid with reference to the liquid's vesicant activity. J.Am. Chem. Soc. 70: 3675-3681.
- Woodroof, J.G. 1967. Tree nuts, production, processing and products, pp 221.Vol. I. AVI Publications Co.