

LITERATURE CITED

- Ahn, S.W. 1994. **International collaboration on breeding for resistance to rice blast**. pp. 137-153. *In* R.S. Zeigler, S.A. Leong and P.S Teng (eds.).
- _____, and M.F. Koch. 1988. **A conceptual model of disease resistance in rice pathosystems and Its implications for evaluating resistance**. International Rice Research Newsletter. 13(6): 12-13.
- Akagi, H., Y. Yokozeki, A. Inagaki and T. Fujimura. 1996. **Microsatellite DNA marker for rice Chromosome**. Theor. Appl. Genet. 93: 1071-1077.
- Anderson, A.L., B.W. Henry and E.C. Tullis. 1947. **Factors affecting infectively spread and resistance of *Pyricularia oryza***. Cav. Ibid. 37: 94-100.
- Atkin, J.G. and T.H Johnson. 1995. **Inheritance in Rice of reaction to blast race 1 and 6 of *Pyricularia oryzae***. Phytopathology. 55: 993-995.
- Ayres, N.M., A.M. Mc Clung, P.D. Larkin, H.F.J. Bligh, C.A. Jones and W.D. Park. 1997. **Microsatellites and single nucleotide polymorphism differentiate apparent amylase classes in an extended pedigree of U.S. rice germplasm**. Theor. Appl. Genet. 94: 773-781.
- Bonman, J.M., G.S. Khush and R.J. Nelson. 1992. **Breeding rice for resistance to pest**. Ann. Rev. Phytopathol. 30:507-528.
- Bonman, J.M., T.I. Vergel De Dios and M.M.Khin. 1986. **Physiologic specialization of *Pyricularia oryzae* in the Phillippines**. Plant Disease. 70: 767-769.
- Botstein, D., R.L White, M. Skolnick and R.W. Devis. 1980. **Construction of a genetic linkage map in man using restriction fragment length polymorphism**. Am. J. Hum. Genet. 32: 314-331.

- Bourett, T.M. and R.J. Howard. 1990. **In vitro development of penetration structures in the rice blast Fungus *Magnaporthe grisea***. Canadian Journal of Botany 68: 329-342.
- Bretting, P.K. and M.P. Widrlechner. 1995. **Genetic marker and plant genetic resource management**, Plant Breed Rev. 13: 11-86.
- Brown S.M. and S. Kresovich. 1996. **Molecular characterization for plant genetic resources conservation**, pp. 85-93. *In* Paterson AH (eds.), Genome mapping in Plants. G.R. Landes, New York.
- Chen, X., Temnykh, S., Xu, Y., Cho, Y.G., McCouch, S.R. 1997. Development of a microsatellite framework map providing genome-wide coverage in rice (*Oryza sativa* L.). Theor. Appl. Genet. 95:553-567.
- Disthaporn, S. 1994. Current rice blast epidemics and their management in Thailand. pp.333-342. *In* R.S. Zeigler, S.A., Leong and P.S. Teng (eds.), Rice Blast disease, Commonwealth Agriculture Bureaux International, Wallingford, UK.
- Correa Victoria, F.J. and R.S. Zeigler. 1993. Pathogenic variability in *Pyricularia grisea* at a rice blast "hot spot" breeding site in eastern Colombia. Plant Dis. 77:1029-1035.
- Geldermann, H. 1975. Investigations on inheritance of quantitative characters in animals by gene marker. Theor. Appl. Genet. 46: 319-330.
- Giatgong, P. and R.A. Frederiken. 1969. Pathogenetic variability of cytology of monoconidial subcultures of *Pyricularia oryzae*. Phytopathol. 59 (8): 1152-1157.

- Goto, K. 1965. Estimating losses from rice blast in Japan, pp. 195-202. In R.S. Zeigler, S.A. Leong and P.S. Teng (eds.). Rice Blast Disease. CAB International, Wallingford, Oxon, U.K.
- Haldane, J.B.S. and C.H. Waddington. 1994. Inbreeding and linkage. *Genetics* 16: 357.
- Hallaner, A.R. and J.B. Miranda. 1998. Quantitative genetics in maize breeding. Iowa State University Press, Ames, Iowa.
- Hamer, J.E., R.J. Howard, F.G. Chumley and B. Valent. 1988. A mechanism for surface attachment in spores of plant pathogenic fungus. *Science*. 239: 288-290.
- Hebert, T.T. 1971. The perfect stage of *Pyricularia grisea*. *Phytopathol.* 61: 83-87.
- Hen, S.S., D.S. Ra and R.J. Nelson. 1993. Comparison of RFLP based phylogenetic Trees and pathotypes of *Pyricularia grisea* in Korea. *RDAJ. Agric. Sci.* 35:315-323.
- Hittamani, S., Parco, A., Mew, T.V., Zeigler, R.S. 2000. Fine mapping and DNA marker-assisted pyramiding of the three major genes for blast resistance in rice, *Theor. Appl. Genet.* 100: 1121-1128.
- Holliday, P. 1989. A dictionary of plant pathology. Cambridge University Press, Cambridge, Cambridge, UK. P. 369.
- Howard, R.J. 1991. Penetration of hard substance by a fungus employing enormous turgor pressures. *Proceeding of the National Academy of science in the United States of America.* 88: 11281-11284.

- Hsieh, S.C., M.H. Lin and H.L. Liang. 1967. Genetic analysis in rice VIII. Inheritance of resistance to Race 4,22 and 25 of *Pyricularia grisea*. Botanical Bulletin of Academia, Taipei. 8:255-260.
- Inukai, T., Zeigler, R.S., Sarkarung, S., Bronson, M., Dung, L.V., Kinoshita, T. and Nelson, R.J. 1996. Development of pre-isogenic lines for rice blast-resistance by marker- aided selection from a recombination from a recombinant inbred population. Theor. Appl. Genet. 93: 560-567.
- Kinoshita, T. 1991. Report of the committee on Gene Symbolization, Nomenclature, and Linkage Groups. Rice Genetics Newsletter. 8:2-37.
- Kiyosawa, S. 1976. Pathogenic variations of *Pyricularia oryzae* and their use in genetic and breeding studies, SABRAO. 8 : 53-67
- _____. 1981. Gene analysis for blast resistance. Annu. Rev. Phytopathol.19:196-203.
- _____. 1982. Genetics and epidemical modeling of breakdown of plant disease resistance. Annu. Rev. Phytopathol. 20: 93-117.
- _____, and I., Ando. 1990. Blast resistance. *In*: Science of the Rice Plant. Vol. 3. Genetics. (In Japanese.) T. Matsuo, ed. Nosan-gyoson Bunka Kyokai, Tokyo. pp. 361-385.
- Kosambi, D.D.1994. The estimation of map distance from recombination values. Ann. Eugen.12:172-175.
- Koh H.J., M.H. Heu and S.R. McCouch. 1996. Molecular mapping of the gene controlling the super-giant embryo character in rice (*Oryza sativa* L.). Theor. Appl. Genet. 93: 257-261.
- Kresovich S., A.K. Szewc-McFadden, S.M. Bliet and J.R. Mcferson. 1995. Abundance and Characterization of simple-sequence repeats (SSRs) isolated

from a size-fractionated genome Library of *Brassica napus* L. (reseeded). *Theor. Appl. Genet.* 91: 206-211.

Kurata N., Y. Nagamura, K. Yamamoto, Y. Harushima, N. Sue, J. Wu, B.A. Antonio, A. Shomura, T. Shimizu, S.Y. Tin, T. Inoue, A. Fukuda, T. Shimano, Y. Kuboki, A. Momma, Y. Umehara, M. Yano, T. Sasaki and Y. Minobe. 1994. A 300- kilobase interval genetic map of rice including 883 expressed sequences. *Nature Genet.* 8: 365-372.

Lander, E.S. and D. Bostein. 1989. Mapping Mendelian factors underlying quantitative traits using RFLP linkage maps. *Genetics.* 121: 185-199.

_____, P. Green, J. Abrahamson, A. Barlow, W.J. Daly, S.E. Lincoln and L. Newburg. 1987. Mapmaker: An interactive computer package for constructing primary genetic linkage maps of experimental and natural population. *Genetic.* 1: 174-181.

Lee, E.J., Q. Zhang and T.W. Mew. 1989. Durable resistance to rice disease in irrigated environment, pp. 93-110 *in: Progress in Irrigated Rice Research*, International Rice Research Institute, P.O. Box 993, Manila, Philippines.

Leong, S.A., E.S. Borromeo, M.A. Bernardo, J.L. Nottoghem. 1988. Genetic analysis of virulence in rice blast fungus *Magnaporthe grisea*. *Phytopathology.* 78: 1227-1233.

Levy, M., J. Romao, M.A. Marchetti and J.E. Hamer. 1991. DNA fingerprinting with a dispersed repeated sequence resolves pathotype diversity in the rice blast fungus. *Plant Cell.* 3: 95-102.

_____, F.J. Correa Victoria, R.S. Zeigler, S. Xu and J.E. Hamer. 1993. Genetic diversity of the rice blast fungus in a disease screening nursery in Colombia. *Phytopathology.* 1427-1433.

- Li, Z., S.R.M. Pinson, J.W. Stansel and W.D. Park. 1995. Identification of quantitative trait loci (QTLs) for heading date and plant height in cultivated rice (*Oryza sativa* L.). *Theor. Appl. Genet.* 91: 374-381.
- Lin, H.X., H.R. Qian, J.Y. Zhuang, J. Lu, S.K. Min, Z.M. Xiong, N. Huang and K.L. Zheng. 1996. RFLP mapping of QTLs for yield and related characters in rice (*Oryza sativa* L.). *Theor. Appl. Genet.* 92: 920-927.
- Lincoln, S.E., M.J. Daly and E.S. Lander. 1992. Mapping genes controlling quantitative traits using MAPMARKER/QTL. 3rd ed., Whitehead Institute for Biomedical Research Technical Report, Cambridge. 170 p.
- Mackill, D.J., J.M. Bonman. 1986. New hosts of *Pyricularia oryzae*. *Plant Disease.* 70:125-127.
- Marchetti, M.A. 1983. Dilatory resistance to rice blast in U.S.A. rice *Phytopathology.* 73: 645-649.
- McCouch, S.R., G. Kochert, Z.H., Yu, Z.Y. Wang, G. S. Khush. 1988. Molecular mapping of rice chromosomes. *Theor. Appl. Genet.* 76: 815-829.
- _____, Nelson, R.J., Tohme, J. and Zeigler, R.S. (1994) Mapping of blast resistance genes in rice, in R.S. Zeigler, S.A., Leong and P.S. Teng (eds.), *Rice Blast Disease*, CAB International in association with International Rice Research Institute, pp.167-186.
- _____, Temnykh, S., Lukashova, A., Coburn, J., DeClerck, G., Cartinhour, S., Harrington, S., Thomson, M., Septiningsih, E., Semon, M., Moncada, P. and Jiming Li. 2001. Microsatellite markers in rice: abundance, diversity, and applications. *In* Khush, G.S., Brar, D.S. and Hardy, B. (eds.), *Rice genetics IV. Proceedings of the Fourth.*

- Mekwantanakarn, P.1999. Characterization of *Pyricularia grisea* (*Magnaporthe grisea*) population in Thailand using molecular marker, mating type and pathotype. Ph.D. Thesis, Kasetsart University, Thailand.
- _____, T. Phomruksa and S. Khamma. 1997. Characterization of *Pyricularia grisea* population in Thailand using MGR-DNA Fingerprinting in Thailand. Final Report. RLRRRC-URRC project. Ubon Ratchathani Rice Research Center. Thailand. P. 20-21.
- Mew, T. V., S. A. Parco, S. Hittalmani, T. Inukai, R. J. Nelson, R. S. Zeigler and N. Huang. 1994. Fine mapping of major genes for blast resistance in rice. Rice Genet Newsletter 11: 126-128
- Na Lampang, A., Watakawikran, S., La-Bantao, P. and P. Kow-inn. 2000. Reaction of rice varieties to blast under upland conditions and characterization of *Pyricularia grisea* Sacc. population (Abstract). 17 November 2000, The Golden Jubilee Building, Kasetsart University, Bangkok, Bangkok. P.17.
- _____, Noenplab, A., Surin, A., Gypmantasiri, P., Smitamana, P., Phumsathit, W., Boonchitsirikul, C. and S. Panyafoo. 2000. Biodiversity in relation to rice blast epidemics (Abstract). Paper presented at the seminar “40 Years of Thai-IRRI collaboration and partnership in the new millennium”. 17 November 2000, The Golden Jubilee Building, Kasetsart University, Bangkok, Bangkok. P.35.
- Nelson, R.J., D.H. Chen, R. Scott, T. Inukai, L.X.. Cuoc, M. Bernado, M. Bronson, H. Leung and R.S. Zeigler. 1994. Population genetics of the blast fungus and characterization of quantitative resistance against blast. In 7th Meeting of Int. program in rice Biotechnology, May 16-20, 1994, Bali, Indonesia.

- Ou, S.H. 1979. Breeding rice for resistance to blast, A. critical view, pp. 79-137. *In* *Proceeding of the Rice Blast Workshop*. International Rice Research Institute, Manila, Philippines.
- _____. 1980. Pathogen variability and host resistance in rice blast disease. *Annu. Rev. Phytopathology*. 18: 167-187.
- Panaud, O., X. Chen, and S.R. McCouch. 1996. Development of microsatellite markers and Characterization of simple sequence length polymorphism (SSR) in rice (*Oryza sativa* L.). *Mol. Gen. Genet.* 252: 597-607.
- Parlevliet, J.E. 1979. Components of resistance that reduce the race of epidemic development. *Ann. Rev. Phytopathol.* 1:203-222.
- _____. 1988. Identification and evaluation of quantitative resistance. *In* Leonards, K.J. Leonard, K.J. and Fry, W.G. (eds.), *Plant Disease Epidemiology, Genetic, Resistance, and Management*, McGraw-Hill, New York. 2. 337 p.
- Paterson, A.H., E.S. Lander., J.D.Hewitt., S.Peterson., S.E.Lincoln. 1988. Resolution of quantitative traits into Mendelian factors, using a complete linkage map of restriction fragment length polymorphism. *Nature*. 335:721-726.
- _____, S. Damon, J.D.Hewitt, D. Zamir, H.D. Rabmowitch, S.E. Lincoln, E.S. Lander, S.D. Tanksly. 1991. Mendelian factor underlying quantitative traits in tomato: comparison across species, generations and environments. *Genetics*. 127: 181-197.
- Prashanth, G.B., Hittalmani, S., Srinivasachary., Shadakshari, K. and Shashidhar. 1998. Genetic markers associated with field resistance to leaf and neck blast across locations in rice (*Oryza sativa* L.) *Rice Genet. Newslet.*15:128-131.

- Redora, E.D. and D.J. Mackill. 1996. Mapping quantitative trait loci for seedling vigor in rice using RFLPs. *Theor Appl. Genet.* 92:395-402.
- Roumen, E.C. 1993. Partial resistance in rice to blast and how to select for it. Ph.D.-Thesis. Wageningen Agricultural University, Wageningen. 108 p.
- Rossman, A.Y., R.J. Howard and B. Valent. 1990. *Pyricularia grisea*, the correct name for the rice blast fungus. *Mycologia.* 82: 509-512.
- Sasaki, R. 1923. Existence of strains in rice blast fungus II. *Journal of plant protection.* 10: 1-10.
- Shen, Y., J. Manry and P. Zhu. 1997. Genetic diversity and pathotype virulence of the rice blast fungus in China, p. 138. *In* General Meeting of the International Program on Rice Biotechnology. Rockefeller Foundation, Malacca, Malaysia. (Abstr.).
- Schiller, J. M., S. AppaRao, Hatsadong, P. Inthapanya. 1999. Glutinous rice varieties of Laos, their improvement, cultivation, processing and consumption. Chater written for proposed FAO publication, “Speciality rices in the world: Breeding, production and marketing”. 35 p.
- Schiller, J. M. National Rice Research Program for the Lao PDR and the Lao – IRRI Project. 1997 Annual Technical Report.33.
- Silue D., Notteghem J.L. and Tharreau D. 1992. Evidence of a gene-for-gene relationship in the pathosystem *Oryzae sativa- Magnaporthe grisea*. *Phytopathology.* 82: 557-580.
- Sirithunya, P, 1999. Mapping genes controlling blast resistance in rice (*Oryza sativa* L.) Ph.D.thesis. Kasetsart University. Thailand.132p.

- _____, S. Tragoonrung, A. Vanavichit, N. Pa-in, C. Vongsaprom and T. Toojinda. 2002. Quantitative trait loci associated with leaf blast and neck blast resistance in recombinant inbred line population of rice (*Oryza Sativa* L.). *DNA Research*. 9:79-88.
- _____, T. Toojinda, S. Pimpisitthavorn and S. Sriprakon. 2001. Genetic interaction between resistance genes of rice and diversity of blast pathogen in Thailand. Pp. 36-37. *In* 2001 Annual Research Conference on Rice and Temperate Cereals. Rice Research Institute, Department of Agriculture.
- Surin A., Arunyanart P, 1990. Using empirical blast to establish disease management recommendation in Thailand. Paper present International Rice Conference in Seoul Korea.
- Tabain, R.E., Li, Z., Paterson, A.H., Marchetti, M.A., Stansel, J.W., Pinson, S.R.M. 2000. Mapping of four major rice blast resistance genes from 'Lemont' and "Teqing" and evaluation of their combinatorial effect for field resistance. *Theor. Appl. Genet.* 101:1215-1225.
- Teng, P.S. and I.M. Revilla. 1996. Technical issues using crop-loss data for research prioritization, pp. 261-275. In R.E. Evenson, R.W. Herdt and M. Hossain (eds.). *Rice Research in Asia: Progress and Priorities*. 320. CAB, London.
- Temnyth, S., Park, W.D., Ayres, N., Cartinhour, S., Hauck, N., Lipovich, L., Cho, Y.G., Ishii, T., McCouch, S.R. 1999. Mapping and genome organization of microsatellite sequences in rice (*Oryza sativa* L.). *Theor. Appl. Genet.* 100: 697-712.
- Toojinda, T., Chen, X., Hayes, P.M., Kleinhofs, A., Korte, J., Kudrna, D., Line, R. and Vivar, H. 1999, Locus specificity of resistance gene and analog

polymorphism in barley. Plant and Animal Genome VII. P.393. Town and country Hotel, San Diego, CA, January 17-21.

_____, Broers, L.H., Chen,X.M., Hayes,P.M., Kleinhofs, A., Korte,J., Kudrna, D., Leung, H., Line, R.E., Powell, W., Ramsay, L., Vivar, H., Waugh, R. 2000. Mapping quantitative and qualitative disease resistance genes in a double Haploid.

Wang, Z.M., D.J. Mackill and J.M. Bonman, 1989. Inheritance of partial resistance to blast in *indica* rice cultivars. Crop Sci. 29: 848-853.

Wang, G.L., Mackill,D.J., Bonman, J.M.,McCouch, S.R., Champoux, M.C. and Nelson, R.J. 1994. RFLP mapping of genes conferring complete and partial resistance to blast in a durably resistance rice cultivars, *Genetics* 136,1421-1434

Young, N.D. 1996, QTL mapping and quantitative disease resistance in plant, *Annu. Rev. Phytopathol*, 34: 79-501.

_____. Mackill D.J., Bonman J.M., McCouch, S.R., Guiderdoni, E., Notteghem, J.L., Tanksley, S.D. 1996. Molecular mapping of genes for resistance to rice blast (*Pyricularia grisea* Sacc.). *Theor. Appl. Genet.* 93:859-863.

Zeigler, R. S., Tohme, J., Nelson, R., Levy, M., and Correv-Victoria, F.J. 1994. Lineage exclusion: A proposal for linking blast population analysis to resistance breeding, in Zeigler, R. S., Leong, S. A., and Teng, P. S. (eds.), Rice Blast Blast Disease.