

เอกสารอ้างอิง

- [1] ผ่องศรี ศิวราศักดิ์. 2551. การหมักเอทานอลแบบรวมปฏิกิริยาจากกากมันสำปะหลัง. วารสารวิจัย. มหาวิทยาลัยเทคโนโลยีราชมงคลธัญบุรี. ปีที่ 11 ฉบับที่ 2 (มกราคม-เมษายน 2551). หน้า 67-77.
- [2] Akkhopol Saikhamthorn, Pongsri Siwarasak and Sittinun Tawkeaw. 2008. Enzymatic Hydrolysis of Cassava Waste by Using Crude Cellulase from *Trichoderma reesei* RMUTT01 for Ethanol Fermentation. MSAT-5. Miracle Grand Hotel. Bangkok.
- [3] Natesan Balasubramanian and Damodaran Lalithakumari. 2008. Characteristics of protoplast inter, tntra-fusant and regeneration of antagonistic fungi *Trichoderma harzianum* and *Trichoderma viride*. **African Journal of Biotechnology**. Vol. 7 (18) pp. 3235-3243.
- [4] Kabbashi Nassereldeen A., MD. Zahangir Alam and M. Fahrurrazi Tompong. 2007. Direct bioconversion of oil plam fruit bunches for bioethnol production by solid state bioconversion. **IIUM Engineering Journal**. Vol. 8 (2).
- [5] Humphrey. C. Nzelibе and Caritas U Okafoagu. 2007. Optimization of ethanol production from *Garcinia kola* (bitter kola) pulp agrowaste. **African Journal of Biotechnology**. Vol. 6 (17) pp. 2033-2037.
- [6] Saloheimo Anu. 2004. Yeast *Saccharomyces cerevisiae* as a tool in cloning and analysis of fungal genes. Application for biomass hydrolysis and utilization. Espoo 2004. **VTT Publications 541**. 84 p. – app. 52.
- [7] B. S. Dien, M. A. Cotta และ T. W. Jeffries. 2003. Bacteria engineered for fuel production: current status. **Appl Microbiol Biotechnol**. 63: 258-266.
- [8] Hunsu Punnapayak, Mukda Kuhirun and Porthep Thanonkeo. 1999. Cellulolytic fungi and the bioconversion of fiber from *Agave sisalana*. **Science Asia**. Vol. 25: 133-136.
- [9] Srinivas D. and T Panda. 1998. pH and thermal stability studies of carboxymethyl cellulose from intergeneric fusants of *Trichoderma reesei* and *Saccharomyces cerevisiae*. **Journal of Industrial Microbiology & Biotechnology**. Vol. 21: 178-183.

- [10] Viesturs, U.E., Aspite, AF, Laukevic JJ, Ose VP, Bekers MJ Y Tengerdy RP. 1981. Solid-strate fermentation of wheat straw with *Chaetomium cellulolyticum* and *Trichoderma lignorum*. **Biotechnology and Bioengineering** Symposium 11, 359-369.
- [11] Tengerdy, R.P., Murphy, V.G., and Wissler, M.D. 1983. Solid-strate fermentation of cellulosic residues. *Annals of the New York Academy of Sciences* 413, 469-472.
- [12] Shamala, T.R. and Sreekantiah, K.R. 1987. Successive cultivation of selected cellulolytic fungi on rice straw and wheat bran for economic production of cellulases and D-xylanase. **Enzyme and Microbial Technology**. 9, 1987: 97-101.
- [13] Suresh Chandra Kurup, R., Snishamol, C. and Nagendra Prabhu, G. 2005. Cellulase Production by Native Bacteria Using Water Hyacinth as substrate under Solid State fermentation. *Malasian Journal of Microbiology*. Vol. 1(2) 2005, pp. 25-29.
- [14] Hallsworth, J.E., Yoshiyuki Nomura and Masayoshi Iwahara. 1998. Ethanol-Induced Water Stress and Fungal Growth. *Journal of Fermentation and Bioengineering*. Vol. 86, No. 5, 451-456.
- [15] Mitchell David. 1996. General principles of solid-strate fermentation. Course notes: Workshop on solid-state fermentation in biotechnology. King Mongkut University of Technology Thonburi, Thailand: 30 January-2 February 1996.
- [16] TAPPI 203 om-88. 1988. **Technical Association of Pulp and Paper Industry**. Test Method for Determination of Alpha-Beta-and Gamma-Cellulose in Pulp.
- [17] TAPPI 222 om-88. 1988. **Technical Association of Pulp and Paper Industry**. Test Method for Determination of Acid-insoluble lignin in wood and pulp.
- [18] Miller, G.L. 1959. Use of dinitrosalicylic acid and reagent for determination of reducing sugar. *Anal. Chem.* 31: 426-427.
- [19] สิริจินดา ชุ่มฉลาด. 2540. **ปฏิบัติการเทคโนโลยีชีวภาพ 1**. ภาควิชาเทคโนโลยีชีวภาพ คณะเทคโนโลยีชีวภาพ มหาวิทยาลัยขอนแก่น.
- [20] Roy, R. K., A Primer on the Taguchi Method, **Van Nostrand Reinhold**, New York 1990.
- [21] Ravella Sreenivas Rao, C. Ganesh Kumar, R. Shetty Prakasham, Phil J. Hobbs (2008) The Taguchi methodology as a statistical tool for biotechnological applications: **A critical appraisal Biotechnology Journal**. 3:510–523.

- [22] Kubicek P. Christian and Harman E. Gary. 1998. **Trichoderma & Gliocladium**. Vol. 1. Taylor & Francis Ltd. UK.
- [23] <http://nt.ars-grin.gov/taxadescriptions/keys/framekey.cfm?gen=trichoderma>
- [24] Aftab Ahamed and Patrick Vermette. 2009. Effect of culture medium composition on *Trichoderma reesei's* morphology and cellulase production. **Bioresource Technology**. 100, 2009: 5979–5987.
- [25] Omojasola, P. Folakemi, Jilani, Omowumi Priscilla and Ibiyemi, S.A. 2008. Cellulase Production by some Fungi Cultured on Pineapple Waste. **Nature and Science**. 6(2), 2008: 64-79.
- [26] Parani, K. and Eyini, M. 2010. Effect of co-fungal treatment on biodegradable of coffee pulp waste in solid state fermentation. **ASEAN J. EXP. SCI**. Vol. 1 (2) 2010: 352-359.
- [27] Manikandan, K., Saravanan, V. and Viruthagiri, T. 2008. Kinetics studies on ethanol production from banana peel waste using mutant strain of *Saccharomyces cerevisiae*. **Indian Journal of Biotechnology**. Vol. 7, January 2008. pp 83-88.
- [28] Manikandan, K. and Viruthagiri, T. 2010. Kinetic and optimization studies on ethanol production from corn flour. **International Journal of Chemical and Biomolecular Engineering**. 3:2, 2010: 65-69.
- [29] Krisztina Kovacs, George Szakacs and Guido Zacchi. 2009. Enzymatic hydrolysis and simultaneous saccharification and fermentation of steam- pretreated spruce using *crudeTrichoderma reesei* and *Trichoderma atroviride* enzymes. **Process Biochemistry**. 44, 2009: 1323–1329.
- [30] Helen Golias, Geoffrey J. Dumsday, Grant A. Stanley and Neville B. Pamment. 2002. Evaluation of a recombinant *Klebsiella oxytoca* strain for ethanol production from cellulose by simultaneous saccharification and fermentation: comparison with native cellobiose-utilising yeast strains and performance in co-culture with thermotolerant yeast and *Zymomonas mobilis*. **Journal of Biotechnology**. 96, 2002: 155–168.
- [31] Srinivas, D., Jagannadha Rao, K., Theodore, K. and Panda, T. 1995. Direct conversion of cellulosic to ethanol by the intergeneric *Trichoderma reesei* QM 9414/*Saccharomyces cerevisiae* NCIM 3288. **Enzyme and Microbial Technology**. 17, 1995:418-423.