

LIST OF TABLES

Table	Page
1 HF/6–31G** optimized geometrical parameters of the H-ZSM-5 and H-ZSM-5/CO systems (bond lengths are in Å and bond angles in degrees).	40
2 HF/6–31G** optimized geometrical parameters of the Li-ZSM-5 and Li-ZSM-5/CO systems (bond lengths are in Å and bond angles in degrees).	41
3 Calculated adsorption energies (kcal/mol) of CO on naked Li(I), bare quantum cluster and embedded cluster model of H-ZSM-5 and Li-ZSM-5 zeolites.	45
4 Calculated adsorption energies (kcal/mol) of CO on bare quantum cluster and embedded cluster model of H Li-ZSM-5 and H Li-FAU zeolites.	48
5 Selected parameters of Ag-ZSM5 in 3T and 5T systems (bond lengths are in Å and bond angles in degrees).	61
6 Selected geometrical parameters (bond lengths are in Å and bond angles are in degrees), Mulliken charges, frequency shifts, and binding energies for the adsorption complex of CO on the Ag-ion exchanged ZSM-5 zeolite. The frequency and binding energy data in parentheses are from single point MP2/6-31G(d,p) calculation.	62
7 Selected geometrical parameters (bond lengths are in Å and bond angles are in degrees), Mulliken charges, frequency shifts, and binding energies for the adsorption complex of NO on the Ag-ion exchanged ZSM-5 zeolite. The frequency and binding energy data in parentheses are from single point MP2/6-31G(d,p) calculation.	63

LIST OF TABLES (cont'd)

Table		Page
8	Geometric parameters (distances in pm. and angles in degrees), pyramidalization angles (θ_p) and π -orbital misalignment angles (ϕ) for the single-wall carbon nanohorn (SWNH) tip and the single-wall carbon nanotube (SWNT) tip systems.	65
9	Geometric parameters (distances in pm. and angles in degrees), natural population analysis charges (e) and binding energies (kcal/mol) for the interaction of a gold atom with the Nanohorn (SWNH) tip and the Nanotube (SWNT) tip.	74
10	Electronic HOMO-LUMO energy gap (eV) for the Nanohorn (SWNH) and the Nanotube (SWNT) tip as well as their Au complexes with CO molecules.	76