

LITERATURE CITED

- Andrighetto, C., E. Psomas, N. Tzanetakis, G. Suzzi and A. Lombardi. 2001.
Randomly amplified polymorphic DNA (RAPD) PCR for the identification of
yeasts isolated from dairy products. **Lett. Appl. Microbiol.** 30(1): 5-9.
- Barnett, J.A., R.W., Payne, and D. Yarrow. 1990. **Yeasts: characteristics and
identification**, 2nd ed. Cambridge University Press, Cambridge.
- _____, _____, and _____. 2000. **Yeasts: characteristics and identification**.
Cambridge University Press, Cambridge.
- Barns, S. M., D. J. Lane, M. L. Sogin, C. Bibeau, and W. G. Weisburg. 1991.
Evolutionary relationships among pathogenic *Candida* species and relatives. **J.
Bacteriol.** 173: 2250–2255.
- Bellechetal, C., E. Barrio, D. Garcia, and A. Querol. 1998. Phylogenetic
reconstruction of the yeast genus *Kluyveromyces*: Restriction map analysis of
the 5.8S rRNA gene and two ribosomal internal transcribed spacers. **Syst. Appl.
Microbiol.** 21: 266-273.
- Billon-Grand, G. 1989. A new ascosporogenous yeast genus: *Yamadazyma* gen. nov.
Mycotaxon 35, 201-204.
- Boekhout, T. and C.P. Kurtzman. 1990. Principles and methods used in yeast
classification, and an overview of currently accepted yeast genera, pp. 1-81. In
K. Wolf, ed. **Nonconventional Yeasts in Biotechnology**. Springer-Verlag Berlin
Heidelberg, Germany.

- _____, Kurtzman C.P., O'Donnell K. and Smith M.T. 1994. Phylogeny of the yeast genera *Hanseniaspora* (anamorph *Kloeckera*), *Dekkera* (Anamorph *Brettanomyces*), and *Eeniella* as inferred from partial 26S ribosomal DNA nucleotide sequences. **Int. J. Syst. Bacteriol.** 44: 781-786.
- _____, J.W. Fell and K. O'Donnell. 1995. Molecular systematics of some yeast-like anamorphs belonging to the Ustilaginales and Tilletiales. **Stud. Mycol.** 38, 175-183.
- _____, A. Belkum, A. C. van Leenders, H. A. Verbrugh, P. Mukamurangwa, D. Swinne and W. A. Scheffers. 1997. Molecular typing of *Cryptococcus neoformans*: taxonomic and epidemiological aspects. **Int. J. Syst. Bacteriol.** 47, 432-442.
- _____, M. Kamp and E. Gueho. 1998. Molecular typing of *Malassezia* species with PFGE and RAPD. **Med. Mycol.** 36: 365-372.
- Burns, T.D., T.J. White and J.W. Taylor. 1991. Fungal molecular systematics. **Annu. Rev. Ecol. Syst.** 22, 525-564.
- Cadez, N., P. Raspor, A.W. de Cock, T. Boekhout, M.T. Smith. 2002. Molecular identification and genetic diversity within species of the genera *Hanseniaspora* and *Kloeckera*. **FEMS Yeast Res.**, 1: 279-289.
- _____, G.A. Poot, P. Raspor and M.T. Smith. 2003. *Hanseniaspora meyeri* sp. nov., *Hanseniaspora clermontiae* sp. nov., *Hanseniaspora lachancei* sp. nov. and *Hanseniaspora opuntiae* sp. nov. novel apiculate yeast species. **Int. J. Syst. Evol. Microbiol.**, 53: 1671-1680.
- Chaitiemwong, S. 1973. **Selection of yeast strains suitable for wine industry in Thailand.** M.S. Thesis, Kasetsart University (in Thai).

- Chanklan, R. 1996. **Genetic improvement and optimization of *Saccharomyces cerevisiae* for high yield methionine**. M.S. Thesis, Kasetsart University (in Thai).
- Chatistienr, C. 1977. **The selection of mold and yeast strains in Loogpang for Kaomag fermentation**. Ms. Thesis, Kasetsart University (in Thai).
- Chomtung, S. 1995. **Construction of new yeast hybrid for ethanol production from xylose by protoplast fusion technique**. M.S. Thesis, Kasetsart University (in Thai).
- Cottrel, M., J.L.F. Kock, P.M. Lategan, and T. Britz. 1986. Long-chain fatty acid composition as an aid in the classification of the genus *Saccharomyces*. **Syst. Appl. Microbiol.** 8: 166-168.
- Davahuti, P. **A study on the yeasts in soy source and soy been paste**. M.S. Thesis, Kasetsart University (in Thai).
- Deejing, S. 1995. **Construction of Halotolerant ethanol producing yeast by intergenic protoplast fusion of *Saccharomyces cerevisiae* and *Zygosaccharomyces rouxii***. M.S. Thesis, Kasetsart University (in Thai).
- Diaz, M.R., and J.W. Fell. 2000. Molecular analysis of ITS and IGS rDNA regions of psychrophilic yeasts in the genus *Mrakia*. **Antonie van Leeuwenhoek** 77: 7-12.
- Disyen, C. 1999. **Construction of methionine and lysine rich yeast for high quality protein source by protoplast fusion technique**. M.S. Thesis, Kasetsart University (in Thai).
- Doi, M., M. Homma, S. Iwaguchi, K. Horibe and K. Tanaka. 1994. Strain relatedness of *Candida albicans* strains isolated from children with leukemia and their bedside parents. **J. Clin. Microbiol.** 32: 2253-2259.

- Domain, A.L., H.J. Phaff, and C.P. Kurtzman. 1998. The industrial and agricultural significance of yeasts. pp. 13-19. In C.P. Kurtzman and J.W. Fell, eds. **The Yeasts: a Taxonomic Study**, 4th ed. Elsevier, Amsterdam.
- Eijkman, C. 1901. Ueber enzyme bei Bakterien und Schimmelpizen. Zentralbl. Bakteriol. Parasitenkd., Abt. I, 29, 841-848. In C.P. Kurtzman and J.W. Fell, eds. **The Yeasts: a Taxonomic Study**, 4th ed. Elsevier, Amsterdam.
- Ezaki, T., Y. Hashimoto, and E. Yabuchi. 1989. Fluorometric deoxyribonucleic acid-deoxyribonucleic acid hybridization in microdilution wells as an alternative to membrane filter hybridization in which radioisotopes are used to determine genetic relatedness among bacterial strains. **Int. J. Syst. Bacteriol.** **39**, 224–229.
- Fan, M., L.C. Ragan, R.R. Gutell, J.R. Warner, B.P. Curie, and A. Casadevall. 1995. The 5S rRNA and the rRNA intergenic space of the two varieties of *Cryptococcus neoformans*. **J. Med. Vet. Mycol.** **33**: 215-221.
- Fell, J. W. 1995. rDNA targeted oligonucleotide primers for the identification of pathogenic yeasts in a polymerase chain reaction. **J. Ind. Microbiol.** **14**, 475-477.
- _____ and C.P. Kurtzman. 1990. Nucleotide sequence analysis of a variable region of the large subunit rRNA for identification of marine-occurring yeasts. **Curr. Microbiol.** **21**, 295-300.
- _____ and G. Blatt. 1999. Separation of strains of the yeasts *Xanthophyllomyces dendrorhous* and *Phaffia rhodozyma* based on rDNA, IGS and ITS sequence analysis. **J. Ind. Microbiol. Biotech.** **21**: 677-681.
- _____, T. Boekhout and D.W. Freshwater. 1995. The role of nucleotide sequence analysis in the systematics of the yeast genera *Cryptococcus* and *Rhodotorula*. **Stud. Mycol.** **38**, 129-146.

- _____, T. Boekhout, A. Fonseca, G. Scorzetti and A. Statzell-Tallman. 2000. Biodiversity and systematics of basidiomycetes yeasts as determined by large-subunit rDNA D1/D2 domain sequence analysis. **Int. J. Syst. Evol. Microbiol.** 50: 1351-1371.
- Felsenstein, J. 1985. Confidence limits on phylogenies: An approach using the bootstrap. **Evol.** 39: 738-791.
- _____. 1988. Phylogenie from molecular sequences: inference and reliability. **Annu. Rev. Genet.** 22: 521-565.
- Foongladda, S., P. Sakulmaiwatana, P. Petlum and N. Vanprapar. 2004. *Candida* species, genotypes and antifungal susceptibility of *Candida* isolates from blood samples of patients at the largest tertiary care hospital in Thailand during 1999-2002. **J. Med. Assoc. Thai.** 87(1): 92-9.
- Fungsin, B. 2003. **Taxonomic study of ballistoconidium-forming yeasts found in the phyllosphere of Thailand.** Ph.D. Thesis, Tokyo University of Agriculture, Japan.
- _____, M. Hamamoto, V. Arunpairojana, J. Sukhumavasi, P. Atthasampunna and T. Nakase. 2001. *Bensingtonia thailandica* sp. nov., a novel basidiomycetous yeast species isolated from plant leaves in Thailand. **Int. J. Syst. Evol. Microbiol.** 51: 1209-1231.
- _____, _____, _____, _____, _____ and _____. 2002a. *Kockovaella barringtoniae* sp. nov., a new ballistoconidium-forming yeast isolated from a plant leaf collected in a tropic rain forest in Thailand. **Int. J. Syst. Evol. Microbiol.** 52: 281-284.

- _____, M. Takashima, S. Artjariyasripong, V. Arunpairojana, M. Hamamoto, and T. Nakase. 2002b. *Bullera arundinariae* sp. nov., a new species of ballistoconidium-forming yeast, isolated from a plant in Thailand. **Microbiol. Cult. Coll.** 18: 83-90.
- _____, _____, _____, _____ and T. Nakase. 2003a. *Bullera panici* sp. nov., and *Bullera siamensis* sp. nov., two new yeasts in the *Bullera variabilis* cluster isolated in Thailand. **Microbiol. Cult. Coll.** 19: 23-32.
- _____, _____, _____, W. Potacharoen, and T. Nakase. 2003b. *Bullera sakaeratica* sp. nov., a new species of ballistoconidium-forming yeast found in Thailand. **Microbiol. Cult. Coll.** 19: 33-39.
- Gorin, P.A.J. and J.F.T. Spencer. 1970. Proton magnetic resonance spectroscopy-aid in identification and chemotaxonomy of yeasts. **Adv. Appl. Microbiol.** 13: 25-89.
- _____, _____ and S.S. Bhattacharjee. 1969. Structures of yeast mannans containing both α - and β -linked D-manopyranose units. **Can. J. Chem.** 47, 1499-1505.
- Graf, B., A. Trost, J. Eucker, U.B. Gobel, and T. Adam. 2004. Rapid and simple differentiation of *C. dubliniensis* from *C. albicans*. **Diagn. Microbiol. Infect. Dis.** 48: 149-151.
- Guého, E., C.P. Kurtzman and S.W. Peterson. 1989. Evolutionary affinities of heterobasidiomycetous yeasts estimated from 18S and 25S ribosomal RNA sequence divergence. **Syst. Appl. Microbiol.** 12, 230-236.
- _____, _____ and _____. 1990. Phylogenetic relationships among species of *Sterigmatomyces* and *Fellomyces* as determined from partial rRNA sequences. **Int. J. Syst. Bacteriol.** 40(1): 60-65.

- _____, L. Improvisi, R. Christen and G.S. de Hoog. 1993. Phylogenetic relationships of *Cryptococcus neoformans* and some related basidiomycetous yeasts determined from partial large subunit rRNA sequences. **Antonie van Leeuwenhoek** 63, 175-189.
- Guilliermond, A.1912. **Les Levures. Encyclopédie scientifique.** O' Doin et Fils, Paris.
- Hausner, G., J. Reid and G.R. Klassen. 1992. Do galeate-ascospore members of the Cephaloascaceae, Endomycetaceae and Ophiostomataceae share a common phylogeny? **Mycologia** 84, 870-881.
- Haynes, K. A., T. J. Westerneng, J. W. Fell and W. Moens. 1995. Detection and identification of pathogenic fungi by polymerase chain reaction amplification of large subunit ribosomal DNA. **J. Med. Vet. Mycol.** 33, 319-325.
- Hendriks, L., A. Goris, Y. Van de Peer, J.-M. Neefs, M. Vancanneyt, K. Kersters, J.-F. Berny, G. L. Hennebert, and R. De Wachter. 1992. Phylogenetic relationships among ascomycetes and ascomycete-like yeasts as deduced from small ribosomal subunit RNA sequences. **Syst. Appl. Microbiol.** 15: 98–104.
- Holm, C., D.W. Meeks-Wagner, W.L. Fangman and D. Botstein. 1986. A rapid, efficient method for isolating DNA from yeast. **Gene** 42: 169-173.
- Imai, T., K. Watanabe, M. Tamura, Y. Mikami, R. Tanaka, K. Nishimura, M. Mivaji, N. Poonwan and M.L. Branchini. 2000. Geographic grouping of *Cryptococcus neoformans* var. *gattii* by random amplified polymorphic DNA fingerprint patterns and ITS sequence divergence. **Clin Lab.** 46(7-8): 345-54.
- James, S.A., M.D. Collins, and I.N. Roberts. 1996. Use of rRNA internal transcribed spacer region to distinguish polygenetically close related species of the genera *Zygosaccharomyces* and *Torulaspora*. **Int. J. Syst. Bacteriol.** 46(1): 189-194.

- Jindamorakot, S. 2000. **Identification, preservation and polyols production of halotolerant yeasts isolated in Thailand.** M.S. Thesis, Kasetsart University (in Thai).
- _____, S. Am-in, T. T. Tran, D. D. Ngo, H. Kawasaki, W. Potacharoen, S. Limtong, M. Tanticharoen and T. Nakase. 2004. *Candida easanensis* sp. nov., *Candida pattaniensis* sp. nov. and *Candida nakhonratchasimensis* sp. nov., three new species of yeasts isolated from insect frass in Thailand. **J. Gen. Appl. Microbial.**, 50, 261-269.
- Khunajakr, N. 1987. **Improvement of halotolerance in ethanol producing yeast by protoplast fusion technique.** M.S. Thesis, Kasetsart University (in Thai).
- Kimura, M. 1980. A sample method for estimating evolutionary rate of base substitutions through comparative studies of nucleotide sequences. **J. Mol. Evol.** 16, 111-120.
- Komagata, K., and T. Nakase. 1967. Reitoshokuin no biseibutsu nikannsuru kenkyu. V. Shihan reituoshokushin yori bunri shita kobo no seiyo (Microbiological study in foods. V. General properties of yeasts isolated from frozen foods) (in Japanese). **Shokuhin Eiseigaku Zasshi.** 8: 53-57.
- Kreger-van Rij, N.J.W. 1984. The **Yeasts : A Taxonomic Study**, 3rd edition. Elsevier Science Publisher. Amsterdam.
- Kunteeya, S. 1983. **Cultivation of Microorganisms in slop waste.** M.S. Thesis, Kasetsart University (in Thai).
- Kurtzman, C.P. 1987. Prediction of biological relatedness among yeasts from comparisons of nuclear DNA complementarity, pp. 459-468. In G.S. de Hoog, M.Th. Smith and A.C.M. Weijman, eds. **The expanding Realm of yeast-like fungi.** Elsevier, Amsterdam.

- _____. 1991. DNA relatedness among saturn-spored yeasts assigned to the genera *Willopsis* and *Pichia*. **Antonie van Leeuwenhoek** 60, 13-19.
- _____. 1992. rRNA sequence compairisons for assessing phylogenetic relationships among yeasts. **Int. J. Syst. Bacteriol.** 42(1): 1-6.
- _____. 1993. Systematics of the ascomycetous yeasts assessed from ribosomal RNA sequence divergence. **Antonie van Leeuwenhoek** 63: 165-174.
- _____. 1994. Molecular taxonomy of the yeasts. **Yeast** 10(13): 1727-40.
- _____. 1998. Nuclear DNA hybridization: Quantitation of close genetic relationships, pp 63-68. In C.P. Kurtzman and J.W. Fell, eds. **The Yeasts: a Taxonomic Study**, 4th ed. Elsevier, Amsterdam.
- _____ and P.A. Blanz. 1998. Ribosomal RNA/DNA Sequence comparisions for assessing phylogenetic relationships, pp. 69-74. In C.P. Kurtzman and J.W. Fell, eds. **The Yeasts: a Taxonomic Study**, 4th ed. Elsevier, Amsterdam.
- _____ and H.J. Phaff. 1987. Molecular taxonomy, pp 63-94. In A.H. Rose and J.S. Harrison, eds. **The Yeasts**, 2nd edn, vol. 1 Academic Press, London.
- _____ and C. J. Robnett. 1991. Phylogenetic relationships among species of *Saccharomyces*, *Schizosaccharomyces*, *Debaryomyces*, and *Schwanniomyces* determined from partial ribosomal RNA sequences. **Yeast** 7: 61-72.
- _____ and C.J. Robnett. 1994. Synonymy of the yeast genera *Wingea* and *Debaryomyces*. **Antonie van Leeuwenhoek** 66, 337-342.
- _____ and C.J. Robnett. 1997. Identification of clinically important yeasts based on nucleotide divergence in the 5' end of the large-subunit (26S) ribosomal DNA gene. **J. Clin. Microbiol.** 35(5): 1612-1223.

- _____ and C.J. Robnett. 1998. Identification and phylogeny of ascomycetous yeasts from analysis of nuclear large subunit (26S) ribosomal DNA partial sequences. **Antonie van Leeuwenhoek** 73, 331-371.
- _____ and J.W. Fell. 1998. The **Yeasts : A Taxonomic Study**, 4th edition. Elsevier Science Publisher. Amsterdam.
- Lane, D.J., B. Pace, G.J. Olsen, D.A. Stahl, M.L. Sogin and N.R. Pace. 1985. Rapid determination of 16S ribosomal RNA sequences for phylogenetic analyses. **Proc. Natl. Acad. Sci. USA** 82, 6955-6959.
- Limtong S., W. Yongmanitchai, P. Thamarate and M. Tantirungkit. 1986a. **Progress report (August 1985-February 1986) on hybridization of halotolerant yeast for alcohol fermentation**. A research project USAID/PSTC program. Grant no. 936-5542-G-00-5080-00.
- _____, _____, _____ and _____. 1986b. **Progress report no.2 (March 1986-August 1986) on hybridization of halotolerant yeast for alcohol fermentation**. A research project USAID/PSTC program. Grant no. 936-5542-G-00-5080-00.
- _____, _____, _____ and _____. 1987. **Hybridization of halotolerant yeast for alcohol fermentation p.163-171**. Proceeding of His Majesty's fifth cycle commemorative conference of USAID Science Research Award Grantee Nakhon Pathom, Thailand.
- Limtong, S., S. Sintara, P. Suwanarit, N. Lotong. 2002. Yeast diversity in traditional fermentation starter (Loog-pang). **Kasetsart J. (Nat Sci)** 36: 149-158.

- _____, N. Srisuk, W. Yongmanitchai, H. Kawasaki, H. Yurimoto, T. Nakase and N. Kato. 2004. Three new thermotolerant methylotrophic yeasts, *Candida krabiensis* sp. nov., *Candida sithepensis* sp. nov., and *Pichia siamensis* sp. nov., isolated in Thailand. **J. Gen. Appl. Microbiol.** 2004. 50(3): 119-27.
- _____, _____, _____, H. Yurimoto, T. Nakase and N. Kato. 2005. *Pichia thermomethanolica* sp. nov., a novel thermotolerant, methylotrophic yeast isolated in Thailand. **Int. J. Syst. Evol. Microbiol.** 55: 2225-2229.
- Lodder J. 1970. **The Yeasts, a Taxonomic Study**, 2nd ed. North-Holland. Amsterdam.
- _____ and Kreger van Rij. 1952. **The Yeasts: a Taxonomic Study**. North Holland Publ., Amsterdam.
- Magee, B.B., D'Souza, T. M. & Magee, P. T. 1987. Strain and species identification by restriction fragment length polymorphisms in the ribosomal DNA repeat of *Candida* species. **J. Bacteriol.** **169**, 1639-1643.
- Manitis, T., E.F. Fritsch, and J. Sambrook. 1982. **Molecular cloning: a laboratory manual**. Cold Spring Harbor laboratory: Cold Spring Harbor, New York U.S.A.
- Mannarelli, B. M. and C. P. Kurtzman. 1998. Rapid identification of *Candida albicans* and other human pathogenic yeasts by using short oligonucleotides in a PCR. **J. Clin. Microbiol.** **36**, 1634-1641.
- McCarroll, R., G.J. Olsen, Y.D. Stahl, C.R. Woese and M.L. Sogin. 1983. Nucleotide sequence of the *Dictyostelium discoideum* small subunit ribosomal ribonucleic acid inferred from the gene sequence: evolutionary implications. **Biochemistry** **22**, 5858-5868.

- Mendonca-Hagler L.C., A.N. Hagler and C.P. Kurtzman. 1993. Phylogeny of *Metschnikowia* species estimated from partial rRNA sequences. **Int. J. Syst. Bacteriol.** 43(2): 368-373.
- Meyer, S.A., M.T. Smith and F.P. Simone. 1978. Systematics of *Hanseniaspora* Zikes and *Kloeckera* Janke. **Antonie van Leeuwenhoek** 44, 79-96.
- Mitchell, T.G., T.J. White, J.W. Taylor. 1992. Comparison of 5.8S ribosomal DNA sequences among the basidiomycetous yeast genera *Cystofilobasidium*, *Filobasidium* and *Filobasidiella*. **J. Med. Vet. Mycol.** 30: 207-218.
- _____, Freedman, E. Z., White, T. J. and J. W. Taylor. 1994. Unique oligonucleotide primers in PCR for identification of *Cryptococcus neoformans*. **J. Clin. Microbiol.** 32, 253-255.
- Molina F.I., T. Inoue and S.-C. Jong. 1992. Ribosomal DNA restriction analysis reveal genetic heterogeneity in *Saccharomyces cerevisiae* Meyen ex Hansen. **Int. J. Syst. Bacteriol.** 42(3): 499-502.
- _____, P. Shen and S.-C. Jong. 1993. Validation of the species concept in the genus *Dekkera* by restriction analysis of genes coding for rRNA. **Int. J. Syst. Bacteriol.** 43(1): 32-35.
- Molnar, O., H. Prillinger, K. Lopandic, F. Weigang, and E. Staudacher. 1996. Analysis of coenzyme Q system, monosaccharide patterns of purified cell walls, and RAPD-PCR patterns in the genus *Kluyveromyces*. **Antonie van Leeuwenhoek** 70: 67-78.
- Nagatsuka, Y., H. Kawasaki, S. Limtong, K. Mikata, and T. Seki. 2002. *Citeromyces siamensis* sp. nov., a novel halotolerant yeast isolated in Thailand. **Int. J. Syst. Evol. Microbiol.** 52: 2315-2319.

- Naiyabootra, W. 1989. **Selection of thermotolerant yeast for single cell protein production.** M.S. Thesis, Kasetsart University (in Thai).
- Nakase, T. and M. Suzuki. 1986a. *Bullera megalospora*, a new species of yeast forming large ballistospores isolated from dead leaves of *Oryza sativa*, *Miscanthus sinensis*, and *Sasa* sp. in Japan. **J. Gen. Appl. Microbiol.** 32, 225-240.
- _____ and _____. 1986b. The ubiquinone system in strains of species in the ballistospore-forming yeast genera *Sporidiobolus*, *Sporobolomyces* and *Bullera*. **J. Gen. Appl. Microbiol.** 32: 251-258.
- _____, A. Takematsu and Y. Yamada. 1993. Molecular approaches to the taxonomy of ballistospore yeasts based on the analysis of the partial nucleotide sequences of 18S ribosomal ribonucleic acids. **J. Gen. Appl. Microbiol.** 39, 107-134.
- _____, M. Takashima. 1993. A simple procedure for the high frequency isolation of new taxa of ballistosporous yeasts living on the surfaces of plants. **RIKEN Review**, 3: 33-34.
- _____, M. Takashima, M. Itoh, B. Fungsin, W. Potacharoen, P. Atthasampunna, K. Komagata. 2001. Ballistoconidium-forming yeasts found in the phyllosphere of Thailand. **Microbiol. Cult. Coll.** 17: 23-33.
- _____, M. Itoh, A. Takematsu, K. Mikata, I. Banno, and Y. Yamada. 1991. *Kockovaella*, a new ballistospore-forming anamorphic yeast genus. **J. Gen. Appl. Microbiol.** 37: 175-197.
- _____, S. Jinadamorakot, S. Am-in, H. Kawasaki, W. Potacharoen, and M. Tanticharoen. 2005. *Pichia nongkratonensis* sp. nov., a new species of ascomycetous yeast isolated from insect frass collected in Thailand. **Mycoscience** 2005. 46: 192-195.

- _____, _____, T. Sugita, S. Am-in, H. Kawasaki, W. Potacharoen, and M. Tanticharoen. 2006. *Trichosporon siamense* sp. nov. **Mycoscience** 47 (2), inprint.
- Ngamwongsatit, P., S. Sukroongreung, C. Nilakul, V. Prachyasittikul and S. Tantimavanich. 2005. Electrophoretic karyotypes of *C. neoformans* serotype A recovered from Thai patients with AIDS. **Mycopathologia** 159(2): 189-97.
- Nguyen, H.V., A. Pulvirenti, and C. Gaillardin. 2000. Rapid differentiation of the closely related *Kluyveromyces lactis* var. *lactis* and *K. marxianus* strains isolated from dairy products using selective media and PCR/RFLP of the rDNA non transcribed spacer 2. **Can. J. Microbiol.** 46: 1115-1122.
- Niehaus, C.J.G. 1932. Untersuchungen über Apiculatushefen. Zentralbl. **Bakteriol. Parasitenk., Abt. II.** 86, 97-150.
- Nishida, H. and Sugiyama. 1993. Phylogenetic relationships among *Taphrina*, *Saitoella* and other higher fungi. **Mol. Biol. Evol.** 10, 431-436.
- Nophanakheepongse, P. 1984. **Production of yeast protein using spent sulfite liquor as raw material.** M.S. Thesis, Kasetsart University (in Thai).
- Pakdisupapol, S. 1980. **Fermentation of Sweetened Rice by Pure Culture.** M.S. Thesis, Kasetsart University (in Thai).
- Phaff, H.J. 1970. The genus *Kloeckera* Janke, pp. 1146-1160. In J. Lodder, ed. **The Yeasts, a Taxonomic Study**, 2nd ed. North-Holland Publ. Co., Amsterdam.
- _____. 1998. Chemotaxonomy based on the polysaccharide composition of cell walls and capsules, pp 45-47. In C.P. Kurtzman and J.W. Fell, eds. **The Yeasts: a Taxonomic Study**, 4th ed. Elsevier, Amsterdam.

- _____, M.W. Miller, and E.M. Mrak. 1978. **The Life of Yeasts**. Harvard University Press, Cambridge, London, England.
- Phoopat, S. 1983. **Ethanol production from sweet sorghum**. M.S. Thesis, Kasetsart University (in Thai).
- Pijper, A. 1928. Een nieuwe *Haniaspora*. Verh. Koh. Ned. Akad. Wet. Afd. **Natuurk.** 37, 868-871.
- Pirapatrungsuriya, K. 1991. **Selection and mutation of yeast strains for ethanol fermentation from D-Xylose**. M.S. Thesis, Kasetsart University (in Thai).
- Price, C.W., G.B. Fuson, and H. Phaff. 1978. Genome comparison in yeast systematics: delimitation of species within the genera *Schwanniomyces*, *Saccharomyces*, *Debaryomyces*, and *Pichia*. **Microbiol. Rev.** 42: 161-193.
- Prillinger, H., F. Oberwinkler, C. Umile, K. Tlachac, R. Bauer, C. Dorfler and E. Taufratzofer. 1993. Analysis of cell wall carbohydrates (neutral sugars) from ascomycetous and basidiomycetous yeasts with and without derivation. **J. Gen. Appl. Microbiol.** 39: 1-34.
- _____, G. Kraepelin, K. Lopandic, W. Schweigkofler, O. Molnar, F. Weigang and M. M. Dreyfuss. 1997. New species of *Fellomyces* isolated from epiphytic lichen species. **System. Appl. Microbiol.**, 20: 572-584.
- Punpeng, B. 1980. Selection of yeast strains for alcohol fermentation from molasses and sugarcane juice. **M.S. Thesis**, Kasetsart University (in Thai).
- Reess, M. 1870. Botanische Untersuchungen über die Alkoholgärungspilze. In A.H. Rose and J.S. Harrison, eds. **The Yeasts, vol.1**. Academic Press. London, New York.

- Romero, P., B. Patino, M. Quiros, M.T. Gonzalez-Jaen, N.J. Valderrama, M.I. de Silloniz and J.M. Peinado. 2005. Differential detection of *Debaryomyces hansenii* isolated from intermediate-moisture foods by PCR-RFLP of the IGS region of DNA. **FEMS Yeast Res.**, 5; 455-461.
- Rupasut, T. 1993. **Genetic improvement and production of lysine-rich yeast**. M.S. Thesis, Kasetsart University (in Thai).
- Saitou, N. and M. Nei. 1987. The neighbor-joining method: A new method for reconstructing phylogenetic trees. **Mol. Biol. Evol.** 4, 406-425.
- Saito, K., T. Hasuo, N. Sugano, K. Kitamoto, S. Watanabe, M. Tadenuma, K. Nakamura, M. Sato, H. Akiyama, V. Vongsuvanlert, P. Karuwanna, and J. Kummuanta. 1983. **Microorganisms isolated in Thailand**. Rept. Res. Inst. Brew. 155: 24-41.
- Scorzetti, G., J.W. Fell, A. Fonseca and A. Statzell-Tallman. 2002. Systematics of basidiomycetous yeasts: a comparison of large subunit D1/D2 and internal transcribed spacer rDNA regions. **FEMS Yeast Research**. 2: 495-517.
- Seki, T., S. Myoga, S. Limtong, Uedono, J. Kumnuanta and H. Taguchi. 1983. Genetic construction of yeast strains for high ethanol production. **Biotechnology letters**. 5: 351-356.
- Sirijoj, P. 1978. **Section and cultivation of high protein yeast in soybean waste**. M.S. Thesis, Kasetsart University (in Thai).
- Smith, M.Th. 1984. *Hanseniaspora* Zikes, pp. 154-164 and 873-881. In N.J.W. Kreger-van Rij, ed. **The Yeasts: a Taxonomic Study**, 3rd ed. Elsevier, Amsterdam.

- Smith, M.Th. 1998. *Hanseniaspora* Zikes, pp. 214-220 and 580-581. In C.P. Kurtzman and J.W. Fell, eds. **The Yeasts: a Taxonomic Study, 4th ed.** Elsevier, Amsterdam.
- Sogin, M.L., A. Ingold, M. Karlok, H. Nielsen and J. Engberg. 1986. Phylogenetic evidence for the acquisition of ribosomal RNA introns subsequent to the divergence of some of the major *Tetrahymena* groups. **EMBO J.**, 20; 5: 3625-3630.
- Sophonsathien, S. 1990. **Selection and cultivation of high protein thermotolerant yeast in molasses alcohol slop.** M.S. Thesis, Kasetsart University (in Thai).
- Spencer, J.F.T. and P.A.J. Gorin, 1969. Systematics of the genus *Candida* Berkhout: proton magnetic resonance spectra of the mannans and mannose-containing polysaccharides as an aid in classification. **Antonie van Leeuwenhoek J. Microbiol.** 35: 33-44.
- _____ and _____, 1970. Systematics of the genus *Torulopsis*: proton magnetic resonance species of the mannose containing polysaccharides as an aid in classification. **Antonie van Leeuwenhoek J. Microbiol.** 36: 509-524.
- Sririporn, S. 2002. **Induced mutation in methylotrophic yeast to increase free methionine content and selenium accumulation by methylotrophic yeast mutants.** M.S. Thesis, Kasetsart University (in Thai).
- Sugita, T. M. Takashima, N. Poonwan, N. Mekha, K. Malaithao, B. Thungmuthasawat, S. Prasarn, P. Luangsook and T. Kudo. 2003. The first isolation of ustilaginomycetous anamorphic yeasts, *Pseudozyma* species, from patients' blood and a description of two new species: *P. parantarctica* and *P. thailandica*. **Microbiol Immunol.** 47(3): 183-90.

- Sugiyama, J., and S.-O. Suh. 1993. Phylogenetic analysis of basidiomycetous yeasts by means of 18S ribosomal RNA sequences: relationship of *Erythrobasidium hasegawianum* and other basidiomycetous yeast taxa. **Antonie van Leeuwenhoek** 63, 201-209.
- Suh, S.O. and J. Sugiyama. 1993. Phylogeny among the basidiomycetous yeasts inferred from small subunit ribosomal DNA sequence. **J. Gen. Microbiol.** 139. 1595-1598.
- _____. and T. Nakase. 1995. Phylogenetic analysis of the ballistosporous anamorphic genera *Udeniomyces* and *Buller* and related basidiomycetous yeasts, based on 18S rDNA sequences. **Microbiology** 141, 901-906.
- _____, M. Takashima, M. Hamamoto, and T. Nakase. 1996. Molecular taxonomy of the ballistoconidium-forming anamorphic yeast genus *Bullera* and related taxa based on small subunit ribosomal DNA sequences. **J. Gen. Appl. Microbiol.** 42: 501-509.
- Sumpradit, T., S. Limtong, W. Yongmanitchai, H. Kawasaki and T. Seki. 2005. *Tetrapisispora namnaonensis* sp. nov., a novel ascomycetous yeast species isolated from forest soil of Nam Nao National Park, Thailand. **Int. J. Syst. Evol. Microbiol.** 55: 1735-8.
- Suzuki M., and T. Nakase. 1988. The distribution of xylose in the cells of ballistosporous yeasts: application of high performance liquid chromatography without derivation to the analysis of xylose in whole cell hydrolysates. **J. Gen. Appl. Microbiol.** 34: 95-103.
- _____, _____ and K. Komagata, 1994. *Candida stellimalicola*, a new species of anamorphic yeast isolated from star apple in Thailand. **J. Gen. Appl. Microbiol.** 40: 115-121.

- _____, _____, W. Daengsupha, M. Chaowsangket, P. Suyanandana, and K. Komakata. 1987. Identification of yeasts isolated from fermented foods and related materials in Thailand. **J. Gen. Appl. Microbiol.** 33: 205-220.
- Swann, E.C. and J.W. Taylor. 1993. Higher taxa of basidiomycetes: an 18S rRNA gene perspective. **Mycologia**, 85: 923-936.
- _____ and _____. 1995. Phylogenetic perspectives on basidiomycete systematics: evidence from the 18S rRNA gene. **Can. J. Bot.** 73, S862-S868.
- Takashima, M. and T. Nakase. 1998. *Bullera pennisticola* sp. nov. and *Kockovella sacchari* sp. nov., two new yeast species isolated from plants in Thailand. **Int. J. Syst. Bacteriol.**, 48: 1025-1030.
- _____ and _____. 2000. Four new species of the genus *Sporobolomyces* isolated from leaves in Thailand. **Mycoscience** 41: 357-369.
- _____ and _____. 2001. *Tilletiopsis* isolated from leaves in Thailand. **Antonie van Leeuwenhoek** 80: 43-56.
- _____, S.O. Suh, and T. Nakase. 1995. *Bensingtonia musae* sp. Nov. isolated from a dead leaf of *Musa paradisiacal* and its phylogenetic relationship among basidiomycetous yeasts. **J. Gen. Appl. Microbiol.** 41: 153-161.
- Tammarat, P. 1978. **A study on the yeasts in palm juice, toddy and selection of the pollen strains for alcoholic fermentation.** M.S. Thesis, Kasetsart University (in Thai).
- Thanomsub, B., T. Watcharachaipong, K. Chotelersak, P. Arunrattiyakorn, T. Nitoda and H. Kanazaki. 2004. Monoacylglycerols: glycolipid biosurfactants produced by a thermotolerant yeast, *Candida ishiwadae*. **J. Appl. Microbiol.** 96(3): 588-92.

- Thompson, J. D., T. J. Gibson, F. Plewniak, F. Jeanmougin, and J. D. Higgins. 1997. The Clustal X windows interface: flexible strategies for multiple sequence alignment aided by quality analysis tools. **Nucleic Acid Res.** 24: 4876-4882.
- Valente, P., J.P. Ramos, and O. Leoncini. 1999. Sequencing as a tool in yeast molecular taxonomy. **Can. J. Microbiol.** 45: 949-958.
- Van de Peer, Y., L. Hendriks, A. Goris, J.-M. Neefs, M. Vancanneyt, K. Kersters, J.-F. Berny, G.L. Hennebert and R. De Wachter. 1992. Evolution of basidiomycetous yeasts as deduced from small ribosomal subunit RNA sequences. **Syst. Appl. Microbiol.** 15, 250-258.
- van der Walt, J.P. 1970. Criteria and methods used in classification, pp. 863-892. In J. Lodder, ed. **The Yeasts, A Taxonomic study, 2nd edition**. North Holland, Amsterdam, pp. 34-113.
- _____, and D. Yarrow. 1984. Methods for isolation, maintenance, classification and identification for yeasts, pp. 45-105. In N.J.W. Kreger-van Rij, ed. **The Yeasts: a Taxonomic Study, 3rd edn.**, Elsevier Science Publisher, Amsterdam.
- Vilgalys, R. and M. Hester. 1990. Rapid genetic identification and mapping of enzymatically amplified ribosomal DNA from several *Cryptococcus* species. **J. Bacteriol.**, 172: 4238-4246.
- Viljoen, B.C., J.L.F. Kock, and P.M. Lategan. 1986. Long-chain fatty acid composition of selected genera of yeasts belonging to the Endomycetales. **Antonie van Leeuwenhoek J. Microbiol.** 52: 45-51.
- Walker, W.F. 1985. 5S ribosomal RNA sequences from ascomycetes and evolutionary implications. **Syst. Appl. Microbiol.** 6, 48-53.

- _____, and W.F. Doolittle. 1982. Redividing the basidiomycetes on the basis of 5S rRNA sequences. **Nature** 299: 723-724.
- Walsh, T. J., A. Francesconi, M. Kasai and S. J. Chanock. 1995. PCR and single-strand conformational polymorphism for recognition of medically important opportunistic fungi. **J. Clin. Microbiol.** 33, 3216-3220.
- Wickerham, L.J. 1951. Taxonomy of yeasts. **Tech. Bull. US. Dept. Agric.** 1029: 1-56.
- Weijman A.C.M., and L. Rodrigues de Miranda. 1983. Xylose distribution within and taxonomy of the genera *Bullera* and *sporobolomyces*. **Antonie van Leeuwenhoek J. Microbiol.** 49: 555-562.
- Whiffen, A.J. 1948. The production, assay and antibiotic activity of acitidone, an antibiotic from *Streptomyces griseus*. **J. Bacteriol.** 56, 283-291.
- Wilmotte, A., Y. Van de Peer, A. Goris, S. Chapelle, R. De Baere, B. Nelissen, J.-M. Neefs, G. L. Hennebert, and R. De Wachter. 1993. Evolutionary relationships among higher fungi inferred from small ribosomal subunit RNA sequence analysis. **Syst. Appl. Microbiol.** 16: 436-444.
- Worse, G.R. 1987. Bacterial evolution. **Microbiol. Rev.** 51: 221-271.
- Yamada, Y. 1998. Identification of coenzyme Q (ubiquinone) homologs, pp. 59-77. In C.P. Kurtzman, and J.W. Fell, eds. **The Yeasts: a Taxonomic Study**, 4th ed. Elsevier, Amsterdam.
- _____, and K. Kondo. 1973. Coenzyme Q system in the classification of yeasts genera *Rhodotorula* and *Cryptococcus* and the yeasts-like genera *Sporobolomyces* and *Rhodospiridium*. **J. Gen. Appl. Microbiol.** 19: 59-77.

- _____, M. Arimato and K. Kondo. 1976. Coenzyme Q system in the classification of apiculate yeasts in the genera *Nadsonia*, *Saccharomycodes*, *Hanseniaspora*, *Kloeckera* and *Wickerhamia*. **J. Gen. Appl. Microbiol.** 22: 293-299.
- _____, _____ and _____. 1977. Coenzyme Q system in the classification of some ascosporogenous yeast genera in the families Saccharomycetaceae and Spermophthoraceae. **Antonie van Leeuwenhoek** 43, 65-71.
- _____, K. Maeda and I. Banno. 1992. The phylogenetic relationships of the Q-6 equipped species in the teleomorphic apiculate yeast genera *Hanseniaspora*, *Nadsonia*, and *Saccharomycodes* based on the partial sequences of 18S and 26S ribosomal Ribonucleic acids. **J. Gen. Appl. Microbiol.** 38, 585-596.
- Yamazaki, M., C.P. Kurtzman and J. Sugiyama. 1998. Electrophoretic comparisons of enzymes, pp. 49-53. In Kurtzman C.P. and J.W. Fell, eds. **The Yeasts: a Taxonomic Study, 4th ed.** Elsevier, Amsterdam.
- _____, S. Goto, and K. Komagata. 1983. An electrophoretic comparison of the enzymes of *Saccharomyces* yeasts. **J. Gen. Appl. Microbiol.** 29: 305-318.
- Yarrow, D. 1998. Methods for the isolation, maintenance and identification of yeasts, pp.77-100. In Kurtzman C.P. and J.W. Fell, eds. **The Yeasts: a Taxonomic Study, 4th ed.** Elsevier, Amsterdam.