TABLE OF CONTENTS

	Page
TABLE OF CONTENTS	i
LIST OF TABLES	ii
LIST OF FIGURES	v
INTRODUCTION	1
LITERATURE REVIEWS	3
MATERIALS AND METHODS	29
RESULTS AND DISCUSSION	45
CONCLUSION	166
LITERATURE CITED	168
APPENDIX	190

LIST OF TABLES

Гable	
1	Potential uses of yeast in the foods, beverages and fermentation
	industries
2	Classification of the ascomycetous yeasts
3	Classification of the basidiomycetous yeasts
4	Distribution of mol% G+C among ascomycetous and
	basidiomycetous yeasts
5	Summary of commonly sequenced regions and their used ranges in
	yeast systematics
6	List of the primers used for amplification and/or sequencing of the
	rDNA regions most commonly used for yeast systematics
7	List of new yeast species found in Thailand
8	Carbon compounds used in the description of each species
9	Number of yeasts isolated from various habitats
10	Number of yeasts isolated from various regions of Thailand
11	Known species of ascomycetous and basidiomycetous yeasts
	isolated from some natural habitats of Thailand
12	List of known species found in this study
13	List of new species found in this study
14	List of not yet identified species found in this study
15	Nucleotide differences from nearest species of 283 strains of Thai yeasts
16	List of known species found from flowers collected in Thailand
17	List of known species found from insect frass collected in
1,	Thailand
18	List of known species found from mosses collected in Thailand
19	List of known species found from mushrooms collected in
1)	Thailand
20	List of known species found from leaves collected in Thailand
21	Taxonomic positions of new yeasts species found in this study
- 1	Tallottonia positiona of new jeasts species found in this study

LIST OF TABLES (Continued)

Table	
22	Number of nucleotide differences in new species of genus
	Sporidiobolus found in this study
23	The nucleotide similarity in D1/D2 domain sequence of 26S rDNA
	of Thai strains and their closest species (Type strains)
24	Similarity and Mol% G+C of DNA of Hanseniaspora/Kloeckera
	Group I and related strains
25	Number of nucleotide differences in D1/D2 domain among
	Hanseniaspora/Kloeckera Group I and type strains of related
	species
26	Similarity and Mol% G+C of DNA of Thai strains (Group II) and
	related strains of Hanseniaspora.
27	Number of nucleotide differences in D1/D2 domain among
	Hanseniaspora/Kloeckera Group II and type strains of related
	species
28	Number of nucleotide differences in D1/D2 domain among
	Hanseniaspora/Kloeckera Group III and type strains of related
	species
29	Number of nucleotide differences in D1/D2 domain among
	Hanseniaspora/Kloeckera Group IV and Group V and type strains
	of related species.
30	Similarity and Mol% G+C of DNA of Thai strains (Group II)
	and related strains of <i>Hanseniaspora</i>
31	DNA-DNA hybridization of strains related to Candida friedrichii
Append	lix Table
A1	Vitamin requirement test.
B1	Places where sample were collected
B2	Assimilation of carbon and nitrogen compounds of yeast strains
	assigned to new species.

LIST OF TABLES (Continued)

Appendix Table		Page
В3	Fermentation and other characteristics of yeast strains assigned to	
	new species	225

LIST OF FIGURES

Figure	
1	Structure of the ribosomal RNA gene cluster of yeasts
2	Places where samples were collected
3	Places where new species were found
4	The phylogenetic tree of the new species of ascomycetous yeasts
	and their closest species based on the D1/D2 domain sequences of
	26S rDNA
5	The phylogenetic tree of the new species of basidiomycetous yeasts
	and their closest species based on the D1/D2 domain sequences of
	26S rDNA
6	Cell morphology of <i>Hanseniaspora</i> sp. under scanning electron
	microscope
7	Phylogenetic tree showing the position of the strains of
	Hanseniaspora/Kloeckera isolated in Thailand and their related
	species based on the sequences of the D1/D2 domain of 26S rDNA.
8	Morphological characteristics of Hanseniaspora thailandica
9	Morphological characteristics of Kloeckera siamensis
10	Morphological characteristics of Kloeckera songkhlaensis
11	Morphological characteristics of Kloeckera tradensis
12	Thin layer chromatography of acid hydrolyzates of polysaccharides
	from Hanseniaspora/Kloeckera
13	The NMR spectra of H-1 region of the mannans of <i>Hanseniaspora</i> /
	Kloeckera
14	Phylogenetic tree showing the position of Candida lignicola
	based on the sequences of the D1/D2 domain of 26S rDNA
15	Morphological characteristics of Candida lignicola
16	Phylogenetic tree showing the positions of Candida flosculi based
	on the sequences of the D1/D2 domain of 26S rDNA
17	Morphological characteristics of <i>Candida flosculi</i>

LIST OF FIGURES (Continued)

Figure		Page
18	Phylogenetic tree showing the position of strains related to Candida	
	friedrichii based on the sequences of the D1/D2 domain of 26S	
	rDNA sequences.	115
19	Morphological characteristics of Candida jaroonii	119
20	Morphological characteristics of Candida koratica	122
21	Morphological characteristics of Candida songkhlaensis	124
22	Morphological characteristics of strain Candida sp. (ST-311)	126
23	Phylogenetic tree for two new species, Candida kazuoi and	
	Candida hasegawae, constructed by the neighbor-joining method	
	based on the D1/D2 domain of 26S rDNA sequences	128
24	Morphological characteristics of Candida kazuoi	130
25	Morphological characteristics of Candida hasegawae	133
26	Phylogenetic tree showing the position of Candida thailandica	
	based on the sequences of the D1/D2 domain of 26S rDNA	
	sequences	134
27	Morphological characteristics of Candida thailandica	137
28	Phylogenetic tree for Candida easanensis, Candida	
	nakhonratchasimensis and Candida pattaniensis constructed by the	
	neighbor-joining method based on the D1/D2domain of 26S rDNA	
	sequences	138
29	Morphological characteristics of Candida nakhonratchasimensis	141
30	Morphological characteristics of Candida easanensis	144
31	Morphological characteristics of Candida pattaniensis	147
32	Phylogenetic tree for a new species, Candida udonthanina,	
	constructed by the neighbor-joining method based on the D1/D2	
	domain of 26S rDNA sequences.	148
33	Morphological characteristics of Candida udonthanina	150
34	Phylogenetic tree for a new species, Candida pattanina, constructed	
	by the neighbor-joining method based on the D1/D2 domain of 26S	
	rDNA sequences.	151

LIST OF FIGURES (Continued)

Figure		Page
35	Morphological characteristics of Candida pattanina	154
36	Phylogenetic tree for Pichia koratensis and Pichia nongkratonensis	
	constructed by neighbor-joining method based on the D1/D2	
	domain of 26S rDNA sequences.	156
37	Morphological characteristics of Pichia koratensis	159
38	Morphological characteristics of <i>Pichia nongkratonensis</i>	161
39	Phylogenetic tree for a new basidiomycetous yeast, Trichosporon	
	siamense, constructed by neighbor-joining method based on the	
	D1/D2domain of 26S rDNA sequences.	162
40	Morphological characteristics of <i>Trichosporon siamense</i>	165