

LITERATURE CITED

- Adamo, C. and V. Barone. 1998. Exchange functionals with improved long-range behavior and adiabatic connection methods without adjustable parameters: The *mPW* and *mPW1PW* models. **J. Chem. Phys.** 108(2):664-675.
- _____. 2000. A TDDFT study of the electronic spectrum of s-tetrazine in the gas-phase and in aqueous solution. **Chem. Phys. Lett.** 330(1,2): 152-160.
- Ahlrichs, R., M. Bär, M. Häser, H. Horn and C. Kölmel. 1989. **Chem. Phys. Lett.** 162(3):165-169.
- Almenningen, A., O. Bastiansen, L. Fernholt, B.N. Cyvin, S.J. Cyvin and S. Samdal. 1985. Structure and barrier of internal rotation of biphenyl derivatives in the gaseous state: Part 1. The molecular structure and normal coordinate analysis of normal biphenyl and perdeuterated biphenyl. **J. Mol. Struct. (Theochem)** 128: 59-76.
- Bartolotti, L.J. 1981. Time dependent extension of the Hohenberg-Kohn-Levy energy density functional. **Phys. Rev. A** 24: 1661-1667.
- _____. 1982. Time dependent Kohn-Sham density functional theory. **Phys. Rev. A** 26: 2243-2244.
- Bauernschmitt, R. and R. Ahlrichs. 1996. Treatment of electronic excitations within the adiabatic approximation of time dependent density functional theory. **Chem. Phys. Lett.** 256: 454-464.
- _____, M. Häser and O. Treutler. 1997. Calculation of excitation energies within time dependent density functional theory using auxiliary basis set expansions. **Chem. Phys. Lett.** 264: 573-578.

- _____, F.H. Hennrich and M.M. Kappes. 1998. Experiment versus time dependent density functional theory prediction of fullerene electronic absorption. **J. Am. Chem. Soc.** 120(20): 5052-5059.
- Becke, A.D. 1988. Density-functional exchange-energy approximation with correct asymptotic behavior. **Phys. Rev. A** 38(6):3098-3100.
- Becke, A.D. 1993. Density-functional thermochemistry. III. The role of exact exchange. **J. Chem. Phys.** 98(7):5648-5652.
- Becke, A.D. 1996. Density-functional thermochemistry. IV. A new dynamical correlation functional and implications for exact-exchange mixing. **J. Chem. Phys.** 104(3):1040-1046.
- Becke, A.D. 1997. Density-functional thermochemistry. V. Systematic optimization of exchange-correlation functionals. **J. Chem. Phys.** 107(20):8554-8560.
- Belletete, M., M. Bedard, M. Leclerc and G. Durocher. 2004. Ground and excited state properties of carbazole-based dyads: correlation with their respective absorption and fluorescence spectra. **J. Mol. Struct. (Theochem)** 679: 9-15.
- _____. 2004. Absorption and emission properties of carbazole-based dyads studied from experimental and theoretical investigations. **Synth. Met.** 146: 99-108.
- Berggren, M., O. Inganäs, G. Gustafsson, J. Rasmussen, M.R. Andersson, T. Hjertberg and O. Wennerström. 1994. Light-emitting diodes with variable colours from polymer blends. **Nature** 372: 444-446.
- Bernier, P., S. Lefrant and G. Bidan. 1999. **Advances in Synthetic Metals: Twenty Years of Progress in Science and Technology**. Eds. Elsevier. Lausanne.

- Berntsen, A., Y. Croonen, R. Cuijpers, B. Habets, C. Liedenbaum, H. Schoo, R. Visser, J. Vleggaar and P. Weijer. 1977. Polymer light-emitting diodes; from materials to devices. **Proc. SPIE.** 3148: 264-271.
- _____, A., P. Weijer, Y. Croonen, C. Liedenbaum and J. Vleggaar. 1998. Stability of polymer LEDs. **Phillips J. Res.** 51(4): 511-525.
- Blondin, P., J. Bouchard, S. Beaupre, M. Belletete, G. Durocher and M. Leclerc. 2000. Molecular design and characterization of chromic polyfluorene derivatives. **Macromolecules** 33: 5874-5879.
- Bouchard, J., M. Belletete, G. Durocher and M. Leclerc. 2003. Solvatochromic properties of 2,7-carbazole-based conjugated polymers. **Macromolecules** 36: 4624-4630.
- Brabec, C.J., N.S. Sariciftci and J.C. Hummelen. 2001. Plastic solar cells. **Adv. Funct. Mater.** 11(1): 15-26.
- Bradley, D.D.C., Y.Q. Shen, H. Bleier and S. Roth. 1988. Transient photo conductivity in highly oriented poly(1,4-phenylene vinylene). **J. Phys. C** 21(15): L515-L522.
- Braun, D. and A.J. Heeger. 1991. Visible light emission from semiconducting polymer diodes. **Appl. Phys. Lett.** 58(18): 1982-1984.
- _____. 1992. Electroluminescence from light-emitting diodes fabricated from conducting polymers. **Thin Solid Films** 216: 96-98.
- Brédas, J.L. 1985. Relationship between band gap and bond length alternation in organic conjugated polymers. **J. Chem. Phys.** 82, 3808-3811.

- _____, A.J. Heeger and F. Wudl. 1986. Towards organic polymers with very small intrinsic band gaps. I: electronic structure of polyisothianaphthene and derivatives. **J. Chem. Phys.** 85: 4673-4678.
- _____ and A.J. Heeger. 1994. Influence of donor and acceptor substituents on the electronic characteristics of poly(1,4-phenylene vinylene) and poly(1,4-phenylene). **Chem. Phys. Lett.** 217(5-6): 507-512.
- _____. 1995. Conjugated polymers and oligomers: The design of novel materials via quantum-chemical approach. **Adv. Mater.** 7: 263-271.
- _____, J. Cornil, D. Beljonne, D.A. Dos Santos and Z. Shuai. 1999. Excited state electronic structure of conjugated oligomers and polymers: A quantum chemical approach to optical phenomena. **Acc. Chem. Res.** 32: 267-276.
- _____, D. Beljonne, J. Cornil, J.P. Calbert, Z. Shuai and R. Silbey. 2001. Electronic structure of π -conjugated oligomers and polymers: A quantum-chemical approach to transport properties. **Synth. Met.** 125(1): 107-116.
- Briere, J.F. and M. Cote. 2004. Electronic, structural, and optical properties of conjugated polymers based on carbazole, fluorene, and borafluorene. **J. Phys. Chem. B** 108: 3123-3129.
- Brown, R., D.D.C. Bradley, J.H. Burroughes, R.H. Friend, N.C. Greenham, P.L. Burn, A.B. Holmes and A. Kraft. 1992. Poly(*p*-phenylenevinylene) light-emitting diodes: enhanced electroluminescent efficiency through charge carrier confinement. **Appl. Phys. Lett.** 61(23): 2793-2795.
- _____, A. Pomp, C.M. Hart and D.M. Deleeuw. 1995. Logic gates made from polymer transistors and their use in ring oscillators. **Science** 270: 972-974.

- Burn, P.L., A.B. Holmes, A. Kraft, D.D.C. Bradley, A.R. Brown, R.H. Friend and R.W. Gymer. 1992. Chemical tuning of electroluminescent copolymers to improve emission efficiencies and allow patterning. **Nature** 356: 47-49.
- Burroughes, J.H., D.D.C. Bradley, A.R. Brown, R.N. Marks, K. Mackay, R.H. Friend, P.L. Burns and A.B. Holmes. 1990. Light-emitting diodes based on conjugated polymers. **Nature** 347: 539-541.
- Cai, Z.L. and J.R. Reimers. 2000. Application of time dependent density-functional theory to the $^3\Sigma_u^-$ first excited state of H_2 . **J. Chem. Phys.** 112(2): 527-530.
- Casida, M.E., C. Jamorski, K.C. Casida and D.R. Salahub. 1998. Molecular excitation energies to high-lying bound states from time-dependent density-functional response theory: Characterization and correction of the time-dependent local density approximation ionization threshold. **J. Chem. Phys.** 108(11): 4439-4449.
- Chang, S.C., J. Liu, J. Bharathan, Y. Yang, J. Onohara and J. Kido. 1999. Multicolor organic light-emitting diodes processed by hybrid ink-jet printing. **Adv. Mater.** 11(9): 734-737.
- Chen, T.A. and R.D. Rieke. 1992. The first regioregular head-to-tail poly(3-hexylthiophene-2,5-diyl) and a regiorandom isopolymer: nickel versus palladium catalysis of 2(5)-bromo-5(2)-(bromozincio)-3-hexylthiophene polymerization. **J. Am. Chem. Soc.** 114(25): 10087-10088.
- Chiang, C.K., C.R. Fincher, Jr. Y.W. Park, A.J. Heeger, H. Shirakawa, E.J. Louis, S.C. Gau and A.G. MacDiarmid. 1977. Electrical conductivity in doped polyacetylene. **J. Phys. Rev. Lett.** 39(17): 1098-1101.

- Cornil, J., D. Beljonne, R.H. Friend and J.L. Brédas. 1994. Optical absorptions in poly(1,4-phenylene vinylene) and poly(2,5-dimethoxy-1,4-phenylene vinylene) oligomers. **Chem. Phys. Lett.** 223(1-2): 82-88.
- _____, D.A. dos Santos and J.L. Brédas. 1996. Poly(1,4-phenylene vinylene) as active layer in light-emitting diodes: a theoretical investigation of the effects of derivatization. **Synth. Met.** 76(1-3): 101-104.
- Daoust, G. and M. Leclerc. 1991. Structure-property relationships in alkoxy-substituted polythiophenes. **Macromolecules** 24(2): 455-459.
- Dimitrakopoulos, C.D. and P.R.L. Malenfant. 2002. Organic thin film transistors for large area electronics. **Adv. Mater.** 14(2): 99-117.
- Ding, J., Y. Tao, M. Day, J. Roovers and M. D'orio. 2002. Electrochemical and fluorescent properties of alternating copolymers of 9,9-dioctylfluorene and oxadiazole as blue electroluminescent and electron transport materials. **J. Opt. A: Pure Appl. Opt.** 4: S267-S272.
- Donat-Bouillud, A., I. Levesque, Y. Tao, M. D'Iorio, S. Beaupre, P. Blondin, M. Ranger, J. Bouchard and M. Leclerc. 2000. Light-emitting diodes from fluorene-based π -conjugated polymers. **Chem. Mater.** 12(7): 1931-1936.
- Duarte, H.A., H. Duani and W.B. De Almeida. 2003. Ab initio correlated comparative study of the torsional potentials for 2,2'-bipyrrole and 2,2'-bifuran five membered heterocyclic dimmers. **Chem. Phys. Lett.** 369 (1-2): 114-124.
- Dunning, T. H. 1989. Gaussian basis sets for use in correlated molecular calculations. I. The atoms boron through neon and hydrogen. **J. Chem. Phys.** 90(2), 1007-1023.

- Faid, K., R. Cloutier and M. Leclerc. 1993. Design of novel electroactive polybithiophene derivatives. **Macromolecules** 26(10): 2501-2507.
- _____, M. Frechette, M. Ranger, L. Mazerolle, I. Levesque, T.A. Chen, R.D. Rieke and M. Leclerc. 1995. Chromic phenomena in regioregular and nonregio-regular polythiophene derivatives. **Chem. Mater.** 7(7): 1390-1396.
- Friend, R.H., J.H. Burroughes and T. Shimoda. 1988. Polymer diodes. **Phys. World** 35-40.
- _____, R.W. Gymer, A.B. Holmes, J.H. Burroughes, R.N. Marks, C. Taliani, D.D.C. Bradley, D.A. Dos Santos, J.L. Bredas, M. Logdlund and W.R. Salaneck. 1999. Electroluminescence in conjugated polymers. **Nature** 397: 121-128.
- Frisch, M. J., G. W. Trucks, H. B. Schlegel, G. E. Scuseria, *et al.* 2004. **Gaussian03, Inc.** Wallingford CT.
- Gao, Y., C. Liu and Y. Jiang. 2002. Electronic structure of thiophene oligomer dications: An alternative interpretation from the spin-unrestricted DFT study. **J. Phys. Chem. A** 106(21): 5380-5384.
- Gies, P. and R.R. Gerhardtts. 1987. Local-density-functional calculation of electrodynamic surface response. **Phys. Rev. B** 36: 4422-4424.
- Greenham, N.C., S.C. Moratti, D.D.C. Bradley, R.H. Friend and A.B. Holmes. 1993. Efficient light-emitting diodes based on polymers with high electron affinities. **Nature** 365, 628-630.
- Grem, G., G. Leditzky, B. Ulrich and G. Leising. 1992. Realization of a blue-light-emitting device using poly(p-phenylene). **Adv. Mater.** 4(1): 36-37.

- Grice, A.W., D.D.C. Bradley, M.T. Bernius, M. Indasekaran, W.W. Wu and E.P. Woo. 1998. High brightness and efficiency blue light-emitting polymer diodes. **Appl. Phys. Lett.** 73(5): 629-631.
- Grozema, F.C., R. Telesca, H.T. Jonkman, L.D.A. Siebbeles and J.G. Snijders. 2001. Excited state polarizabilities of conjugated molecules calculated using time dependent density functional theory. **J. Chem. Phys.** 115(21): 10014-10021.
- Gruner, J., P.J. Hamer, R.H. Friend, H.J. Huber, U. Scherf and A.B. Holmes. 1994. A high efficiency blue-light-emitting diode based on novel ladder poly(p-phenylene)s. **Adv. Mater.** 6(10): 748-752.
- Gustafsson, G., Y. Cao, G.M. Treacy, F. Klavetter, N. Colaneri and A.J. Heeger. 1992. Flexible light-emitting diodes made from soluble conducting polymers. **Nature** 357: 477-479.
- _____, G.M. Treacy, Y. Cao, F. Klavetter, N. Colaneri and A.J. Heeger. 1993. The plastic LED: a flexible light-emitting device using a polyaniline transparent electrode. **Synth. Met.** 55-57: 4123-4127.
- Hattig, C. and F. Weigend. 2000. CC2 excitation energy calculations on large molecules using the resolution of the identity approximation. **J. Chem. Phys.** 113(13): 5154-5161.
- Heinze, H.H., A. Gorling and N. Rosch. 2000. An efficient method for calculating molecular excitation energies by time dependent density functional theory. **J. Chem. Phys.** 113(6): 2088-2099.
- Helfrich, W. and W.G. Schneider. 1965. Recombination radiation in anthracene crystals. **Phys. Rev. Lett.** 14: 229-231.

- Heywang, G. and F. Jonas. 1992. Poly(alkylenedioxythiophene)s - new, very stable conducting polymers. **Adv. Mater.** 4(2): 116-118.
- Hirata, S. and M. Head-Gordon. 1999. Time dependent density functional theory within the Tamm-Dancoff approximation. **Chem. Phys. Lett.** 314(3-4): 291-299.
- _____. 1999. Time dependent density functional theory for radicals. An improved description of excited states with substantial double excitation character. **Chem. Phys. Lett.** 302(5-6): 375-382.
- _____ and T.J. Lee. 1999. Time dependent density functional study on the electronic excitation energies of polycyclic aromatic hydrocarbon radical cations of naphthalene, anthracene, pyrene, and perylene. **J. Chem. Phys.** 111(19): 8904-8912.
- _____ and R.J. Bartlett. 1999. Configuration interaction singles, time dependent Hartree-Fock, and time dependent density functional theory for the electronic excited states of extended systems. **J. Chem. Phys.** 111(24): 10774-10786.
- Hotta, S., D.D.V. Rughooputh, A.J. Heeger and F. Wudl. 1987. Spectroscopic studies of soluble poly(3-alkylthienylenes). **Macromolecules** 20: 212-215.
- Hsu, C.P., S. Hirata and M. Head-Gordon. 2001. Excitation energies from time dependent density functional theory for linear polyene oligomers: butadiene to decapentaene. **J. Phys. Chem. A** 105(2): 451-458.
- _____. 2002. Accurate prediction of band gaps in neutral heterocyclic conjugated polymers. **J. Phys. Chem. A** 106(44): 10596-10605.

- Huang, J., Y. Niu, W. Yang, Y. Mo, M. Yuan and Y. Cao. 2002. Novel electro-luminescent polymers derived from carbazole and benzothiadiazole. **Macromolecules** 35: 6080-6082.
- Janietz, S., D.D.C. Bradley, M. Grell, C. Giebeler, M. Inbasekaran and E.P. Woo. 1998. Electrochemical determination of the ionization potential and electron affinity of poly(9,9-dioctylfluorene). **Appl. Phys. Lett.** 73(17): 2453-2455.
- Inzelt, G. 2003. Formation and redox behaviour of polycarbazole prepared by electropolymerization of solid carbazole crystals immobilized on an electrode surface. **J. Solid State Electrochem** 7: 503-510.
- Kanbe, S., H. Kobayashi, S. Seki, H. Kiguchi, I. Yudasaka, M. Kimura, S. Miyashita, T. Shimoda, J.H. Burroughes, C.R. Towns and R.H. Friend. 1999. Patterning of high performance poly(dialkylfluorene) derivatives for light-emitting full color display by ink-jet printing. **Proc. EuroDisplay** 99: 85-8.
- Karpfen, A. and M. Kertesz. 1991. Energetics and geometry of conducting polymers from oligomers. **J. Phys. Chem.** 95: 7680-7681.
- Karpfen, A., C. H. Choi, and M. Kertesz. 1997. Single-bond torsional potentials in conjugated systems: A comparison of *ab initio* and density functional results. **J. Phys. Chem. A** 101: 7426-7433.
- Kido, J., K. Hongawa, K. Okuyama and K. Nagai. 1993. Bright blue electro-luminescence from poly(N-vinylcarbazole). **Appl. Phys. Lett.** 63(19): 2627-2629.

- Kim, J.S., M. Granstrom, R.H. Friend, N. Johansson, W.R. Salaneck, R. Daik, W.J. Feast and F. Cacialli. 1998. Indium-tin oxide treatments for single- and double-layer polymeric light-emitting diodes: The relation between the anode physical, chemical, and morphological properties and the device performance. **J Appl. Phys.** 84(12): 1-12.
- Kraft A, A.C.G. Grimsdale and A.B. Holmes. 1998. Electroluminescent conjugated polymers: Seeing polymers in a new light. **Angew Chem, Int Ed** 37: 402-428.
- Krishnan, R., J.S. Binkley, R. Seeger and J.A. Pople. 1980. Self-consistent molecular orbital methods. XX. A basis set for correlated wave functions. **J. Chem. Phys.** 72(1), 650-654.
- Kwon, O. and M.L. McKee. 2000. Theoretical calculations of band gaps in the aromatic structures of polythieno(3,4-b)benzene and polythieno(3,4-b)pyrazine. **J. Phys. Chem. A** 104(30): 7106-7112.
- Lahti, P.M., J. Obrzut and F.E. Karasz. 1987. Use of the Pariser-Parr-Pople approximation to obtain practically useful predictions for electronic spectral properties of conducting polymers. **Macromolecules** 20(8): 2023-2026.
- Leclerc, M. and K. Faid. 1997. Electrical and optical properties of Processable Polythiophene Derivatives: Structure-Property relationships. **Adv. Mater.** 9(14): 1087-1094.
- Lee, J.H., H.S. Woo, T.W. Kim and J.W. Park. 2002. Blue organic light-emitting diodes with carbazole-based small molecules. **Optical Materials** 21: 225-229

- Lee, C., W., Yand and R.G. Parr. 1988. Development of the Colle-Salvetti correlation-energy formula into a functional of the electron density. **Phys. Rev. B** 37:785-789.
- Liu, B., W. Yu, Y. Lai and W. Huang. 2001. Blue-light-emitting fluorene-based polymers with tunable electronic properties. **Chem. Mater.** 13: 1984-1991.
- Li, Y., J. Ding, M. Day, Y. Tao, J. Lu and M. D'orio. 2004. Synthesis and properties of random and alternating fluorene/carbazole copolymers for use in blue light-emitting devices. **Chem. Mater.** 16(11): 2165-2173.
- Lux, S.C. Moratti, K. Pichler, N. Tessler and K. Towns. 1997. Electronic processes of conjugated polymers in semiconductor device structures. **Synth. Met.** 84(1-3): 463-470.
- Ma, J., S. Li and Y. Jiang. 2002. A time dependent DFT study on band gaps and effective conjugation lengths of polyacetylene, polyphenylene, polypentafulvene, polycyclopentadiene, polypyrrole, polyfuran, polysilole, polyphosphole, and polythiophene. **Macromolecules** 35: 1109-1115.
- Marchese, F.T., C.J. Seliskar and H.H. Jaffe. 1980. The use of CNDO in spectroscopy. XV. Two photon absorption. **J. Chem. Phys.** 72(7): 4194-4203.
- McLean, A.D. and G.S. Chandler. 1980. Contracted gaussian basis sets for molecular calculations. I. Second row atoms, $Z=11-18$. **J. Chem. Phys.** 72(10): 5639-5648.
- Morin, J.F. and M. Leclerc. 2001. Syntheses of Conjugated Polymers Derived from *N*-Alkyl-2,7-carbazoles. **Macromolecules** 34: 4680-4682.

- _____, S. Beaupre, M. Leclerc, I. Levesque and M. D'Iorio. 2002. Blue light-emitting devices from new conjugated poly(*N*-substituted-2,7-carbazole) derivatives. **Appl. Phys. Lett.** 80: 341.
- _____ and M. Leclerc. 2002. 2,7-Carbazole-based conjugated polymers for blue, green, and red light emission. **Macromolecules** 35: 8413-8417.
- Mitschke, U. and P. Bauerle. 2000. The electroluminescence of organic materials. **J. Mater. Chem.** 10: 1471-1507.
- Naarmann, H. and N. Theophilou. 1987. New process for the production of metal-like, stable polyacetylene. **Synth. Met.** 22(1), 1-8.
- Negri, F. and G. Orlandi. 2000. Quantum chemical simulation of the resonance Raman spectra of stilbene radical ions: a test case for the study of charge carriers in doped PPV. **J. Mol. Struct. (Theochem)** 52: 197-209.
- Nero, J.D. and C.P. de Melo. 2001. Semiempirical and *ab initio* investigation of defects in PPV oligomers. **Synth. Met.** 121(1-3): 1741-1742.
- Ohmori, Y., M. Uchida, K. Muro and K. Yoshino. 1991. Blue electroluminescent diodes utilizing poly(alkylfluorene). **Jpn. J. Appl. Phys.** 30: L1941-L943.
- Pei, Q. and Y. Yang. 1996. Efficient photoluminescence and electroluminescence from a soluble polyfluorene. **J. Am. Chem. Soc.** 118(31): 7416-7417.
- Perdew, J.P., K. Burke and M. Ernzerhof. 1996. Generalized gradient approximation made simple. **Phys. Rev. Lett.** 77(18):3865-3868.
- Petersilka, M., U.J. Gossmann and E.K.U. Gross. 1996. Excitation energies from time dependent density functional theory. **Phys. Rev. Lett.** 76(8): 1212-1215.

- Poolmee, P., M. Ehara, S. Hannongbua and H. Nakatsuji. 2005. SAC-CI theoretical investigation on electronic structure of fluorene-thiophene oligomers. **Polymer** 46(17): 6474-6481.
- Ranger, M., D. Rondeau and M. Leclerc. 1997. New well-defined poly(2,7-fluorene) derivatives: Photoluminescence and base doping. **Macromolecules** 30(25): 7686-7691.
- Rehahn, M., A.D. Schluter, G. Wegner and W.J. Feast. 1989. Soluble poly(para-phenylene)s. 1. Extension of the Yamamoto synthesis to dibromobenzenes substituted with flexible side chains. **Polymer** 30(6): 1054-1059.
- Rosa, A., E.J. Baerends, S.J.A. van Gisbergen, E. van Lenthe, J.A. Groeneveld and J.G. Snijders. 1999. Electronic spectra of $M(CO)_6$ ($M = Cr, Mo, W$) revisited by a relativistic TDDFT approach. **J. Am. Chem. Soc.** 121(44): 10356-10365.
- Rothberg, L.J. and A.J. Lovinger. 1996. Status of and prospects for organic electroluminescence. **J. Mater. Res.** 11(12): 3174-3187.
- Runge, E. and E.K.U. Gross. 1984. Density functional theory for time dependent systems. **Phys. Rev. Lett.** 52(12): 997-1000.
- Sancho-Garcia, J.C. and J. Cornil. 2004. Assessment of recently developed exchange-correlation functionals for the description of torsion potentials in π -conjugated molecules. **J. Chem. Phys.** 121(7):3096-3101.
- _____ and A. Karpfen. 2005. The torsional potential in 2,2'-bipyrrole revisited: High-level *ab initio* and DFT results. **Chem. Phys. Lett.** 411(4-6):321-326.

_____ and J. Cornil. 2005. Anchoring the torsional potential of biphenyl at the *ab initio* level: The role of basis set versus correlation effects. **J. Chem. Theory Comput.** 1(4): 581-589.

_____, and A.Karpfen. 2006. Conformational analysis of 2,2'-bifuran: correlated high-level *ab initio* and DFT results. **Theor. Chem. Acc.** 115:427-433.

SciVision, 200 Wheeler Road, Burlington, MA. 01803, USA, Available Source: <http://www.scivision.com>, January 20, 2003.

Schenk, H., H. Becker, O. Gelsen, E. Kluge, W. Kreuder and H. Spreitzer. 1999. Polymers for light emitting diodes. **Proc. EuroDisplay** 99: 33-7.

Sheats, J.R., H. Antoniadis, M. Hueschen, W. Leonard, H. Niller, R. Moon, D. Roitman and A. Stocking. 1996. Organic electroluminescent devices. **Science** 273: 884-888.

Skotheim, T.A., R.L. Elsenbaumer and J.R., Reynolds. 1998. **Handbook of Conducting Polymers**. 2nd ed. Eds. Marcel Dekker: New York.

Sriwichitkamol, K., S. Suramitr, P. Poolmaee and S.Hannongbua. 2006. Structures, absorption spectra, and electronic properties of polyfluorene and its derivatives: A theoretical study. **J. Theor. Comp. Chem.** 5(3):595-608.

Stampfl, J., S. Tarch, G. Leising and U. Scherf. 1995. Quantum efficiencies of electroluminescent poly(para-phenylenes). **Synth. Met.** 71(1-3): 2125-2128.

Stratmann, R.E., G.E. Scuseria and M.J. Frisch. 1998. An efficient implementation of time dependent density functional theory for the calculation of excitation energies of large molecules. **J. Chem. Phys.** 109(19): 8218-8224.

- Tang, C.W. and S.A. Van Slyke. 1987. Organic electroluminescent diodes. **Appl. Phys. Lett.** 51(12): 913-915.
- Tasch, S., C. Brandstatter, F. Meghdadi, G. Leising, G. Froyer and L. Athouel. 1997. Red-green-blue light emission from a thin film electroluminescence device based on parahexaphenyl. **Adv. Mater.** 9(1): 33-36.
- Tirapattur, S., M. Belletete, M. Leclerc and G. Durocher. 2003. Study of excited state properties of oligofluorenes by the singles configuration interaction (CIS) theoretical approach. **J. Mol. Struct. (Theochem)** 625(1-3), 141-148.
- Virgili, T., D.G. Lidzey and D.D.C Bradley. 2000. Efficient energy transfer from blue to red in tetraphenylporphyrin-doped poly(9,9-dioctylfluorene) light-emitting diodes. **Adv. Mater.** 12(1): 58-62.
- Wang, Y.Z., R.G. Sun, F. Meghdadi, G. Leising and A.J. Epstein. 1999. Multicolor multiplayer light-emitting device based on pyridine-containing conjugated polymers and para-sexiphenyl oligomer. **Appl. Phys. Lett.** 74(24): 3613-3615.
- Wiberg, K.B., R.E. Stratmann and M.J. Frisch. 1998. A time-dependent density functional theory study of the electronically excited states of formaldehyde, acetaldehyde and acetone. **Chem. Phys. Lett.** 297(1-2): 60-64.
- Wiberg, K.B., A.E. de Oliveira and G. Trucks. 2002. A comparison of the electronic transition energies for ethene, isobutene, formaldehyde, and acetone calculated using RPA, TDDFT and EOM-CCSD. Effect of basis sets. **J. Phys. Chem. A** 106(16): 4192-4199.

Wu, C.C., C.I. Wu, J.C. Stum and A. Kahn. 1997. Surface modification of indium tin oxide by plasma treatment: An effective method to improve the efficiency, brightness, and reliability of organic light emitting devices. **Appl. Phys. Lett.** 70(11):1348-1350.

Woon, D.E. and T.H. Dunning Jr. 1993. Gaussian basis sets for use in correlated molecular calculations. III. The atoms aluminum through argon. **J. Chem. Phys.** 98(2): 1358-1371.

Xia, C. and R.C. Advincula. 2001. Decreased Aggregation Phenomena in Polyfluorenes by Introducing Carbazole Copolymer Units. **Macromolecules** 34(17): 5854-5859.

Stephan, O. and J.C. Vial. 1999. Blue light electroluminescent devices based on a copolymer derived from fluorene and carbazole. **Synth. Met.** 106(2): 115-119.

Yan, M., L.J. Rotheberg, F. Papadimitrakopoulos, M.E. Galvin and T.M. Miller. 1994. Defect quenching of conjugated polymer luminescence. **Phys. Rev. Lett.** 73(5): 744-747.

Yang, L., J.-K. Feng, A.-M. Ren, and J.-Z. Sun. 2006. The electronic structure and optical properties of carbazole-based conjugated oligomers and polymers: A theoretical investigation. **Polymer** 47: 1397-1404.

Zerner, M. C., G. H. Loew, R. F. Kirchner and U. T. Mueller-Westerhoff. 1979. An Intermediate neglect of differential overlap technique for spectroscopy of transition-metal complexes. Ferrocene. **J. Am. Chem. Soc.** 102: 589-599.

Ziemelis, K. 1999. Growing developments. **Nature** 399: 408-11.

- Zhang, G., J. Ma, S. Li and Y. Jiang. 2002. A Time-dependent DFT study on band gaps and effective conjugation lengths of polyacetylene, polyphenylene, polypentafulvene, polycyclopentadiene, polypyrrole, polyfuran, polysilole, polyphosphole, and polythiophene. **Macromolecules** 35(3): 1109-1115.
- Zotti, G., G. Schiavon, S. Zecchin, J.F. Morin and M. Leclerc. 2002. Electrochemical, conductive, and magnetic properties of 2,7-carbazole-based conjugated polymers. **Macromolecules** 35: 2122-2128.