

TABLE OF CONTENTS

	Page
TABLE OF CONTENTS	i
LIST OF TABLES	iii
LIST OF FIGURES	vi
INTRODUCTION	1
Hypothesis	3
Objectives	3
LITERATURE REVIEW	4
Definition and Nature of Salt Affected Soils	4
Classifications of Salt Affected Soils	5
Salt Induced Soil Properties	6
Genesis of Salt Affected Soils	7
Properties of Salt Affected Soils	13
Salt Affected Soils in Thailand	20
MATERIALS AND METHODS	26
Materials	26
Sampling Sites	26
Field Analyses	28
Laboratory Analyses	28
RESULTS AND DISCUSSION	39
Environment and morphology of salt affected soils	39

TABLE OF CONTENTS (Continued)

	Page
Physical properties of salt affected soils	57
Chemical properties of salt affected soils	69
Geochemical properties of salt affected soils	97
Mineralogical properties of salt affected soils	109
Micromorphological characteristic of salt affected soils	137
Classification	167
CONCLUSIONS	170
LITERATURE CITED	175
APPENDICES	191
Appendix A	192
Appendix B	262
Appendix C	303

LIST OF TABLES

Table		Page
1	The key to the abbreviated rock formations in the geologic map of Northeast Thailand	24
2	Environmental setting of the salt affected soils in this study	40
3	Summarized morphology of the salt affected soils in this study	48
4	Median (\pm SD) values for element concentrations for salt affected soils in this study	99
5	Semi-quantitative mineralogical analysis of salt affected soils in this study	112
6	The relative percentages of minerals of the smectite group (beidellite and montmorillonite) in the clay of salt affected soils provided by the Green-Kelly test and based on a comparison of the intensities of 001 reflections	124
7	Classification of salt affected soils based on index salt effect parameters in this study	169
Appendix Table		
C1	Physical properties of Salt Affected Soils	303
C2	Chemical properties of Salt affected Soils	310
C3	Soluble salts in Salt Affected Soils	320

LIST OF TABLES (Continued)

Appendix Table		Page
C4	Correlation matrix among the chemical properties of salt affected soils (marked correlations are significant at $p < 0.05$, $N = 248$)	326
C5	Correlation matrix among the chemical properties of salt affected soils from location 1 (marked correlations are significant at $p < 0.05$, $N = 43$)	327
C6	Correlation matrix among the chemical properties of salt affected soils from location 2 (marked correlations are significant at $p < 0.05$, $N = 47$)	328
C7	Correlation matrix among the chemical properties of salt affected soils from location 3 (marked correlations are significant at $p < 0.05$, $N = 53$)	329
C8	Correlation matrix among the chemical properties of salt affected soils from location 4 (marked correlations are significant at $p < 0.05$, $N = 50$)	330
C9	Correlation matrix among the chemical properties of salt affected soils from location 5 (marked correlations are significant at $p < 0.05$, $N = 55$)	331
C10	Total analysis of salt affected soils.	332
C11	Element compositions in salt affected soils	338

LIST OF TABLES (Continued)

Appendix Table		Page
C12	Correlation matrix among the chemical components of salt affected soils (marked correlations are significant at $p < 0.05$, $N = 248$)	348
C13	Soil reaction, pH (soil: water=1:1)	349
C14	Organic matter content (%organic carbon x 1.724)	349
C15	Total nitrogen	349
C16	Available phosphorus (Bray II)	350
C17	Available potassium	350
C18	Cation exchange capacity (CEC)	350
C19	Base saturation percentage (PSB)	350
C20	Extractable acidity (EA)	351
C21	Bulk density (BD)	351
C22	Hydraulic conductivity (Ksat)	351
C23	Chemical criteria for the classification of salt affected soils	351
C24	X-ray diffraction spacings obtained from (001) planes of layer-silicate species as related to sample treatment	352

LIST OF FIGURES

Figure		Page
1	The areas of salt affected soils in Northeast Thailand	21
2	The geological map of Northeast Thailand	23
3	Soil sampling sites, locations of soil sampling sites and soil sampling strategy; (a) distribution areas of salt affected soils in Thailand and locations of soil sampling, (b) direction line illustrating soil sampling strategy at each location	27
4	The horizonation of the soil profile development of salt affected soils examined in this study	42
5	Field morphology of salt affected soils at location 1	43
6	Field morphology of salt affected soils at location 2	44
7	Field morphology of salt affected soils at location 3	45
8	Field morphology of salt affected soils at location 4	46
9	Field morphology of salt affected soils at location 5	47
10	Ternary graph of sand, silt and clay concentrations for the salt affected soils in this study	57
11	Profile distribution of sand silt and clay of salt affected soils from each location in this study	59

LIST OF FIGURES (Continued)

Figure		Page
12	Depth functions showing bulk density values for salt affected soils in this study: a) samples from location 1, b) samples from location 2, c) samples from location 3, d) samples from location 4, e) samples from location 5 and e) the median and standard deviation value for all samples	63
13	Bivariate graphs showing relationships between bulk density and exchangeable Na for salt affected soils; a) location 1, b) location 2, c) location 3, d) location 4 and e) location 5	64
14	Graph showing the hydraulic conductivity and classified rating for salt affected soils in this study	65
15	The bivariate graphs showing the relationships between hydraulic conductivity (Ksat) and bulk density, exchangeable Na and clay concentration for salt affected soils at location 5	67
16	Depth functions of some chemical properties for salt affected soils at location 1	70
17	Depth functions of some chemical properties for salt affected soils at location 2	71
18	Depth functions of some chemical properties for salt affected soils at location 3	72
19	Depth functions of some chemical properties for salt affected soils at location 4	73

LIST OF FIGURES (Continued)

Figure		Page
20	Depth functions of some chemical properties for salt affected soils at location 5	74
21	Bivariate relationships between EA and CEC by sum of cations for salt affected soils; a) samples from all locations, b) Location 1, c) Location 2, d) Location 3, e) Location 4 and d) Location 5	79
22	a) Bivariate graph showing the relationships between CEC and clay concentration, the low relationship between CEC_clay and clay distribution	80
23	Bivariate graph showing the relationships between %BS and EC value of salt affected soils; a) samples from all locations, b) Location 1, c) Location 2, d) Location 3, e) Location 4 and d) Location 5	82
24	Depth functions of EC for salt affected soils in this study	84
25	The significant correlations of EC value with some chemical properties	86
26	Depth functions of SAR values for salt affected soils in this study	87
27	Depth functions of ESP values for salt affected soils in this study	89
28	Factor analysis for sand, silt, clay, pH, EC and element concentrations in salt affected soils. (a) Distribution of attributes, (b) Distribution of soil samples	100

LIST OF FIGURES (Continued)

Figure		Page
29	Factor analysis for sand, silt, clay, pH, EC and element concentrations for high EC and/or ESP samples (192 samples) in salt affected soils. (a) Distribution of attributes, (b) Distribution of soil samples	102
30	Factor analysis for sand, silt, clay, pH, EC and element concentrations for low EC and ESP samples (56 samples) in salt affected soils. (a) Distribution of attributes, (b) Distribution of soil samples	103
31	Bivariate relationships between concentrations of (a) sand and chromium: (b) organic carbon and nitrogen: (c) clay and aluminum: (d) clay and iron: (e) sand and molybdenum: (f) EC and bromine for salt affected soils in this study	105
32	Depth functions of mean factor 1 and 2 scores based on pH, element concentration and textural soil properties at each location for salt affected soils in this study	107
33	Typical random powder XRD patterns of salty soils showing major diffraction lines of some salt minerals; (a) halite in the surface horizon of coarse textured soils, (b) calcite and halite in the lower subsoil horizons that are in contact with saline parent rock	110
34	The relationship between percentage total clay minerals determined by random powder x- ray diffraction and percentage clay determined by the pipette method for samples of salt affected soils (n=155) in this study	110

LIST OF FIGURES (Continued)

Figure		Page
35	Composition triangle for the abundance of quartz, kaolin and total other clay minerals in samples of salt affected soils (n=155) in this study	111
36	XRD patterns of oriented clay of salt affected soils showing the distinction between beidellite and montmorillonite provided by the Green-Kelly test. Samples were Li-saturated, heated at 250 °C and glycerol solvated which results in the following basal spacings ~1.8 nm (beidellite) and 1.0 nm (montmorillonite). The 0.72 nm reflection is due to kaolin	112
37	XRD patterns of the oriented clay fraction of salt affected soils showing the distinction between beidellite and montmorillonite provided by the Green-Kelly test: the Li_250_Gly is Li-saturated, heated at 250 °C and glycerol solvated, the Mg_Gly is Mg-saturated and glycerol solvated which results in the following basal spacings ~1.8 nm (beidellite), 1.0 nm (montmorillonite and illite) and the 0.72 nm reflection is kaolin	123
38	Transmission electron microscope (TEM) micrographs of kaolin from salt affected soils at location 1 showing the wide ranges of crystal morphology and sizes. Various morphologies are indicated in the Figure: Eu=euhedral crystal, Sub=subhedral crystal and An=anhedral crystal	125

LIST OF FIGURES (Continued)

Figure		Page
39	Transmission electron microscope (TEM) micrographs of kaolin from salt affected soils at location 2 showing the wide ranges of crystal morphology and sizes. Various morphologies are indicated in the Figure: Eu=euhedral crystal, Sub=subhedral crystal and An=anhedral crystal	126
40	Transmission electron microscope (TEM) micrographs of kaolin from salt affected soils at location 3 showing the wide ranges of crystal morphology and sizes. Various morphologies are indicated in the Figure: Eu=euhedral crystal, Sub=subhedral crystal and An=anhedral crystal	127
41	Transmission electron microscope (TEM) micrographs of kaolin from salt affected soils at location 4 showing the wide ranges of crystal morphology and sizes. Various morphologies are indicated in the Figure: Eu=euhedral crystal, Sub=subhedral crystal and An=anhedral crystal	128
42	Transmission electron microscope (TEM) micrographs of kaolin from salt affected soils at location 5 showing the wide ranges of crystal morphology and sizes. Various morphologies are indicated in the Figure: Eu=euhedral crystal, Sub=subhedral crystal and An=anhedral crystal	129
43	Triangle graph representing the shapes of kaolin crystals (0 plane faces=Anhedral, 1-3 faces=Subhedral, 4-6 faces=Euhedral) for selected kaolin samples dominant of the clay fraction of salt affected soils in this study	130

LIST OF FIGURES (Continued)

Figure		Page
44	Histograms showing the size distribution of kaolin crystals in salt affected soils in this study	131
45	a) The relationship between the mean of kaolin crystal size and standard deviation and (b) The relationship between the mean of kaolin crystal size and coefficient of variation for salt affected soils in this study	133
46	The relationship between the number of euhedral face and kaolin size for salt affected soils in this study	134
47	The relationship between CSD001 of kaolin and mean crystal size determined by TEM for salt affected soils in this study	136
48	Values of EC, ESP, SAR, pH related to measures of the size and shape of kaolin crystals for salt affected soils in this study; (a) EC, ESP, SAR, pH related to mean size of kaolin crystals determine by TEM, (b) EC, ESP, SAR, pH related to crystal size (CSD001) determine by XRD, (c) EC, ESP, SAR, pH related to the mean number of euhedral faces of kaolin crystals	136
49	Micromorphological features of the surface soils for salt affected soils at location 1	139
50	Micromorphological features of the surface soils for salt affected soils at location 2	140
51	Micromorphological features of the surface soils for salt affected soils at location 3	141

LIST OF FIGURES (Continued)

Figure		Page
52	Micromorphological features of the surface soils for salt affected soils at location 4	142
53	Micromorphological features of the surface soils for salt affected soils at location 5	143
54	Micromorphological features of the subsoils for salt affected soils at location 1	145
55	Micromorphological features of the subsoils for salt affected soils at location 2	146
56	Micromorphological features of the subsoils for salt affected soils at location 3	147
57	Micromorphological features of the subsoils for salt affected soils at location 4	148
58	Micromorphological features of the subsoils for salt affected soils at location 5	149
59	Micromorphological features of salt (halite and gypsum) accumulations in salt affected soils	151
60	Micromorphological features in substratum of salt affected soils at location 5	152

LIST OF FIGURES (Continued)

Figure		Page
61	Normalized composition triangular graphs for soil matrix (SiO_2 : Al_2O_3 : Fe_2O_3 , SiO_2 : Al_2O_3 : $\text{Na}_2\text{O} + \text{CaO} + \text{MgO}$), Optical image, Backscattered electron micrograph and EDS element (Al, Si, Fe, Ca, Na, Mg, Cl, S) maps for the Apng horizon of Pedon 1, location 1	155
62	Normalized composition triangular graphs (SiO_2 : Al_2O_3 : Fe_2O_3 , SiO_2 : Al_2O_3 : $\text{Na}_2\text{O} + \text{CaO} + \text{MgO}$), Optical image, Backscattered electron micrograph and EDS element (Al, Si, Fe, Ca, Na, Mg, Cl, S) maps for the Btn3 horizon of soil in Pedon 6, location 2	156
63	Secondary electron image of a thin section and EDS spectra showing (a) halite, calcium chloride and calcite accumulations in the Apng horizon of Pedon 1, location 1: (b) barite accumulation in Btn3 horizon of Pedon 6, location 2	157
64	Ca mapping and EDS spectra showing of calcium accumulations as CaCO_3 ; a) in salt concretion ball (lower part in pedon 1 at location 1), b) in weathered substratum and c) in substratum rock (lower part at location 5)	158
65	Normalized composition triangular graphs (SiO_2 : Al_2O_3 : Fe_2O_3 , SiO_2 : Al_2O_3 : $\text{Na}_2\text{O} + \text{CaO} + \text{MgO}$), Optical image, Backscattered electron micrograph and EDS element (Al, Si, Fe, Ca, Na, Mg, Cl, S) maps for the Apng horizon of soil in Pedon 11, location 3	159

LIST OF FIGURES (Continued)

Figure		Page
66	Normalized composition triangular graphs (SiO ₂ : Al ₂ O ₃ : Fe ₂ O ₃ , SiO ₂ : Al ₂ O ₃ : Na ₂ O+ CaO+ MgO), Optical image, Backscattered electron micrograph and EDS element (Al, Si, Fe, Ca, Na, Mg, Cl, S) maps for the Btng2 horizon of soil in Pedon 22, location 4	160
67	Normalized composition triangular graphs (SiO ₂ : Al ₂ O ₃ : Fe ₂ O ₃ , SiO ₂ : Al ₂ O ₃ : Na ₂ O+ CaO+ MgO), Optical image, Backscattered electron micrograph and EDS element (Al, Si, Fe, Ca, Na, Mg, Cl, S) maps for the Apng horizon of soil in Pedon 23, location 5	161
68	Normalized (SiO ₂ , Al ₂ O ₃ , Fe ₂ O) composition triangular graphs of soil matrix from each location, the average matrix line corresponds to the average SiO ₂ :Al ₂ O ratio for the lower Fe ₂ O ₃ concentration analyzed point	162