รายการอ้างอิง

[1] Knezevic, I., Vasileska, D., He, X., Schroder, D. K., and Ferry, D. K. 2002. Low-Field Mobility and Quantum Effects in Asymmetric Silicon-Based Field-Effect Devices. Journal of Computational Electronics 1 : 273-277.

[2] Özgür, Ü., et al. 2005. A comprehensive review of ZnO materials and devices. Journal of Applied Physics 98 : 1-103.

[3] Owen, J., Son, M. S., Yoo, K. H., Ahn., B. D., and Lee, S. Y. 2007. Organic photovoltaic devices with Ga-doped ZnO electrode. Applied Physics Letters 90 : 3512-3515.

[4] Lee, J., et al. 2008. Low-frequency noise characterization of ZnO nanorod back-gate field-effect transistor structure. Physica E 40 : 2147-2149.

[5] Wang, J., et al. 2006. Hydrothermally grown oriented ZnO nanorod arrays for gas sensing applications. Nanotechnology 17 : 4995-4998.

[6] Wei, L., Zhang, X., and Zuoya, Z. 2007. Application of ZnO nanopins as field emitters in a field-emission-display device. Journal of Vacuum Science and Technology B 25 : 608-610.

[7] Suehiro, J., et al. 2006. Dielectrophoretic fabrication and characterization of a ZnO nanowire-based UV photosensor. Nanotechnology 17 : 2567-2573.

[8] Kucheyev, S., et al. 2003. Ion-beam-produced structural defects in ZnO. Physic Review B 67 : 4115-4126.

[9] Park, S., Lee, J. M., and Yoon, S. 2008. Photoluminescence and Raman analysis of ZnO nanowires deposited on Si(100) via vapor-liquid-solid process. Physica E-Low-Dimensional Systems & Nanostructures 40 : 920-923.

[10] Yan, H., Hou, J., Fu, Z., and Yang, B. 2009. Growth and photocatalytic properties of one-dimensional ZnO nanostructures prepared by thermal evaporation. Materials Research Bulletin 44 : 1954-1958.

[11] Zang, C. H., Zhang, D. M., and Tang, C. J. 2009. Optical Properties of a ZnO/P Nanostructure Fabricated by a chemical vapor deposition Method. Journal of Physical Chemistry C 113 : 527-530.

[12] Huo, B., Hu, L., Zhang, H., Zhao, Z., Fu, Q., and Ma, J. 2008. ZnO/$Zn_{0.85}Mg_{0.15}O$ superlattice nanoneedles grown by pulsed laser deposition. Micro & Nano Letters 3 : 117-120.

[13] Yang, P., et al. 2002. Controlled growth of ZnO nanowires and their optical properties. Advanced Functional Materials 12 : 323-331.

[14] Wei, Y., et al. 2008. Growth of Vertically Aligned ZnO Nanobelt Arrays on GaN Substrate. Journal of Physical Chemistry C 112 : 18935-18937.

[15] Lee, S., Umar, A., Kim, S. H., Reddy, N. K., and Hahn, Y. B. 2007. Growth of ZnO nanoneedles on silicon substrate by cyclic feeding chemical vapor deposition: Structural and optical properties. Korean Journal of Chemical Engineering 24 : 1084-1088.

[16] Dev, A., Kar, S., Chakrabarti, S., and Chaudhuri, S. 2006. Optical and field emission properties of ZnO nanorod arrays synthesized on zinc foils by the hydrothermal route. Nanotechnology 17 : 1533-1540.

[17] Wisitsoraat, A., Pimtara, I., Phokharatkul, D., Jaruwongrangsee K., and Tuantranont, A. 2010. Zinc Oxide Nanopolypods Synthesized by Thermal Evaporation of Carbon Nanotubes and Zinc Oxide Mixed Powder. Current Nanoscience 6 : 45-53.

[18] Wang, R. C., et al. 2005. ZnO nanopencils: Efficient field emitters. Applied Physics Letters 87 : 3110-3112.

[19] Xu, C. X., and Sun, X. W. 2003. Field emission from zinc oxide nanopins. Applied Physics Letters 83 : 3806-3808.

[20] Liao, L., Li, J. C., Wang, D. F., Liu, C., and Fu, Q. 2005. Self-assembly of aligned ZnO nanoscrews : Growth, configuration, and field emission. Applied Physics Letters 86 : 3106-3107.

[21] Wei, A. et al. 2006. Stable field emission from hydrothermally grown ZnO nanotubes. Applied Physics Letters 88 : 3102-3104.

[22] Gao, P. X., and Wang, Z. L. 2004. Nanopropeller arrays of zinc oxide. Applied Physics Letters 84 : 2883-2885.

[23] Zou, K., Zhou, S., Zhang, X., Qi, X., and Duan, X. 2006. Transmission Electron Microscopy Investigation of Sb-Doped ZnO Nanoribbons and $Zn_7Sb_2O_{12}$ Branched ZnO Nanoribbon Structure. Journal of Nanoscience and Nanotechnology 6 : 2200-2203.

[24] Zheng, K., et al. 2009. The fabrication and properties of field emission display based on ZnO tetrapod-liked nanostructure. Vacuum 83 : 261-264.

[25] Baruah, S., and Dutta, J. 2009. Hydrothermal growth of ZnO nanostructures. Science and Technology of Advanced Materials 10 : 1-18.

[26] Integrated Publishing. Common lattice types. [Online]. 2007. Available from : http://www.tpub.com/content/doe/h1017v1/css/h1017v1_25.htm [2010,November 12]

[27] Kogure, T., and Bando, Y. 1998. Formation of ZnO nanocrystaMites on ZnS surfaces by electron beam irradiation. Journal of Electron Microscopy 47 : 135-141.

[28] Bates, C. H., White, W. B., and Roy, R. 1965. The solubility of transition metal oxides in zinc oxide and the reflectance spectra of Mn^{2+} and Fe^{2+} in tetrahedral fields. Journal of Inorganic and Nuclear Chemistry 47 : 135-141.

[29] Hausmann, H., Pillukat, A., and Enrhart, P. 1996. Point defects and their reactions in electron-irradiated GaAs investigated by optical absorption spectroscopy. Physical Review B 54 : 8527-8539.

[30] Yasuda, T., and Segawa, Y. 2004. Zinc oxide thin films synthesized by metal organic chemical reactions. Physica Status Solidi (b) 241 : 676-679.

[31] Newton, M. C., and Warbuton, P. A. 2007. ZnO tetrapod nanocrystals. Materials Today 10 : 50-54.

[32] Wang, F. Z., Ye, Z. Z., Ma, D. W., Zhu, L. P., and Zhuge, F. 2005. Novel morphologies of ZnO nanotetrapods. Materials Letters 59 : 560-563.

[33] Hou, K. et al. 2009. Influence of synthesis temperature on ZnO nanostructure morphologies and field emission properties. Physica E 41 : 470-473.

[34] Yu, W. D., Li, X. M., and Gao, X. D. 2004. Synthesis and structural characteristics of high-quality tetrapodlike ZnO nanocrystals on ZnO and NiO nanocrystal substrates. Journal of Crystal Growth 270 : 92-97.

[35] Ronning, C., Shang, N. G., Gerhards, I., Hofsäss, H., and Seibit, M. 2005. Nucleation mechanism of the seed of tetrapod ZnO nanostructures. Journal of Applied Physics 98 : 4307-1–4307-5.

[36] Hongsith, N., Chairuangsri, T., Phaechamud, T., and Choopun, S. 2009. Growth kinetic and characterization of tetrapod ZnO nanostructures. Solid State Communications 149 : 1184-1187.

[37] Lyapina, O. A., Baranov, A. N., Panin, G. N., Knotko, A. V., and Kononenko, O. V. 2008. Synthesis of ZnO Nanotetrapods. Neorganicheskie Materialy 44 : 958-965.

[38] Xu, P. S., Sun, Y. M., Shi, C. S., Xu, F. Q., and Pan, H. B. 2003. The electronic structure and spectral properties of ZnO and its defects. Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms 199 : 286-290.

[39] Yao, B., et al. 2010. Tailoring the luminescence emission of ZnO nanostructures by hydrothermal post-treatment in water. Applied Physics Letters 96 : 3105-1–3015-3.

[40] Look, D. C., and Claflin, B. 2004. P-type doping and devices based on ZnO. Physica status solidi (b): 624-630.

[41] Yamamoto, T., and Yoshida, H. K. 2000. Unipolarity of ZnO with a wide-band gap and its solution using codoping method. Journal of Crystal Growth 214/215 : 552-555.

[42] Bano, N., Hussain, I., Nur, O., Willander, M., and Klason, P. 2010. Study of Radiative Defects Using Current-Voltage Charactersics in ZnO Rods Catalytically Grown on 4H-p-SiC. Journal of Nanomaterials 2010 : 1-5.

[43] Koteeswara Reddy, N., Ahsanulhaq, Q., Kim, J. H., and Hahn, Y. B. 2008. Behavior of *n*-ZnO nanorods/*p*-Si heterojunction devices at higher temperatures. Applied Physics Letters 92 : 043127.

[44] Föll, H. Recombination Luminescence [Online] Available from : http://www.tf.uni-kiel.de/matwis/amat/semi_en/kap_5/backbone/r5_1_2.html [2010,December 10]

[45] Lin, Y. et al. 2005. Green luminescent zinc oxide films prepared by polymer-assisted deposition with rapid thermal process. Thin Solid Films 492 : 101-104.

[46] Kryshtab, T., et al. 2007. Effect of doping on properties of Zno:Cu and Zno:Ag thin films. Journal of Materials Science 18 : 1115-1118.

[47] Wang, Y. G., et al. 2003. Evolution of visible luminescence in ZnO by thermal oxidation of zinc films. Chemical Physics Letters 375 : 113-118.

[48] Klingshirn, C. 2007. ZnO: From basics towards applications. Physica Status Solidi B 244 : 3027-3073.

[49] Cai, J. H., Ni, G., He, G., and Wu, Z. Y. 2008. Red luminescence in ZnO films prepared by a glycol-based Pechini method. Physics Letters A 372 : 4104-4108.

[50] Heitz, R., Hoffmann, A., and Broser, I. 1992. Fe^{3+} center in ZnO. Physic Review B 45 : 8977-8988.

[51] Jang, J. M., Kim, S. D., Choi, H. M., Kim, J. Y., and Jung, W. G. 2009. Morphology change of self-assembled ZnO 3D nanostructures with different pH in the sample hydrothermal process. Materials Chemistry and Physics 113 : 389-394.

[52] Zhang, Z., and Mu, J. 2007. Hydrothermal synthesis of ZnO nanobundles controlled by PEO-PPO-PEO block copolymers. Journal of Colloid and Interface Science 307 : 79-82.

[53] Takahashi, K., Yoshikawa, A. and Sandhu, A. Wide bandgap semiconductors: fundamental properties and modern photonic and electronic devices. Springer. 2007.

[54] Yang, Y., Sun, X. W., Tay, B. K., and Xu, C. X. 2006. ZnO nanoresistors by vapor phase transport method. IEEE Conference on Emerging Technologies–Nanoelectronics ,2006 : 197-200..

[55] Chumbev, S. Understanding how the SEM works and how to use it on a college level [Online]. Available from : http://mse.iastate.edu/microscopy/college.html [2010, December 12]

[56] George Will. 2006. Powder Diffraction : Rietveld Method and Two-Stage Method. Germany, Springer

[57] 4pi Analysis Inc. Tech support. Revolution On-Line [Online]. 2008. Available from : http://www.4pi.com/teksupport.htm [2011,April,7]

[58] Lemmer, U. and Gbel, E. O. Photoluminescence spectroscopy as a probe for disorder and excitonic effects in organic and inorganic semiconductors. 211-252.

[59] Bellis, M. Photoluminescence [Online]. 1997. Available from : http://inventors.about.com/od/pstartinventions/a/Photoluminescen.htm [2010 December 14]

[60] Pattanasattayavong, P. 2009. Optical Characterisation of InAs Quantum Dots. Senior Project Report. Faculty of Engineering. Chulalongkorn University

[61] Mott, N. F., and Gurney, R. W. 1950. Electronic processes in ionic crystals. Second edition. The International series of monographs on physics. Oxford

[62] Lampert, M. A., and Schilling, R. B. 1970. Injection Phenomena. Volume 6. Semiconductors and semimetals. United states of 57merica : Academic press

[63] Yao, B. D., Chan, Y. F., and Wang, N. 2002. Formation of ZnO nanostructures by a simple way of thermal evaporation. Applied Physics Letters 81 : 757-759.

[64] Kong, X., Sun, X., Li, X., and Li, Y. 2003. Catalytic growth of ZnO nanotubes. Materials Chemistry and Physics 82 : 997-1001.

[65] Chrissanthopolous, A., et al. 2007. Novel ZnO nanostructures grown on carbon nanotubes by thermal evaporation. Thin Solid Films 515 : 8524-8528.

[66] Singh, J., Srivastava, A., Tiwari, R. S., and Srivastava, O. N., 2005. Nucleation and growth of catalyst-free ZnO nano-structures. Journal of Nanoscience and Nanotechnology 5 : 2093-2098.

[67] Yousefi, R., Muhamad, M. R., and Zak, A. K. 2011. The effect of source temperature on morphological and optical properties of ZnO nanowires grown using a modified thermal evaporation set-up. Current Applied Physics 11 : 767-770.

[68] Liu, W. C., Cai, W., and Meng, X. L. 2006. Effects of temperature and pressure on morphologies of quasi-one-dimensional ZnO nanostructures fabricated via thermal evaporation. Transaction of Nonferrous Metals Society of China 16 : s337-s340.

[69] Luadise, R. A., and Ballman, A. A. 1960. Hydrothermal synthesis of zinc oxide and zinc sulfide. Journal of Physical Chemistry 64 : 688–691.

[70] Li, Z. W. and Gao, W. 2007. Growth of zinc oxide thin films and nanostructures by wet oxidation. Thin Solid Films 515 : 3323-3329.

[71] Chen, R. Zou, C., Yan, X. Alyamani, A., and Gao, W. 2010. Growth mechanism of ZnO nanostructures in wet-oxidation process. Thin Solid Films 519: 1837-1844.

[72] Peterson, R. B., Fields, C. L., and Gregg, B. A. 2004. Epitaxial Chemical Deposition of ZnO Nanocolumns from NaOH Solutions. Langmuir 20 : 5114-5118.

[73] Niu, H., Yang, Q., Tang, K., Xie, Y., and Yu, F. 2006. Self-assembly of ZnO nanoplates into microspheres. Journal of Materials Science 41 : 5784-5787.

[74] Xu, C. H., Lui, H. F., and Surya, C. 2011. Synthetics of ZnO nanostructures by thermal oxidation in water vapor containing environments. Materials Letters 65 : 27-30.

[75] Gao, W., and Li, Z. W. 2008. Photoluminescence properties of ZnO films grown by wet oxidation: Effect of processing. Journal of Alloys and Compounds 449 : 202-206.

[76] Lin, B., and Fu, Z. 2001. Green luminescent center in undoped zinc oxide films deposited on silicon substrates. Applied Physics Letters 79 : 943-945.

[77] Evans, S. M., Giles, N. C., Haliburton, L. E., and Kappers, L. A. 2008. Further characterization of oxygen vacancies and zinc vacancies in electron-irradiated ZnO. Journal of Applied Physics 103 : 043710-1.

[78] Areefen Rassamesard. Electrical conduction of side chain liquid crystalline copolymers. Master's Thesis. Department of Physics Faculty of Science. Mahidol University, 2005.

[79] Grosh, W. A., Zahid, F., Damle, S. P., and Datta, S. Insights into molecular conduction from I-V asymmetry. Annual American Physics Society March Meeting. [online]. 2002. Available from : http:// arxiv.org/abs/cond-mat/0202519 [2011, April 13]

[80] Jain, A., et al. 2007. Trap filled limit voltage (V_{TFL}) and V^2 law in space charge limited currents. Journal of Applied Physics 102 : 094505-1.

[81] Jain., S. C., et al. 2002. Trap filled limit of conducting organic materials. Journal of Applied Physics 92 : 3752-3754.

ประวัติผู้เขียนวิทยานิพนธ์

นายสุขุม พิทยาพิบูลพงศ์ เกิดในกรุงเทพฯ เมื่อวันที่ 17 กันยายน พ.ศ. 2529 จบการศึกษาชั้นมัธยมจากโรงเรียนอัสสัมชัญแผนกบางรักจากนั้นได้เข้าศึกษาต่อที่คณะวิศวกรรมศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย เมื่อปีการศึกษา 2548 จากนั้นสำเร็จการศึกษาระดับปริญญาบัณฑิตสาขาวิศวกรรมไฟฟ้าในปี พ .ศ. 2552 และได้เข้าศึกษาต่อในระดับปริญญามหาบัณฑิตสาขาวิศวกรรมไฟฟ้าในปีเดียวกัน โดยได้รับทุนศิษย์ก้นกุฏิเป็นทุนอุดหนุนค่าเล่าเรียน งานวิทยานิพนธ์ระดับปริญญาบัณฑิตได้ศึกษาเกี่ยวกับการเตรียมโครงสร้างนาโน ZnO ด้วยกระบวนการขนถ่ายเฟสไอโดยใช้สารผสม ZnO/CNTs โดยผลงานที่ได้รับการตีพิมพ์คือ Effect of Substrate Position on the Formation of ZnO Nanostructures Synthesized by Thermal Evaporation of ZnO-CNTs Mixture, Electrical Engineering/Electronics Computer Telecommunications and Information Technology (ECTI-CON), 2010. 768-771.