



Optimizing Art and Technology in 3D Character Creation: Strategies for High-Fidelity Modeling and Resource Efficiency in Real-Time Environments

Nuttametee Boonsawang, Kawashima Motonobu, Panas Chanpum

Author Affiliations

^{1,3} Faculty of Information and Communication Technology, Silpakorn University City Campus, 80 Popular Rd, Ban Mai, Pak Kret District, Nonthaburi 11120, Thailand

² School of Media Science, Tokyo University Of Technology, Hachioji Campus 1404-1 Katakuramachi, Hachioji City, Tokyo 192-0982, Japan

Abstract

This study pioneers the development of efficient methodologies for crafting high-resolution stylized 3D human character models for real-time virtual environments, aimed at fulfilling the growing industry demand for lifelike character models in gaming and animated film production. By harmonizing realism, design complexity, and operational efficiency, the research navigates through the integration of artistic creativity and technological prowess in 3D modelling. Utilizing industry-standard tools such as Autodesk Maya and Maxon Zbrush, the methodology centres on the meticulous production process, implementation, and evaluation of computer resource management techniques. These techniques focus on optimizing performance metrics within the Unreal Engine environment through detailed performance evaluation and rendering analysis. The study evaluates the impact of texture resolution, texture sets, and optimization techniques on model performance, aiming to enhance rendering capabilities and visual fidelity while managing computational resources effectively. This research explores recent technological advancements to bridge the innovation-practicality gap in digital character modelling. The findings reveal that the proposed methodologies significantly reduce resource consumption and streamline the model creation workflow, offering crucial insights for academia and industry professionals. This research addresses the objectives and contributes to technological innovations in digital character creation for real-time virtual environments, thereby maintaining a balance between quality and efficiency.

Keywords: *3D Modelling, Real-time Virtual Environments, Stylised Human Characters, Texture Optimisation, Optimisation Techniques*

1. Introduction

Amidst the dynamic landscape of digital technology and content creation, the emergence of three-dimensional human character models is a pivotal advancement, notably impacting sectors such as gaming, animated film production, and simulated environments. This research explores the intricate interplay between artistic ingenuity and technological prowess in developing these models. Significant advancements in three-dimensional rendering techniques have resulted from the content industry's increasing need for lifelike and highly detailed character models, highlighting the crucial role that 3D human character models play in modern media. Sierra Rativa et al. (2020) have conducted research illuminating humanoid characters' vital role in engendering empathetic connections within simulation games. This phenomenon has been corroborated by many studies within human-computer interaction (HCI), human-robot interaction (HRI), and video game scholarship. These studies highlight the influential capacity of three-dimensional human character models to enhance user engagement and enrich the user experience. Such empirical evidence underscores these models' profound impact on users' psychological and emotional responses, thereby establishing their significance in the design and implementation of interactive digital media.

[23]



Crafting stylised 3D human models presents many challenges and opportunities, necessitating a delicate balance between artistic stylisation and technical precision. This study's focal point is to navigate these challenges by exploring innovative methodologies for creating stylised 3D human character models. These models are envisioned to possess visual allure and adeptness in rendering dynamics, particularly within real-time applications such as gaming and virtual reality environments. This research aims to strike an optimal equilibrium between the high-level detail requisite for realism and the operational efficiency indispensable for practical deployment.

The significance of this research lies in its potential contributions to digital modelling techniques, specifically focusing on the development of models tailored for real-time rendering scenarios while adhering to industry benchmarks concerning polygon counts and rendering capacities. The anticipated outcomes of this study are poised to furnish invaluable insights into effective resource management strategies, refinement techniques for real-time rendering, and the overall enhancement of quality in digital character modelling. These insights will benefit the academic sphere and prove instrumental for industry professionals engaged in gaming and animation. Consequently, this research lays a robust foundation for future technological advancements in digital media, aligning with the ever-expanding requisites of the gaming industry, animated film production, and virtual reality content creation.

2. Objectives

- 1) Develop efficient methods for crafting high-quality 3D human character models tailored for virtual environments, balancing realism, design intricacy, and operational efficiency to meet industry demands.
- 2) Implement and evaluate computer resource management techniques to create quality models for real-time environments, focusing on optimising performance metrics, especially within the Unreal Engine environment.
- 3) Explore recent advancements in real-time technology integration to enhance rendering capabilities and visual fidelity of high-resolution human characters, aiming to bridge the gap between innovation and practical applications in digital character modelling.
- 4) Identify and analyse strategies to streamline the creation process of 3D human character models, emphasising resource management and real-time rendering refinement to maintain quality and efficiency for academia and industry professionals.

3. Literature Review

Character creation in video games merges art with technology, requiring a balance between realistic visuals and efficient computation. As the gaming industry relentlessly seeks more realistic and detailed designs, character representation has evolved from simple graphics to detailed high-definition characters. Central to this evolution is the discipline of model optimisation. This review delves into the nuances of model optimisation, discussing aspects such as polygon refinement, retopology, polygon count, rendering efficiency, and texture handling. The aim is to provide a thorough understanding of the foundational techniques behind captivating video game characters and immersive gameplay experiences. Model optimisation has become an essential aspect of contemporary video game design.

3.1 Foundations of Game Asset Creation and 3D Modeling

3D modelling is fundamental in the production of game assets. The successful creation of these models hinges on a deep understanding of the relevant software tools. This is not just advantageous—it is

[24]



necessary. As Hristov and Kinaneva (2021) suggest, expertise in these tools transforms mathematical representations of three-dimensional objects into visual graphics. Further proficiency in these software systems can enhance efficiency and lead to the development of intricate 3D game environments, converting abstract mathematical models into immersive visual scenes (Jie et al., 2011).

Such 3D models, comprising hundreds to millions of polygons, represent the object's exterior. It is important to note that these models must be versatile, allowing for smooth transitions across different software platforms. This highlights the importance of ensuring consistent scaling units for smooth interoperability (Hristov & Kinaneva, 2021).

Often, designers start with low-polygonal meshes, which are computationally efficient. However, as the need for more detailed texturing and deeper details arises, these models usually transition to their high-polygon counterparts. Software tools like Topogun have become essential in this transition, representing the marriage of cutting-edge technology and intricate craftsmanship.

3.2 Optimizing 3D Model Performance with Retopology and Efficient Rendering

Retopology is a critical step in the high polygon modelling workflow, serving as an essential post-model creation process that simplifies complex models into more manageable versions by reducing polygon count. This reduction is crucial for ensuring model compatibility with dynamic game environments. A notable advantage of retopology is its capacity to uniquely optimize different model parts, which proves particularly advantageous for deformable areas such as facial features and joints.

Understanding the importance of polygon distribution is key to achieving high-detail precision in your models. Bubenová (2016) emphasizes that each polygon must enhance the model's aesthetic appeal or support its deformation capabilities during animation. Supporting this perspective, Koulaxidis and Xinogalos (2022) advocate for the initial design of models with minimized polygon counts, arguing that this approach is preferable to after the reductions, which might introduce unintended distortions.

The rendering efficiency is directly tied to polygon count, a fundamental aspect of computer graphics. The performance of a game and its frame rate are significantly influenced by the number of polygon faces, the diversity of unique meshes, and the application of distinct material IDs (Jie et al., 2011). Striking a balance among these factors requires the strategic use of techniques such as mesh amalgamation, which consolidates multiple meshes into a single entity, and visibility culling, excluding non-visible polygons from the rendering process to optimize balance effectively.

Hardware considerations also emerge as vital in enhancing rendering efficiency. Jie et al. (2011) highlight the importance of adhering to model constraints to manage scene complexity effectively. For instance, employing simpler models for complex structures like plants, refining elongated structures such as fences, and utilizing detailed maps can significantly enhance visual detail while reducing the overall file size. These strategies are instrumental in refining the rendering process and optimizing visual quality and performance in digital environments.

3.3 Contemporary Approaches to Optimisation and Texture Utilization

The domain of game optimisation extends beyond mere aesthetic modifications, delving deeply into the technical intricacies of managing computational resources. Among the critical challenges in this domain are the strict polygonal constraints that dictate the maximum number of polygons a game engine can handle without compromising performance. This fundamental aspect of game design differentiates it from texturing, which focuses on creating visual appeal rather than managing computational efficiency (Neppius, 2022). Central to this domain is the optimisation of character representations. This focus stems from the need for

[25]



developers to strike a balance: they must minimise polygonal counts while optimising texture use and implementing Level of Details (LODs) algorithms effectively. The latter, as described by Jokikokko (2023), dynamically adjusts the granularity of visual details based on the viewer's or camera's proximity to the object in question. This dynamic rendering ensures that only essential details are processed at any given time, conserving computational resources. Hence, tools like Blender become invaluable. They facilitate efficient polygon reduction and aid in the strategic deployment of LODs. Such tools are instrumental in ensuring smooth gameplay experiences, especially when rendering high-resolution environments and characters.

3.4 Optimisation of UV and UV Mapping Layout

UV mapping is crucial in 3D modelling, bridging three-dimensional models and their two-dimensional texture representations. Bubenová (2016) and Fedotov and Fedotov (2022) emphasise its significance, especially in facilitating texture coordinate assignments by transforming the 3D model's surface onto a 2D plane. Central to UV mapping is the UV layout. As Fedotov and Fedotov (2022) discuss, this layout arranges texture attributes, such as colour, onto the 3D model. It is done by segmenting the model's surface into "shells" or planar sections. When organised adequately within a UV editor, these shells align seamlessly with their designated textures. Furthermore, a UV editor offers various movement, rotation, scaling, and more tools.

Improving the precision of UV coordinates is an art in itself. Techniques suggested by Bubenová (2016) include mirroring UVs for symmetric objects and maintaining a gradient in UV density, particularly for complex parts like facial regions. As mentioned, efficient placement of UV islands can minimise wasted space and prevent texture spillage. Additionally, Baptista (2018) and Elwood (2018) delve deeper into the strategic side of UV mapping, highlighting the importance of software choice and advocating for an iterative approach, respectively.

Nevertheless, it is crucial to tread with caution. As Fedotov and Fedotov (2022) point out, a careless approach to UV editing can compromise quality and resource efficiency. In some instances, the need for resource conservation might conflict with the quest for perfection. A notable workaround is redistributing redundant details across multiple shells to account for changes in lighting, which can enhance texture quality (Hristov & Kinaneva, 2021). Ultimately, mastering the intricacies of UV mapping ensures that textures are seamlessly incorporated into 3D models.

3.5 Texture Optimisation

Incorporating textures enhances the realism of in-game characters, but this comes with an increased computational cost, making optimisation crucial. High-resolution textures, while visually appealing, are resource-intensive. Several strategies can address these issues, such as consolidating materials into single maps or organising them by type or entity (Reallusion Magazine, 2018). Additionally, mipmaps and scaled-down versions of the original textures help optimise assets viewed from a distance, reducing memory usage (Neppius, 2022).

Recent trends Bubenová (2016) observed highlight the use of low-poly models combined with hand-rendered textures in top gaming titles. Epic Games has developed a detailed approach to project high-resolution details onto normal maps. They emphasise the importance of maintaining consistent surface normals and offer methods to minimise artefacts. Like Substance Painter, their platform demonstrates the importance of considering texture size, screen resolution, and the viewer's perspective when combining different materials (Epic Games, N.D.).



Texture maps should be standard sizes for game realism to prevent inefficiencies (Jie et al., 2011). When added to a 3D model, materials enhance the surface details, influencing colour, texture, and reflectivity (Hristov & Kinaneva, 2021). Textures can be manually designed, sourced from photographs, or generated procedurally. Adherence to best practices in texturing is essential, especially in gaming. Artists must balance texture quality with performance constraints, considering size and resolution limitations (Kaasinen, 2023). Tools like mipmaps and atlases offer solutions tailored to specific needs (Neppius, 2022).

Texture optimisation is intricate and multifaceted. It involves creating smaller textures, compression techniques, utilising texture atlases, and adhering to predefined resolutions and file sizes (Jokikokko, 2023). Typically, artists work with high-resolution source files, allowing adjustments and refinements before finalising game-ready versions (Kaasinen, 2023).

3.6 Advances in Real-Time Technology and its Impact

The evolution of real-time technology has revolutionised the landscape of 3D character creation in gaming and other virtual environments. Real-time rendering engines such as Unreal Engine and Unity have democratised the creation process, empowering developers with sophisticated tools and rendering capabilities previously reserved for high-budget productions. This accessibility has led to a proliferation of indie games and experimental projects, fostering creativity and diversity within the gaming community (Utilities One, 2023).

One significant advancement in real-time technology is the emergence of ray tracing, a rendering technique that simulates the behaviour of light in a virtual environment with unprecedented realism. Ray tracing enables dynamic lighting and shadow effects, lifelike reflections, and accurate global illumination, enhancing the visual fidelity of 3D character models and their surroundings (Utilities One, 2023).

Moreover, integrating machine learning algorithms into real-time rendering pipelines has opened new avenues for character animation and simulation. Deep learning techniques, such as neural network-based motion capture and procedural animation, enable developers to create real-time lifelike movements and behaviours for characters, enhancing immersion and player engagement (Liu et al., 2023).

Another notable advancement is the advent of virtual production techniques, popularised by films like "The Mandalorian." Virtual production combines real-time rendering with physical sets and actors, allowing filmmakers to visualise scenes and make creative decisions on the fly. This approach could revolutionise filmmaking, offering filmmakers unprecedented control and flexibility while reducing production costs (Kamat, 2022).

The impact of these advances extends beyond gaming and entertainment, influencing fields such as architecture, automotive design, and medical simulation. Real-time visualisation tools empower professionals to explore complex designs, simulate real-world scenarios, and collaborate remotely in ways previously thought impossible (Jungherr & Schlarb, 2022).

3.7 Conclusion of Literature Review

Character creation in video games is a testament to the harmonious blend of artistic expression and technological innovation. This review has highlighted the importance of model optimisation, reflecting the industry's efforts to balance a sense of realism with computational efficiency. The various tools and methods discussed showcase the industry's adaptability and commitment to excellence. As technology continues to evolve, these foundational principles will undoubtedly guide future advancements in character creation.

4. Materials and Methods

4.1 Methodological Framework

The research methodology for this study is structured to thoroughly investigate and enhance the domain of 3D modelling, specifically focusing on creating stylised human characters optimised for real-time virtual environments. Commencing with an analysis phase, the research team delineates an efficient and intuitive method for generating 3D models. This involves successive stages encompassing conceptualisation, skeletal and muscular development, texture mapping, and rigorous testing in simulated environments to assess adaptability and fidelity. Such an approach is anticipated to yield profound insights into the operational dynamics of 3D models within virtual realms and to foster novel prospects for their utilisation.

A critical facet of the research process entails data collection, which involves a comprehensive review of existing literature regarding computational resource allocation in 3D modelling. Specifically, the focus lies on techniques for reducing polygon counts and optimising texture resolutions, mainly for compatibility with Unreal Engine, a primary real-time virtual environment creation tool. Through this analysis, the research aims to discern and apply optimised 3D modelling methodologies that balance resource efficiency with model quality.

Subsequently, the research transitions to production preparation steps, which centre on designing stylised human characters that harmonise aesthetic appeal with resource efficiency. This involves devising strategies to streamline model complexity while preserving visual fidelity. Notably, intricate design elements such as clothing and mechanical appendages are meticulously crafted to facilitate efficient experimentation and testing of 3D models.




Figure 1: Conceptual framework explains the operation of the research.

The production phase encompasses a meticulously orchestrated series of eight steps to realise high-quality outcomes aligned with research objectives. These steps encompass design planning, 3D shaping, retopology, UV creation, high-poly mesh mapping, texture application, experimentation, and results comparison. Each step is meticulously crafted to ensure adherence to research objectives and the production of high-quality outcomes.

[28]



In parallel, the research leverages industry-standard tools essential for 3D modelling endeavours. These include Autodesk Maya for basic modelling and retopology, Hexanomad Nomad for initial model layout, Maxon Zbrush for detailed model sculpting, Adobe Substance 3D Painter for texture creation, and Unreal Engine 4 for rendering and performance evaluation. Comprehensive understanding and adept utilisation of these tools are pivotal for ensuring the scholarly rigour and comprehensibility of the research outcomes.

4.2 Techniques and Production Methodologies

The production methodology employed in this study involves a multifaceted approach to stylised 3D modelling, with meticulous attention to detail and a focus on achieving high-quality results. Various techniques are leveraged to create complex shapes and realistic characteristics for human characters. These techniques include 3D sculpting using Maxon Zbrush, which enables detailed rendering and imbues characters with lifelike features. Also, poly and subdivision modelling are used to handle intricate details and enhance the overall resolution and appearance of the models. Incorporating alpha patterns and spline modelling further enriches the textural and structural complexity of the characters.




Figure 2: Human character design and high polygon part of the model

Texture creation constitutes a crucial aspect of the production process, with techniques such as high-poly mesh mapping and physically based rendering (PBR) employed to achieve realistic textures and shading effects. Hand-painted textures and UV mapping are also utilised to add unique visual elements and ensure proper surface mapping. The meticulous organisation and classification of 3D models facilitate efficient access and management of data, thereby enhancing the overall workflow and analytical capabilities.

Creating the shape of 3D human character models involves a series of steps to balance detail and efficiency. Techniques such as blocking, masking, and retopology are employed to refine the shape and topology of the models, ensuring consistency and quality throughout the production pipeline. The determination of resolution levels for each model is guided by the specific requirements of the research objectives, with careful consideration given to balancing detail with performance considerations.

Preparation for exporting 3D models involves meticulous attention to detail, with steps to ensure compatibility and optimal performance in real-world applications. This includes the management of polygon counts, the organisation of textures, and the selection of appropriate file formats. Using industry-standard tools like Autodesk Maya and Maxon Zbrush facilitates seamless integration and interoperability within the production pipeline.

Texture development is approached with precision and creativity, utilising techniques such as hand-painting and shader manipulation to enhance realism and visual appeal. Strategies such as exporting digital

[29]



textures for Unreal Engine and optimising resolution levels ensure compatibility and versatility across different platforms and environments. Finally, importing and modifying 3D models in Unreal Engine involves meticulous attention to detail, with steps taken to ensure seamless integration and optimal rendering quality. The study aims to advance understanding and capabilities in 3D modelling for real-time virtual environments through these systematic and rigorous production methods through these systematic and stringent production methods. The study aims to advance understanding and capabilities in 3D models.



Figure 3: Model with textured detail

4.3 Performance Evaluation and Rendering Analysis

In this study, we embarked on developing and evaluating levels within Unreal Engine to assess the performance and rendering capabilities of 3D models, delineated into two distinct types of testing. The first set of tests scrutinised models devoid of the Combine command in Autodesk Maya, aiming to discern the performance implications of intricate models without combining them. Eight levels were meticulously devised, each with varying configurations to explore texture sets and resolutions. These configurations included scenarios with one or two thousand 3D models, encompassing texture set sizes 4096x4096, 2048x2048, and 1024x1024 pixels.

Conversely, the second set of tests delved into models merged via the Combine command in Autodesk Maya, with an equivalent number of levels constructed for comprehensive analysis. Similar to the initial set, these tests encompassed various scenarios, examining the performance and rendering fidelity under distinct texture set sizes and resolutions. The meticulous curation of these levels provided a robust framework for discerning the influence of model merging on rendering performance. Furthermore, a suite of variables was identified and systematically examined to comprehensively gauge their impact on 3D model performance within Unreal Engine. These variables included texture resolution, the number of texture sets, the quantity of 3D models in a scene, and the management of 3D models exported from Autodesk Maya. Additionally, testing was executed on a meticulously specified computing platform to ensure standardised evaluation conditions.

4.4 Testing and Evaluation

The research methodology of this study encompassed a systematic investigation aimed at comprehensively understanding the performance dynamics of 3D models within the Unreal Engine environment, a pivotal platform utilised in simulation and game development. The research rigorously examined the influence of various factors, including texture resolution, the number of texture sets, and the utilisation of the Combine command within Autodesk Maya, on key performance metrics such as draw calls, frames per second (FPS), milliseconds per frame, and visible static mesh elements.

[30]



Initially, the study scrutinised the impact of differing texture resolutions on model performance. Notable variations in performance metrics emerged by comparing models featuring texture resolutions of 4096x4096 pixels, 2048x2048 pixels, and 1024x1024 pixels. Decreasing texture resolution from 4096x4096 pixels to 1024x1024 pixels resulted in a reduction in draw calls, an increase in FPS, a slight rise in milliseconds per frame, and a modest increase in visible static mesh elements, elucidating the intricate relationship between texture resolution and performance.




Figure 4: Middle distance view of rendering of 3D models with different Texture resolutions and 4 Texture sets each.

Subsequently, the investigation delved into the ramifications of altering the number of texture sets on model performance. Augmenting the number of texture sets from 1 to 4 yielded discernible changes in performance metrics, characterised by marked increases in draw calls and visible static mesh elements. However, this escalation was accompanied by a decline in FPS and an elevation in milliseconds per frame, indicating a trade-off between visual fidelity and performance efficiency.

Furthermore, the study examined the influence of employing the Combine command in Autodesk Maya on model performance. Comparative analysis between models constructed with and without the combined command unveiled significant disparities. Models lacking the combined command exhibited elevated draw calls, diminished FPS, and prolonged milliseconds per frame. They reduced visible static mesh elements compared to models incorporating the combined command, elucidating the efficacy of optimisation techniques in enhancing performance.




Figure 5: Chart comparing the results of Draw calls, FPS and Millisecond per frame

Moreover, the effects of texture sets and the combined command on model performance were meticulously analysed. Diverse impacts on performance metrics were observed through comparative assessments of models with varied texture resolutions and sets. Generally, the reduction of texture resolution and the utilisation of the Combine command yielded enhancements in FPS alongside reductions in draw calls, milliseconds per frame, and visible static mesh elements, further underscoring the multifaceted nature of performance optimisation strategies within the Unreal Engine ecosystem.

In conclusion, this research offers valuable insights into optimising the performance of 3D models within Unreal Engine, elucidating the intricate interplay between texture resolution, texture sets, and optimisation techniques such as the Combine command. These insights are pivotal for guiding decision-

[32]



making processes in model design and development, facilitating a harmonious balance between visual fidelity and computational efficiency across diverse applications within the Unreal Engine framework.

5. Results and Discussion

This study delves meticulously into the intricate nuances of crafting and evaluating high-resolution stylised 3D models tailored explicitly for real-time virtual environments. The paramount objective revolves around optimising the model creation process for human characters, emphasising resource efficiency without compromising detail quality.

2,000 pieces of 3D Models	Draw Calls (Lower is better)	FPS (Higher is better)	Milliseconds per frame (Lower is better)	Visible static mesh element (Lower is better)
Without Combine Function 3D Model with 1 Texture set and texture resolution at 4096x4096 pixel	559.33	29.11	34.08	177,003.00
Without Combine Function 3D Model with 4 Texture set and texture resolution at 4096x4096 pixel	548.92	25.16	38.79	183,068.00
Optimised 3D Model with combined function using 1 Texture set and texture resolution at 4096x4096 pixel	454.28	51.35	19.16	1968.18
Optimised 3D Model with Combine Function using 4 Texture set and texture resolution at 4096x4096 pixel	452.55	51.79	18.90	7,873.53

Table 1: compares the results of Draw calls, FPS, Millisecond per frame and Visible static mesh element.

The empirical analysis delineates the efficacy of the Combine Function in Autodesk Maya in enhancing the performance metrics of 3D models rendered within the Unreal Engine. When this function is applied, a discernible increment in efficiency is evidenced by the substantial decrease in Draw Calls to 454.28 and 452.55, reflecting reductions of 18.78% and 19.07%, respectively, for models comprising one and four texture sets. Concurrently, Frames Per Second (FPS) markedly increased to 51.35 and 51.79, exhibiting increases of 76.40% and 77.93%, respectively, compared to the baseline models. The optimization further culminated in a reduction of milliseconds per frame, diminishing from 34.08 to 19.16 (a reduction of 43.72%) and 18.90 (a decrease of 44.85%) for models with one and four texture sets, correspondingly. This metric is indicative of more fluid visual rendering. Most notably, the visible static mesh element count plummeted from 177,003.00 to 1,968.18, a staggering decrease of 98.89%, and to 7,873.53, a notable reduction of 95.71%, for the single and four texture set optimizations, respectively. These substantial declines in resource utilization and enhancements in rendering efficiency underscore the Combine Function's significant impact and corroborate its pivotal role in streamlining the creation process of high-fidelity 3D human character models for real-time applications, reinforcing the function's utility in real-time 3D model optimization.

The research unveils the efficacy of optimising polygon count reduction and texture resolution in mitigating resource consumption and streamlining the model creation workflow. The research unveils the effectiveness of these methodologies in mitigating resource consumption and streamlining the model



creation workflow. Notably, utilising the high poly mesh mapping technique is a pivotal asset, proficiently preserving critical details in low-polygon models.

Furthermore, the investigation extends to comprehensively evaluating 3D model performance within the Unreal Engine environment. The study discerns pivotal insights by meticulously scrutinising the impact of texture resolution and the combined command in Autodesk Maya. It discerns that lower texture resolutions can satisfactorily suffice for medium to far distances without perceptibly distorting visual output, thereby conserving computational resources. Additionally, integrating the combined command significantly amplifies performance metrics, yielding markedly superior results compared to models bereft of this optimisation strategy. Furthermore, nuanced alterations in texture resolution and the number of texture sets elicit minimal changes in overall Unreal Engine performance, thus elucidating the relatively limited impact of these variables on key performance indicators.

Nevertheless, in the pursuit of achieving high standards in creating 3D models for virtual environments that operate in real-time, this study highlights a number of significant obstacles, especially focused on the effective use of resources and the efficiency of the production process. The intricate process of texture selection poses a noteworthy conundrum, necessitating a delicate balance between image quality and resource conservation. Moreover, the inherent complexity and high resolution of 3D models exacerbate resource consumption, often leading to unwarranted delays in production processes. The study also highlights the constraints posed by software limitations, particularly evident in Autodesk Maya's constraints in handling high-polygon models, thus underscoring the imperative nature of careful program selection and meticulous workflow organisation to mitigate inefficiencies stemming from these constraints.

To address these challenges comprehensively, the study proffers various strategic recommendations, including advocating for the utilisation of higher-resolution textures and the simplification of model designs to reduce polygon count and enhance program responsiveness. Additionally, integrating efficient baking processes, such as those facilitated by Marmoset Toolbag, is advocated to expedite texture creation and augment overall workflow efficiency.

6. Conclusion

In conclusion, this study offers a profound illumination into the complexities and optimisation strategies of 3D model creation tailored explicitly for real-time virtual environments. By adeptly addressing these challenges and propounding innovative solutions, the field of 3D modelling is poised to undergo a transformative revolution in virtual environment creation and simulation. Through enhanced visual experiences and judicious resource utilisation, the trajectory for future advancements in this domain is primed for unprecedented growth and innovation.

Further research endeavours should concentrate on refining resource allocation methodologies, exploring novel techniques for polygon count reduction, and extrapolating findings to real-time scene creation and character modelling. These avenues of exploration promise to propel the discipline of 3D modelling towards new frontiers of excellence and innovation. Consequently, they are poised to enrich digital content creation with unparalleled sophistication and efficacy.

7. References

- Baptista, J. (2018, August 30). Making realistic and stylized 3D characters. 80lv.
https://80.lv/articles/making-realistic-stylized-3d-characters?fbclid=IwAR3480HtFYZu_9xTsKGOiOrXR-OH19L23faqR48P9HZ7D_S6VU56fo5c1KY
- Bubenová, Z. (2016, April 10). Texturing a 3D character in hand-painted style. Theseus.
<https://www.theseus.fi/handle/10024/107534>

[34]



- Elwood, J. (2018, May 2). Optimization of stylized game assets. 80lv. https://80.lv/articles/optimization-of-stylized-game-assets/?fbclid=IwAR0YukUZ4iIlo5EiKUJkt7CLPzpBldkL8fQkugy2_LWXIJ7rVL4eDv8Kkr8
- Epic Games. (n.d.). Guidelines for optimizing rendering for real-time. Unreal Engine 5.0 Documentation. <https://docs.unrealengine.com/5.0/en-US/guidelines-for-optimizing-rendering-for-real-time-in-unreal-engine/>
- Fedotov, V. G., & Fedotov, G. V. (2022). UV optimization for game ready 3D assets. 2022 VI International Conference on Information Technologies in Engineering Education (Inforino). <https://doi.org/10.1109/inforino53888.2022.9783007>
- Hristov, G., & Kinaneva, D. (2021). A workflow for developing game assets for video games. 2021 3rd International Congress on Human-Computer Interaction, Optimization and Robotic Applications (HORA). <https://doi.org/10.1109/hora52670.2021.9461355>
- Jie, J., Yang, K., & Haihui, S. (2011). Research on the 3D game scene optimization of mobile phone based on the Unity 3D engine. 2011 International Conference on Computational and Information Sciences. <https://doi.org/10.1109/iccis.2011.317>
- Jokikokko, V. H. (2023, Spring). The potential of Unreal engine 5 in game development: Exploring the capabilities of the unreal engine. Theseus. <https://www.theseus.fi/handle/10024/790326>
- Jungherr, A., & Schlarb, D. B. (2022). The extended reach of game engine companies: How companies like epic games and Unity Technologies provide platforms for extended reality applications and the metaverse. *Social media + Society*, 8(2), 205630512211076. <https://doi.org/10.1177/20563051221107641>
- Kaasinen, I. (2023, June). Texturing process in hand painted low poly game art. Theseus. <https://www.theseus.fi/handle/10024/804299>
- Kamat, S. (2022). *Atmospheres of Change: Virtual Production* (Doctoral dissertation, Massachusetts Institute of Technology).
- Koulaxidis, G., & Xinogalos, S. (2022). Improving mobile game performance with basic optimization techniques in Unity. *Modelling*, 3(2), 201–223. <https://doi.org/10.3390/modelling3020014>
- Liu, Y., Wang, G., & Wei, N. (2023). Retracted: Motion Capture Technology of Digital Animation Art based on machine learning. *International Transactions on Electrical Energy Systems*, 2023, 1–1. <https://doi.org/10.1155/2023/9807682>
- Neppius, A. (2022, May). 3D game texturing: Comparative analysis between hand-painted and PBR Pipelines. Theseus. <https://www.theseus.fi/handle/10024/750261>
- Reallusion Magazine. (2018, September 14). Reallusion character creator 3 and InstaLOD partner to optimize game character design. https://magazine.reallusion.com/2018/09/14/reallusion-character-creator-3-and-instalod-partner-to-optimize-game-character-design/?fbclid=IwAR3LOJlwOvqL1wizf2z-f3UCEgrNRgj4INcGR2w-RQH_8NFumkStJKHw6HU
- Sierra Rativa, A., Postma, M., & Van Zaanen, M. (2020). The influence of game character appearance on empathy and immersion: Virtual non-robotic versus Robotic Animals. *Simulation & Gaming*, 51(5), 685–711. <https://doi.org/10.1177/1046878120926694>
- Utilities One. (2023, November 10). The evolution of game engines engineering platforms for Success. <https://utilitiesone.com/the-evolution-of-game-engines-engineering-platforms-for-success>