

เอกสารอ้างอิง

- สุริชา อังตระกูล. 2552. การวิเคราะห์ความหลากหลายทางพันธุกรรมของเชื้อราสกุล *Beauveria* ที่ก่อให้เกิดโรคในแมลงด้วยเทคนิคทางโมเลกุล. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต สาขาเทคโนโลยีชีวภาพ ภาควิชาชีววิทยาประยุกต์ สถาบันเทคโนโลยีพระจอมเกล้าเจ้าคุณทหารลาดกระบัง.
- Ansari, M.A., Tirry, L. and Moens M. 2005. Antagonism between entomopathogenic fungi and bacterial symbionts of entomopathogenic nematodes. *BioControl*. 50: 465–475.
- Aung, O.M. 2008. Biodiversity and molecular phylogeny of entomopathogenic fungi in Chiangmai province, Thailand. Ph.D.Thesis of Philosophy in Biotechnology in Plant Pathology. King Mongkut's Institute of Technology Ladkrabang.
- Amiri-Besheli, B., Khambay, B., Cameron, S., Deadman M.L. and Butt T.M. 2000. Inter- and intra-specific variation in destruxin production by insect pathogenic *Metarhizium* spp., and its significance to pathogenesis. *Mycol. Res.* 104: 447-452.
- Axelsson, B.-O., Saraf, A. and Larsson L. 1995. Determination of ergosterol in organic dust by gas chromatography-mass spectrometry. *J. Chromatogr.* 666: 77-84.
- Aziz, D.M. 2006. Assessment of bovine sperm viability by MTT reduction assay. *Animal Repro. Sci.* 92: 1-8.
- Blanford, S., Chan, B.H., Jenkins, N., Sim, D., Turner, R.J., Read, A.F., and Thomas, M.B. 2005. Fungal pathogen reduces potential for malaria transmission. *Science*. 308: 1638–1641.
- Calo, L., Fornelli, F., Nenna, S., Tursi, A., Caiaffa, M.F. and Macchia, L. 2003. Beauvericin cytotoxicity to the invertebrate cell line SF-9. *J. Appl. Genet.* 44: 515-520.
- Calo, L., Fornelli, F., Ramires, R., Nenna, S., Tursi, A., Caiaffa, M.F. and Macchia, L. 2004. Cytotoxic effects of the mycotoxin beauvericin to human cell lines of myeloid origin. *Pharmacol. Res.* 49: 73-77.
- de Muro, M.A., Elliott, S., Moore, D., Parkwe, B.L., Skinner, M., Reaid, W. and Bouhssini M.E. 2005. Molecular characterisation of *Beauveria bassiana* isolates obtained from overwintering sites of Sunn Pests (*Eurygaster* and *Aelia* species). *Mycol. Res.* 109: 294-306.
- Dombrink-Kurtzman M.A. 2003. Fumonisin and beauvericin induce apoptosis in Turkey peripheral blood lymphocytes. *Mycopathologia*. 156: 357-364.
- Dumas, C., Robert, P., Pais, M., Vey, A., and Quiot, J.M. 1994. Insecticidal and cytotoxic effects of natural and hemisynthetic destruxins. *Comp. Biochem. Physiol. Pharmacol. Toxicol. Endocrinol.* 108: 195-203.

- Dumas, C., Matha, V., Quiot, J. M. and Vey, A. 1996a. Effects of destruxins, cyclic depsipeptide mycotoxins, on calcium balance and phosphorylation of intracellular proteins in lepidopteran cell lines. *Comp. Biochem. Physiol. Pharmacol. Toxicol. Endocrinol.* 114: 213-219.
- Favilla, M., Macchia, L., Gallo, A. and Altomare, C. 2006. Toxicity assessment of metabolites of fungal biocontrol agents using two different (*Artemia salina* and *Daphnia magna*) invertebrate bioassays. *Food. Chem. Toxicol.* 44: 1922–1931.
- Fornelli, F., Minervini, F. and Logrieco, A. 2004. Cytotoxicity of fungal metabolites to lepidopteran (*Spodoptera frugiperda*) cell line (SF-9). *J. Invert. Pathol.* 85: 74-79.
- Hamill, R.L., Higgins, C.E., Boaz, H.E. and Gorman, M. 1969. The structure of beauvericin, a new depsipeptide antibiotic toxic to *Artemia salina*. *Tetrahedron Lett.* 49: 4255-4258.
- Harnois, D.M., Que, F.G., Celli, A., LaRusso, N.F. and Gores, G.J. 1997. Bcl-2 is overexpressed and alters the threshold for apoptosis in a cholangiocarcinoma cell line. *Hepatology.* 26: 884–890.
- Henke, M.O., De Hoog, G.S., Gross, U., Zimmermann, G., Kraemer, D. and Weig, M. 2002. Human deep tissue infection with an entomopathogenic *Beauveria* species. *J Clin Microbiol* 40: 2698-2702.
- Hsiao, Y.M. and Ko, J.L. 2001. Determination of destruxins, cyclic peptide toxins, produced by different strains of *Metarhizium anisopliae* and their mutants induced by ethyl methane sulfonate and ultraviolet using HPLC method. *Toxicon.* 39: 837-841.
- Hussain, R.F., Nouri, A.M. and Oliver, R.T. 1993. A new approach for measurement of cytotoxicity using colorimetric assay. *J. Immunol Methods* 160: 89-96.
- Issa, Y., Watts, D.C., Brunton, P.A., Waters, C.M. and Duxbury, A.J. 2004. Resin composite monomers alter MTT and LDH activity of human fibroblast in vitro. *Dental Materials.* 20: 12-20.
- Jeffa, L.B. and Khachatourians, G.G. 1997. Toxic properties of *Beauveria* pigments on erythrocyte membranes. *Toxicon* 1351-1356.
- Jestoi, M., Somma, M.C., Kouva¹, M., Veijalainen, P., Rizzo¹, A., Ritieni, A. and Peltonen, K. 2004. Levels of mycotoxins and sample cytotoxicity of selected organic and conventional grain-based products purchased from Finnish and Italian markets. *Mol. Nutr. Food Res.* 48: 299-307.
- Jow, G-M., Chou, C-J., Chen, B-F. and Tsai, J-H. 2004. Beauvericin induces cytotoxic effects in human acute lymphoblastic leukemia cells through cytochrome c

- release, caspase 3 activation: the causative role of calcium. *Cancer Lett* 216: 165-173.
- Kershaw, M.J., Moorhouse, E.R., Bateman, R., Reynolds, S. E., and Charnley, A.K. 1999. The role of destruxins in the pathogenicity of *Metarhizium anisopliae* for three species of insect. *J. Invert. Pathol.* 74: 213–223.
- Krasnoff, S.B., Sommers, C., Moon, Y.S., Donzelli, B.G.G., Vandenberg, J. D., Churchill, A.C.L., and Gibson, D.M. 2006. Production of mutagenic metabolites by *Metarhizium anisopliae*. *J. Agric. Food Chem.* 54: 7083-7088.
- Lee, S.Y., Nakajima, I., Ihara, F., Kinoshita, H. and Nihira¹, T. 2005. Cultivation of entomopathogenic fungi for the search of antibacterial compounds. *Mycopathologia.* 160: 321–325.
- Li, Z., Li, C., Huang, B. and Meizhen, F. 2001. Discovery and demonstration of the teleomorph of *Beauveria bassiana* (Bals.) Vuill., an important entomogenous fungus. *Chinese Science Bulletin.* 46: 751-753.
- Lin, H.I., Lee, Y.J., Chen, B.F., Tsai, M.C., Lu, J.L., Chou, C.J. and Jow, G.M. 2005. Involvement of Bcl-2 family, cytochrome c and caspase 3 in induction of apoptosis by beauvericin in human non-small cell lung cancer cells. *Cancer Letters.* 230: 248–259.
- Logrieco, A., Moretti, A., Castella, G., Kostecki, M., Golinski, P., Ritieni, A. and Chelkowski, J. 1998. Beauvericin production by *Fusarium* species. *Appl Environ Microbiol.* 64: 3084–3088.
- Logrieco, A., Moretti, A., Ritieni, A., Caiaffa, M.F., Macchia, L. 2002. Beauvericin: chemistry biology and significance. In: Upadhyay, R, editor. *Advances in microbial toxin research and its biotechnological exploitation.* New York: Kluwer Academic, p. 23–30.
- Macchia, L., Di Paola, R., Fornelli, F., Nenna, S., Moretti, A., Napoletano, R., Logrieco, A., Caiaffa, M.F., Tursi, A. and Bottalico, A. 1995. Cytotoxicity of beauvericin to mammalian cells. In: *Proceedings of the International Seminar on Fusarium Mycotoxin, Taxonomy and Pathogenicity.* p. 72–73.
- Miller, J.D., Greenhalgh, R., Wang, Y.Z. and Lu, M. 1991. Trichothecene chemotypes of 3 *Fusarium* species. *Mycologia.* 83: 121-130.
- Moretti, A., Logrieco, A., Bottalico, A., Ritieni, A., Randazzo, G. and Corda, P. 1995. Beauvericin production by *Fusarium subglutinans* from different geographical areas. *Mycol. Res.* 99: 282-286.
- Mosmann, T. 1983. Rapid colorimetric assay for cellular growth and survival application to proliferation and cytotoxicity assays. *J Immunol Method* 65: 1017-1023.
- Ojcius, D.M., Zychlinsky, A., Zheng, L.M., Young, J.D-E. 1991. Ionophore induced

- apoptosis: role of DNA fragmentation and calcium fluxes. *Exp. Cell. Res.* 197: 43–49.
- Oselys R. J., Chrissana S. C., Victor H. P., Ranulfo M. A. 2007. Screening of *Metarhizium* spp. strains for anticancer indolizidine alkaloid production and its rapid detection by MS analysis. *Bra. J. Microbiol.* 38: 780-784.
- Parine, N.R., Pathan, A.K., Sarayu, B., Nishanth, V.S. and Bobbarala, V. 2010. Antibacterial efficacy of secondary metabolites from entomopathogenic fungi *Beauveria bassiana*. *Int J Chem Anal Sci* 1: 94-96.
- Que, F.G., Gores, G.J. and LaRusso, N.F. 1997. Development and initial application of an in vitro model of apoptosis in rodent cholangiocytes. *Am. J. Phys.* 272: 106–115.
- Quesada-Moraga, E., and Vey, A. 2004. Bassiacridin, a protein toxic for locusts secreted by the entomopathogenic fungus *Beauveria bassiana*. *Mycol. Res.* 108: 441–452.
- Rehner, S.A. and Buckley, E.P. 2005. A *Beauveria* phylogeny inferred from nuclear ITS and EF1- α sequences: evidence for cryptic diversification and links to *Cordyceps* teleomorphs. *Mycologia.* 97: 84-98.
- Rehner, S.A., Posada, F., Buckley, E.P., Infante, F., Castillo, A. and Vega, F.E. 2006. Phylogenetic origins of African and Neotropical *Beauveria bassiana* s.l. pathogens of the coffee berry borer, *Hypothenemus hampei*. *J. Invert. Pathol.* 93: 11-21.
- Schnürer, J. 1993. Comparison of methods for estimating the biomass of three food-borne fungi with different growth patterns. *Appl. Environ. Microbiol.* 59: 552-555.
- Seger, C., Langle, T., Pernfuss, B., Stuppner, H. and Strasser, H. 2005. High-performance liquid chromatography-diode array detection assay for the detection and quantification of the *Beauveria* metabolite oosporein from potato tubers. *J. Chromato.* 1092: 254–257.
- Segvit Klarit M.S., Rumora, L., Ljubanovic, D. and Pepeljnjak, S. 2008. Cytotoxicity and apoptosis induced by fumonisin B1, beauvericin and ochratoxin A in porcine kidney PK15 cells: effects of individual and combined treatment. *Arch Toxicol* 82: 247-255.
- Skrobek, A. and Butt, T.M. 2005. Toxicity testing of destruxins and crude extracts from the insect-pathogenic fungus *Metarhizium anisopliae*. *FEMS Microbiol. Lett.* 251: 23–28.
- _____, Boss, D., Defago, G., Butt, T.M. and Maurhofer, M. 2006. Evaluation of different biological test systems to assess the toxicity of metabolites from fungal biocontrol agents. *Toxicology Lett.* 161: 43-52.

- Somashekar, D., Venkateshwaran, G., Srividya, C., Krishnanand, S.K. and Lokesh, B.R. 2001. Efficacy of extraction methods for lipid and fatty acid composition from fungal cultures. *World Journal of Microbiology and Biotechnology*. 17: 317-320.
- Strasser, H., Vey, A., Butt, T.M. 2000. Are there any risks in using pest control, with particular reference to the bioactive metabolites of *Metarhizium*, *Tolypocladium* and species?. *Biocontrol Sci. Technol.* 10: 717-735.
- Strasser, H., Abendstein, D., Stuppner, H. and M. Butt, T. 2000. Monitoring the distribution of secondary metabolites produced by the entomogenous fungus *Beauveria brongniartii* with particular reference to oosporein. *Mycol. Res.* 104: 1227-1233.
- Taniguchi, M., Kawaguchi, T., Tanaka, T. and Oji, S. 1984. Antimicrobial and respiration inhibitory activities of oosporein. *Agric. Biol. Chem.* 48: 1065-1067.
- Thrane, T., Adler, A., Clasen, P.E., Galvano, F. Langseth, W., Lew, H. Logrieco, A., Nielsen, K.F. and Ritieni, A. 2004. Diversity in metabolite production by *Fusarium langsethiae*, *Fusarium poae*, and *Fusarium sporotrichioides*. *Inter. J. Food. Microbiol.* 95: 257-266.
- Thrane, U. and Hansen, U. 1995. Chemical and physiological characterization of taxa in the *Fusarium sambucinum* complex. *Mycopathologia*. 129: 183-190.
- Wada, S. and Horita, M. 2003. Discrimination of Japanese isolates of *Beauveria brongniartii* (Deuteromycotina: Hyphomycetes) by RFLP of the rDNA-ITS regions. *Appl. Entomol. Zoo.* 38: 551-557.
- Watts P, Kittakoop P, Veeranondha S, Wanasith S, Thongwichian R, Saisaha P, Intamas S, Hywel-Jones NL. 2003. Cytotoxicity against insect cells of entomopathogenic fungi of the genera *Hypocrella* (anamorph *Aschersonia*): possible agents for biological control. *Mycolog Res.* 107: 581-586.
- Wat, C.K., McInnes, A.G., Smith, D.G., Wright, J.L.C. and Vining, L.C. 1977. The yellow pigments of *Beauveria* species. structures of tenellin and bassianin. *Can. J. Chem.* 55: 4090-4098.



