

ภาคผนวก

ตารางที่ 5 Most probable numbers (MPN) per 1 g. test portion, using 3 tubes

ผลยดที่เกิดก้ำซ				ผลยดที่เกิดก้ำซ				ผลยดที่เกิดก้ำซ				ผลยดที่เกิดก้ำซ			
0.1	0.01	0.001	MPN	0.1	0.01	0.001	MPN	0.1	0.01	0.001	MPN	0.1	0.01	0.001	MPN
0	0	0	<3	1	0	0	3.6	2	0	0	9.1	3	0	0	23
0	0	1	3	1	0	1	7.2	2	0	1	14	3	0	1	39
0	0	2 ^a	6	1	0	2	11	2	0	2	20	3	0	2	64
0	0	3 ^a	9	1	0	3 ^a	15	2	0	3 ^a	26	3	0	3 ^a	95
0	1	0	3	1	1	0	7.3	2	1	0	15	3	1	0	43
0	1	1	6.1	1	1	1	11	2	1	1	20	3	1	1	75
0	1	2 ^a	9.2	1	1	2 ^a	15	2	1	2 ^a	27	3	1	2 ^a	120
0	1	3 ^a	12	1	1	3 ^a	19	2	1	3 ^a	34	3	1	3 ^a	160
0	2	0	6.2	1	2	0	11	2	2	0	21	3	2	0	93
0	2	1 ^a	9.3	1	2	1 ^a	15	2	2	1 ^a	28	3	2	1 ^a	150
0	2	2 ^a	12	1	2	2 ^a	20	2	2	2 ^a	35	3	2	2 ^a	210
0	2	3 ^a	16	1	2	3 ^a	24	2	2	3 ^a	42	3	2	3 ^a	290
0	3	0	9.4	1	3	0	16	2	3	0	29	3	3	0	240
0	3	1 ^a	13	1	3	1 ^a	20	2	3	1 ^a	36	3	3	1 ^a	460
0	3	2 ^a	16	1	3	2 ^a	24	2	3	2 ^a	44	3	3	2 ^a	1100
0	3	3 ^a	19	1	3	3 ^a	29	2	3	3 ^a	53	3	3	3 ^a	>1100

^a Such highly importable result suggest that factors were present that interfered with recovery or identification at the lower dilutions. Therefore, the indicated MPN value could be much lower than the true concentration