

เอกสารอ้างอิง

- [1] นราธิป วิทยากร. 2551. **วิวัฒนาการสภาพขั้วในระดับนาโน และสมบัติทางไฟฟ้า ณ บริเวณรอยต่อเฟสของสารเฟอร์โรอิเล็กทริกในระบบ PZT-PCon.** กรุงเทพฯ: สถาบันเทคโนโลยีพระจอมเกล้าเจ้าคุณทหารลาดกระบัง
- [2] Y. Xu. 1991. "Ferroelectric Materials and Their Application," **Elsevier Science Publishers.** B.V.
- [3] B. Jaffe, W. R. Cook and H. Jaffe. 1971. **Piezoelectric ceramics.** Academic. USA.
- [4] E. Cross. 2004. **Lead-free at last.** *Nature.* 432. 24.
- [5] ศูนย์เทคโนโลยีโลหะและวัสดุแห่งชาติ. 2547. **ความรู้เบื้องต้นเกี่ยวกับสารปนเปื้อนในผลิตภัณฑ์.** กรุงเทพฯ.
- [6] จิรภัทร จำญาติ. 2546. **ระเบียบ WEEE และ RoHS ของสหภาพยุโรปในผลิตภัณฑ์ไฟฟ้าและอิเล็กทรอนิกส์.** *Engineering Today.* vol 1.
- [7] Y. Hiruma, R. Aoyagi, H. Nakata and T. Takenaka. 2005. "Ferroelectric and Piezoelectric Properties of $(\text{Bi}_{1/2}\text{K}_{1/2})\text{TiO}_3$ Ceramics," **Japanese Journal of Applied Physics.** vol. 44. 5040-5044,.
- [8] D. G. Shlom, A. F. Marshall, Z. J. Sizemore, J. N. Chen, I. Bozovic, K. E. von Dessenneck, J. S. Harris and J. C. Bravman Jr. 1990. **J. Cryst. Growth,** 102.361 -375.
- [9] G.H. Haertling. 1999. "Ferroelectric ceramics: History and technology," **Journal of American Ceramic Society.** 82. 797-818.
- [10] Domain. [online]. Available ;
<http://www.phy.cam.ac.uk/research/emsuite/Pictures/BT%20below%20PT.jpg>
- [11] T. Bongkarn, G. Rujijanagul and S. J. Milne. 2005. "Effect of Excess PbO on Phase Formation and Properties of $(\text{Pb}_{0.90}\text{Ba}_{0.10})\text{ZrO}_3$ Ceramics", **Mater. Lett.** Volume 59,1200-1205
- [12] Z. Xu, D. Viehland and D. A. Payne. 1995. "An Incommensurate-Commensurate Phase Transformation in Antiferroelectric Tin-modified Lead Zirconate Titanate," **J. Mater. Res.** Volume 10, 453-460

- [13] N. Vittayakorn, G. Rujijanagul and D. P. Cann. 2007. "Investigation of the Influence of Thermal Treatment on the Morphologies, Dielectric and Ferroelectric Properties of PZTbasedCeramics," **J. Alloys. Compd.** Volume 440, 259-264
- [14] X. Dai, J. F. Li and D. Veihland. 1995. "Weak Ferroelectricity in Antiferroelectric LeadZirconate," **Phys. Rev. B.** Volume 51, 2651-2655.
- [15] G. Shirane, E. Sawaguchi and Y. Takagi. 1951. "Dielectric Properties of Lead Zirconate," **Phys. Rev.** Volume 84, 476-481.
- [16] G. Rujijanagul, N. Vittayakorn, T. Tunkasiri, X. Tan and D. P. Cann. 2004. "Influence of Processing Conditions on the Phase Transition and Ferroelectric Properties of $\text{Pb}(\text{Zn}_{1/3}\text{Nb}_{2/3})\text{O}_3$ - $\text{Pb}(\text{Zr}_{1/2}\text{Ti}_{1/2})\text{O}_3$ Ceramics," **Mat. Sci. Eng.** B108. 258-265.
- [17] J. Handerek, M. Pawelczyk and Z. Ujma. 1981. "The Influence of an Electric Field and Hydrostatic Pressure on Dielectric Properties and Phase Transitions in PbZrO_3 ," **J.Phys.C: Solid State Phys.** Volume 14, 2007-2016.
- [18] B. A. Scott and G. Burns. 1972. "Crystal Growth and Observation of the Ferroelectric Phase of PbZrO_3 ," **J. Am. Ceram. Soc.** Volume 55, 331-333.
- [19] L. E. Cross. 1967. "Antiferroelectric-Ferroelectric Switching in a Simple "Kittel" Antiferroelectric," **J. Phys. Soc. Jpn.** Volume 23, 77-82.
- [20] M. E. Lines and A. M. Glass. 1977. "Principles and applications of ferroelectrics and related materials," **Oxford University**, New York.
- [21] W. N. Lawless. 1984. "Glasslike Thermal Properties of Antiferroelectric PbZrO_3 at Low Temperatures," **Phys. Rev. B.** Volume 30, 6555-6559
- [22] E. E. Oren, E. Taspinar and A. C. Tas. 1997. "Preparation of Lead Zirconate by Homogeneous Precipitation and Calcination," **J. Am. Ceram. Soc.** Volume 80,2714-2716
- [23] Y. S. Rao and C. S. Sunandana. 1992. "Low-Temperature Synthesis of Lead Zirconate," **J. Mater. Sci. Lett.** Volume 11, 595-597.

- [24] N. Vittayakorn, G. Rujijanagul, X. Tan, H. He, M. A. Marquardt and D. P. Cann. 2006. "Dielectric Properties and Morphotropic Phase Boundaries in the $x\text{Pb}(\text{Zn}_{1/3}\text{Nb}_{2/3})\text{O}_3$ - $(1-x)\text{Pb}(\text{Zr}_{0.5}\text{Ti}_{0.5})\text{O}_3$ Pseudo-binary System," **J. Electroceram.** Volume 16, 141-149.
- [25] A. J. Moulson and J. M. Herbert. 2003. **Electroceramics**. 2nd ed. London : Johnwileyand Sons.
- [26] Berlincourt, D. and Jaffe, H.1958. "Elastic and piezoelectric coefficients of single-crystal barium titanate," **Phys. Rev.** 111, 143-148.
- [27] Hiruma, Y. Nagata, H and Takenaka, T. 2009. "Thermal depoling process and piezoelectric properties of bismuth sodium titanate ceramics," **J. Appl. Phys.** 105, 084112.
- [28] Herabut, A and Safari, A. 1997. "Processing and electromechanical properties of $(\text{Bi}_{0.5}\text{Na}_{0.5})((1-1.5x)\text{La})\text{TiO}_3$ ceramics," **J. Amer. Ceram. Society.** 80, 2954-2958.
- [29] Xiao, D.Q. Lin, D.M. Zhu, J.G. and Yu, P. 2008. "Studies on new systems of BNT-based lead-free piezoelectric ceramics," **J. Electroceram.** 21, 34-38.
- [30] Hiruma, Y. Aoyagi, R. Nagata, H. and Takenaka, T. 2005. "Ferroelectric and piezoelectric properties of $(\text{Bi}_{1/2}\text{K}_{1/2})\text{TiO}_3$ ceramics," **Jpn. J. Appl. Phys. Pt.** 44, 5040-5044.
- [31] Hiruma, Y. Nagata, H. and Takenaka, T. 2007. "Grain-size effect on electrical properties of $(\text{Bi}_{1/2}\text{K}_{1/2})\text{TiO}_3$ ceramics," **Jpn. J. Appl. Phys. Pt.** 46, 1081-1084.
- [32] Maeder, M.D. Damjanovic, D. and Setter, N. 2004. "Lead free piezoelectric materials," **J. Electroceram.** 13, 385-392.
- [33] Zang, G.Z. Wang, J.F. Chen, H C. Su, W.B. Wang, C.M. Qi, P. Ming, B.Q. Du, J. and Zheng, L.M. 2006. "Perovskite $(\text{Na}_{0.5}\text{K}_{0.5})_{1-x}(\text{LiSb})_x\text{Nb}_{1-x}\text{O}_3$ lead-free piezoceramics," **Appl. Phys. Lett.** 88, 212908.
- [34] Hollenstein, E. Davis, M. Damjanovic, D. Setter, N. 2005. "Piezoelectric properties of Li- and Ta-modified $(\text{K}_{0.5}\text{Na}_{0.5})\text{NbO}_3$ ceramics," **Appl. Phys. Lett.** 87, 182905.
- [35] Guo, Y.P. Kakimoto, K. and Ohsato, H. 2005. " $(\text{Na}_{0.5}\text{K}_{0.5})\text{NbO}_3$ - LiTaO_3 lead-free piezoelectric ceramics," **Materials Letters** . 59, 241-244.

- [36] Zhang, Y.R. Li, J.F. Zhang, B.P. 2008. "Enhancing electrical properties in NBT-KBT lead-free piezoelectric ceramics by optimizing sintering temperature," **J. Amer. Ceram. Soc.** 91, 2716-2719.
- [37] Kouna, A.B. Zhang, S.T. Jo, W. Granzow, T. and Rodel, J. 2008. "Morphotropic phase boundary in $(1-x)$ $\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3$ - $x\text{K}_{0.5}\text{Na}_{0.5}\text{NbO}_3$ lead-free piezoceramics," **Appl. Phys. Lett.** 92, 222902.
- [38] Takenaka, T. Maruyama, K. and Sakata, K. 1991. " $(\text{Bi}_{1/2}\text{Na}_{1/2})\text{TiO}_3$ - BaTiO_3 System for Lead-Free Piezoelectric Ceramics," **Jpn. J. Appl. Phys. Pt. 1.** 30, 2236-2239.
- [39] Ahn, C.W. Park, H.Y. Nahm, S. Uchino, K. Lee, H.G. Lee, H.J. 2007. "Structural variation and piezoelectric properties of $0.95(\text{Na}_{0.5}\text{K}_{0.5})\text{NbO}_3$ - 0.05BaTiO_3 ceramics," **Sensor. Actuator. A-Phys.** 136, 255-260.
- [40] Zhang, S.T. Kouna, A.B. Aulbach, E. Granzow, T. Jo, W. Kleebe, H.J. and Rodel, J. "Lead-free piezoceramics with giant strain in the system $\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3$ - BaTiO_3 - $\text{K}_{0.5}\text{Na}_{0.5}\text{NbO}_3$ Structure and room temperature properties," **J. Appl. Phys.** 103, 034107.
- [41] Nagata, H. Yoshida, M. Makiuchi, Y. and Takenaka, T. 2003. "Large piezoelectric constant and high curie temperature of lead-free piezoelectric ceramic ternary system based on bismuth sodium titanate-bismuth potassium titanate-barium titanate near the morphotropic phase boundary," **Jpn. J. Appl. Phys. Pt. 1.** 42, 7401-7403.
- [42] Yao, Z.H. Liu, H.X. Chen, L. Cao, M.H. 2009. "Morphotropic phase boundary and piezoelectric properties of $(\text{Bi}_{1/2}\text{Na}_{1/2})_{1-x}(\text{Bi}_{1/2}\text{K}_{1/2})_x\text{TiO}_3$ - $0.03(\text{Na}_{0.5}\text{K}_{0.5})\text{NbO}_3$ ferroelectric ceramics," **Mater. Lett.** 63, 547-550.
- [43] V.V. Ivanova, A.G. Kapyshev, Y.N. Venetsev, V.S. Zhdanov. 1962. **Izv. Akad. Nauk SSSR**, Ser. Fiz. 24 .354.
- [44] Y.Hiruma , K.Marumo , R.Aoyagi , H. Nagata and T. Takenaka. 2008. "Ferroelectric and piezoelectric properties of $(\text{Bi}_{1/2}\text{K}_{1/2})\text{TiO}_3$ ceramics fabricated by hot-pressing method," **J. Electroceram.** 21:296–299
- [45] Takenaka ,T. Nagata, H and Hiruma,Y. 2008. **Japan. J. Appl.Phys.** 47. 3787
- [46] T. Takenaka and H. Nagata. 2005. "Current status and prospects of lead free piezoelectric ceramics," **Journal of the European Ceramic Society.** vol. 25. 2693-2700.

- [47] Y. Hiruma, K. Marumo, R. Aoyagi, H. Nakata, and T. Takenaka. 2007. "Ferroelectric and piezoelectric properties of $(\text{Bi}_{1/2}\text{K}_{1/2})\text{TiO}_3$ ceramics fabricated by hot-pressing method," **Electroceramics**. 3501-3505.
- [48] Z. Yang, B. Liu, L. Wei and Y. Hou. 2008. "Structure and electrical properties of $(1-x)\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3-x\text{Bi}_{0.5}\text{K}_{0.5}\text{TiO}_3$ ceramics near morphotropic phase boundary," **Materials Research Bulletin** .43.81–89
- [49] Y. Hiruma, H. Nagata and T. Takenaka. 2009. "Depolarization temperature and piezoelectric properties of $(\text{Bi}_{1/2}\text{Na}_{1/2})\text{TiO}_3-(\text{Bi}_{1/2}\text{Li}_{1/2})\text{TiO}_3-(\text{Bi}_{1/2}\text{K}_{1/2})\text{TiO}_3$ lead-free piezoelectric ceramics," **Ceramics International**. 35. 117–120
- [50] K. Ramam and M.Lopez. 2007. "Effect of strontium doping on dielectric, ferroelectric and piezoelectric properties of PLZTN ceramics," **Materials Science and Engineering B**. 145. 41–47
- [51] Y. Guo, K. Kakimoto and H. Ohsato. 2004. "Dielectric and piezoelectric properties of lead-free $(\text{Na}_{0.5}\text{K}_{0.5})\text{NbO}_3-\text{SrTiO}_3$ ceramics," **Solid State Communications**. 129. 279–284
- [52] J. Yoo, D. Oh, Y. Jeong, J. Hong and M. Junge. 2004. "Dielectric and piezoelectric characteristics of lead-free $\text{Bi}_{0.5}(\text{Na}_{0.84}\text{K}_{0.16})_{0.5}\text{TiO}_3$ ceramics substituted with Sr," **Materials Letters**. 58. 3831–3835
- [53] B. P. Pokharel, M. K. Datta and D. Pandey. 1999. "Influence of Calcinations and Sintering Temperatures on the Structure of $(\text{Pb}_{1-x}\text{Ba}_x)\text{ZrO}_3$ ". **J. Mater. Sci**. Volume 3. 691-700.
- [54] B. P. Pokharel and D. Pandey. 1999. "Irreversibility of the Antiferroelectric to Ferroelectric Phase Transition in $(\text{Pb}_{0.90}\text{Ba}_{0.10})\text{ZrO}_3$ Ceramics". **J. Appl. Phys**. Volume 86. 3327-3332.