

## เอกสารอ้างอิง

- Alam, M.G.M., N. Jahan, L.Thalib, B. Wei and T. Maekawa. 2001. Effects of Environmental Factors on the Seasonally Change of Phytoplankton Populations in a Closed Freshwater Pond. *Environment International* 27:363-371.
- Aziz, I. and M.A. Khan. 2001. Effect of seawater on the growth, ion content and water potential of *Rhizophora mucronata* lam. *Journal of Plant Research* 114:369-373.
- Boyd, C.E. 1995. *Bottom Soils, Sediment, and Pond Aquaculture*. Chapman and Hall, New York.
- Boyd, C.E. and P. Munsiri. 1996. Phosphorus absorbtion capacity as an index of phosphorus status in soils of aquaculture areas of Thailand. pp. 45-46. In R.L., Creswell, ed. *World Aquaculture'96 Book of Abstracts*. Department of Fisheries and the Chulabhorn Research Institute. Bangkok.
- Funge-Smith, S.J. and M.R.P.Briggs. 1998. Nutrient budgets intensive shrimp ponds: implications for sustainability. *Aquaculture* 164:117-133.
- Haider, S., V. Naithani, P.N. Viswanathan and P. Kakkar. 2003. Cyanobacterial Toxins: a Growing Environment Concern. *Chemosphere* 52:1-21.
- Hillebrand, H. and M. Kahlert. 2002. Effect of grazing and water column nutrient supply on biomass and nutrient content of sediment microalgae. *Aqua. Bot.* 72:143-159.
- Hwang, Y.H. and S.C. Chen. 2001. Effects of ammonium, phosphate, and salinity on growth, gas exchange characteristics, and ionic contents of seedlings of mangrove *Kandelia candel* (L.) druce. *Institute of Botany, Academia Sinica* 42:131-139.

- Khan, M.A. and I. Aziz. 2001. Salinity tolerance in some mangrove species from Pakistan. *Wetlands Ecology and Management* 9:219-223.
- Li, N., S. Chen, X. Zhou, C. Li, J. Shao, R. Wang, E. Fritz, A. Huttermann and A. Polle. 2008. Effect of NaCl on photosynthesis, salt accumulation and ion compartmentation in two mangrove species, *Kandelia candel* and *Bruguiera gymnorhiza*. *Aquatic Botany* 88:303-310.
- Parida, A.K., A.B. Das, Y. Sanada and P. Mohanty. 2004. Effect of salinity on biochemical components of the mangrove, *Aegiceras corniculatum*. *Aquatic Botany* 80:77-87.
- Pillay, T.V.R. 1992. *Aquaculture and the Environment*. John Wiley & Sons Inc., New York.
- Saadoun, I.M.K., K.S. Schrader, and W.T. Blevins. 2001. Environmental and nutritional factors affecting geosmin synthesis by *Anabaena* sp. *Wat. Res.* 35(5):1209-1218.
- Saha, K.S., L. Uma and G. Subramanian. 2003. Nitrogen stress induced changes in the msrine cyanobacterium *Oscillatoria willei* BDU 130511. *FEMS Micro. Ecol.* 45:263-272.
- Shaw, H. and M. Smith. 2000. Algal Analysis-Organisms and Toxins. p. 143-167. In Norellet, L.M.L. (ed.) 2000. *Handbook of Water Analysis*. Marcell Dekker, Inc.
- Smith, P.T. 1996. Toxic Effects of Blooms of Marine Species of Oscillatorials on Farmed Prawns (*Penaeus monodon*, *P. japonicus*) and Brine Shrimp (*Artemia salina*). *Toxicon* 34(8):857-869.
- Suarez, N. and E. Medina. 2005. Salinity effect on plant growth and leaf demography of the mangrove, *Avicennia germinans*. *Trees* 19:721-727.

- Xie, L.Q., P. Xie and H.J. Tang. 2003. Enhancement of dissolved phosphorus release from sediment to lake water by *Microcystis* blooms an enclosure experiment in a hyper-eutrophic, subtropical Chinese lake. *Envi. Poll.* 122:391-399.
- Ye, Y., N.F.Y. Tam, C.Y. Lu and Y.S. Wong. 2005. Effect of salinity on germination seeding growth and physiology of three salt-secreting mangrove species. *Aquatic Botany* 83:193-205.
- Youssef, T. 2007. Stomatal, biological, and morphological factors limiting photosynthetic gas exchange in the mangrove associate *Hibiscus tiliaceus* under saline and arid environment *Aquatic Botany* 87:292-298.
- Yusoff, F.M., H.B. Matias, Z.A. Khalid and S. Phang. 2001. Culture of microalgae using interstitial water extracted from shrimp pond bottom sediments. *Aquaculture* 201:263-270.



