

## LIST OF FIGURES

<b>Figure</b>		<b>Page</b>
1	LabVIEW control on web-based	3
2	One circulated tank system	13
3	Two interacting tanks system	14
4	Two-interacting tank process	16
5	Two-interacting tank diagram	16
6	Block diagram of tank level process	20
7	Block diagram of energy balance	22
8	Two-tank interacting level system	25
9	Block diagram of interacting process	26
10	MIMO system for two pairs of inputs and outputs	27
11	Multiloop control system with two controllers	27
12	Multiloop control systems control with two cross-controllers	28
13	Internal Model Control structure: (a) basic structure, (b) alternate structure, and (c) structure equivalent to conventional control	33
14	Structure when model match process ( $G_m = G$ )	34
15	Internal structure of a Fuzzy controller	44
16	Simple Closed-Loop Control Structure with Fuzzy Controller	44
17	The calibration curve of YOKOGAWA EJA110 DP CELL	45
18	The calibration curve of ADZ-SMX-10.0 Pressure Transmitter	46
19	The calibration curve of a thermocouple type K	46
20	The calibration curve of control valve	47
21	The calibration curve of inverter	48
22	Tank 1 calibration VI: (a) front panel, (b) block diagram, (c) icon	49
23	Tank 2 calibration VI: (a) front panel, (b) block diagram, (c) icon	50
24	Temperature calibration VI: (a) front panel, (b) block diagram, (c) icon	50
25	Valve calibration VI: (a) front panel, (b) block diagram, (c) icon	51
26	In-range 4-20 mA VI: (a) front panel, (b) block diagram, (c) icon	51
27	PID controller VI: (a) front panel, (b) block diagram, (c) icon	52
28	IMC controller (level) VI: (a) front panel, (b) block diagram, (c) icon	53

## LIST OF FIGURES (cont'd)

<b>Figure</b>	<b>Page</b>	
29	IMC controller (temp) VI: (a) front panel, (b) block diagram, (c) icon	53
30	GMC controller (level) VI: (a) front panel, (b) block diagram, (c) icon	54
31	GMC controller (temp) VI: (a) front panel, (b) block diagram, (c) icon	54
32	IAE front panel VI: (a) front panel, (b) block diagram, (c) icon	55
33	Two-interacting tank system is controlled by Manual control: front panel (above), block diagram (below)	57
34	Two-interacting tank system is controlled by PID controller: front panel (above), block diagram (below)	58
35	Two-interacting tank system is controlled by IMC controller: front panel (above), block diagram (below)	59
36	Two-interacting tank system is controlled by GMC controller: front panel (above), block diagram (below)	60
37	Two-interacting tank system is controlled by FLC controller: front panel (above), block diagram (below)	61
38	PID control response in the first case	63
39	IMC control response in the first case	63
40	GMC control response in the first case	63
41	FLC control response in the first case	64
42	PID control response in the second case	64
43	IMC control response in the second case	64
44	GMC control response in the second case	65
45	FLC control response in the second case	65
46	PID control response in the third case	67
47	IMC control response in the third case	68
48	GMC control response in the third case	68
49	FLC control response in the third case	68
50	PID control response in the forth case	69
51	IMC control response in the forth case	69

## LIST OF FIGURES (cont'd)

<b>Figure</b>	<b>Page</b>
52 GMC control response in the forth case	70
53 FLC control response in the forth case	70
54 PID control response in the fifth case	71
55 IMC control response in the fifth case	71
56 GMC control response in the fifth case	71
57 FLC control response in the fifth case	72
58 PID control response in the sixth case	72
59 IMC control response in the sixth case	73
60 GMC control response in the sixth case	73
61 FLC control response in the sixth case	73
62 PID controls two-interacting tank on web-based	76
63 IMC controls two-interacting tank on web-based	77
64 GMC controls two-interacting tank on web-based	78
65 FLC controls two-interacting tank on web-based	79
66 LabVIEW controls system via internet	80
<b>Appendix Figure</b>	
A1 Yokogawa YS150	90
A2 Sigma SFN48-M-RRA-N	90
A3 Centrifugal pump	91
A4 Pump connecting schematic	91
A5 Air compressor	92
A6 Signal conditioning component of a PC-based DAQ system.	92
A7 The signal conditioning using in this work	93
A8 AO valve (left) and AC valve (right)	96
A9 Flange heater	97
A10 Heater connecting schematic	97
A11 Block diagram of sensor/transmitter combination	98
A12 YOKOGAWA EJA110 differential pressure transmitter	99

**LIST OF FIGURES (cont'd)**

<b>Appendix Figure</b>	<b>Page</b>
A13 ADZ-SMX-10.0 pressure transmitter	99
A14 Thermocouple type K	100
B1 The opening Fuzzy Logic Controller Design	102
B2 The new project of Fuzzy-Set-Editor	103
B3 The setting error input of level control with Fuzzy-Set-Editor	103
B4 The setting Analog signal output of level control with FSE	104
B5 Setting the rule base of level control with Rulebase-Editor	104
C1 DAQmx read VI (a) and DAQ assistant VI (b)	106
C2 Task creation	107
C3 Adding Channel in the Task	108
C4 Creating DAQ Assistant for final control element	109
D1 Web Publishing Tool	111
D2 Web Publishing Tool feature	111
D3 Web Publishing Tool setting	112
D4 Web Publishing Tool start web server	113
D5 LabVIEW control via IE 7.0	114