

TABLE OF CONTENTS

| | Page |
|------------------------------|-------------|
| TABLE OF CONTENTS..... | i |
| LIST OF TABLES..... | ii |
| LIST OF FIGURES..... | iv |
| INTRODUCTION..... | 1 |
| LITERATURE REVIEWS..... | 3 |
| MATERIALS AND METHODS..... | 30 |
| RESULTS AND DISSCUSSION..... | 48 |
| CONCLUSION..... | 131 |
| LITERATURE CITED..... | 133 |
| APPENDIX..... | 144 |

LIST OF TABLES

| Table | | Page |
|--------------|---|-------------|
| 1 | Terms used in descriptive analysis of peeled persimmon..... | 33 |
| 2 | Second-order central composite design (CCD)..... | 35 |
| 3 | Intensity values were obtained using quantitative descriptor analysis..... | 53 |
| 4 | Values of m_e , s_e , D_{ew} and D_{es} for variation treatments by persimmon disks..... | 61 |
| 5 | Values of m_e , s_e , D_{ew} and D_{es} for variation treatments by persimmon cubes..... | 68 |
| 6 | Values of regression coefficients, R^2 , $S.E.$, and P -value for the 2^{nd} order polynomials by persimmon disk..... | 88 |
| 7 | Values of regression coefficients, R^2 , $S.E.$, and P -value for the 2^{nd} order polynomials by persimmon cube..... | 91 |
| 8 | Values of regression coefficients, R^2 , $S.E.$, and P -value for the 2^{nd} order polynomials of 6 hr immersion time by whole fruit..... | 94 |
| 9 | Values of regression coefficients, R^2 , $S.E.$, and P -value for the 2^{nd} order polynomials of 12 hr immersion time by whole fruit..... | 95 |
| 10 | Values of regression coefficients, R^2 , $S.E.$, and P -value for the 2^{nd} order polynomials of 24 hr immersion time by whole fruit..... | 96 |
| 11 | Values of regression coefficients, R^2 , $S.E.$, and P -value for the 2^{nd} order polynomials of 36 hr immersion time by whole fruit..... | 97 |

LIST OF TABLES (continued)

| Table | | Page |
|--------------|---|-------------|
| 12 | Values of regression coefficients, R^2 , $S.E.$, and P -value for the 2 nd order polynomials of 48 hr immersion time by whole fruit..... | 98 |
| 13 | Optimum concentrations for 12 h osmotic dehydration of whole fruit persimmon..... | 113 |
| 14 | Organoleptic scores for quality attribute of osmosed product from optimum concentration solutions..... | 114 |
| 15 | Quality assessment of dehydrated and osmodehydrated persimmon product..... | 120 |
| 16 | Organoleptic scores for quality attributes of osmodehydrated persimmon product..... | 122 |
| 17 | Optimum concentrations for osmotic dehydration of persimmon cube..... | 126 |
| 18 | Organoleptic scores for quality attribute of osmosed persimmon cubes, made from optimum concentration solutions of NaCl and sucrose..... | 127 |
| 19 | Quality assessment of frozen and osmodehydrofrozen persimmon product..... | 128 |
| 20 | Organoleptic scores for quality attributes of osmodehydrofrozen persimmon after thawing..... | 130 |

LIST OF FIGURES

| Figure | | Page |
|---------------|---|-------------|
| 1 | Semi-dried and dried persimmon processing..... | 7 |
| 2 | Mass transfer during the soaking process..... | 9 |
| 3 | Flow diagrams for osmotic dehydration and vacuum drying of bananas Semi-dried and dried persimmon processing..... | 12 |
| 4 | Weight loss and total soluble solid of persimmon during storage at 4-6 °C..... | 49 |
| 5 | Skin Color value of persimmon during storage at 4-6 °C..... | 50 |
| 6 | Flesh color value of persimmon during storage at 4-6 °C..... | 50 |
| 7 | Firmness of persimmon during storage at 4-6 °C..... | 51 |
| 8 | %Acidity and pH of persimmon during storage at 4-6 °C..... | 51 |
| 9 | Soluble tannin content and astringent intensity from sensory evaluation of persimmon during storage at 4-6 °C..... | 52 |
| 10 | Sensory profile of persimmon over 6 weeks of storage at 4-6 °C.... | 54 |
| 11 | Change in moisture content with time during osmotic treatment of persimmon disks..... | 56 |
| 12 | Change in solid content with time during osmotic treatment of persimmon disks..... | 57 |
| 13 | Variation of weight reduction with time for persimmon disks..... | 57 |
| 14 | Variation of water loss with time for persimmon disks..... | 58 |
| 15 | Variation of solid gain with time for persimmon disks..... | 58 |

LIST OF FIGURES (continued)

| Figure | Page |
|---------------|--|
| 16 | A Plot of rate of change of moisture (dm/dt) with average moisture content during osmotic dehydration of persimmon disks..... 60 |
| 17 | A Plot of rate of change of solid (ds/dt) with average solid content during osmotic dehydration of persimmon disks..... 60 |
| 18 | (a)-(i) A comparison between experimental and model values of moisture content for persimmon disks during osmotic treatment, solid lines indicate the model values, whereas symbols indicate the experimental data..... 62 |
| 19 | (a)-(i) A comparison between experimental and model values of solid content for persimmon disks during osmotic treatment, solid lines indicate the model values, whereas symbols indicate the experimental data..... 63 |
| 20 | Change in moisture content with time during osmotic treatment of persimmon cubes..... 64 |
| 21 | Change in solid content with time during osmotic treatment of persimmon cubes..... 65 |
| 22 | Variation of weight reduction with time for persimmon cubes..... 66 |
| 23 | Variation of water loss with time for persimmon cubes..... 66 |
| 24 | Variation of solid gain with time for persimmon cubes..... 67 |
| 25 | A Plot of rate of change of moisture (dm/dt) with average moisture content during osmotic dehydration of persimmon cubes..... 69 |

LIST OF FIGURES (continued)

| Figure | Page |
|---|-------------|
| 26 | 69 |
| A Plot of rate of change of solid (ds/dt) with average solid content during osmotic dehydration of persimmon cubes..... | |
| 27 | 70 |
| (a)-(i) A comparison between experimental and model values of moisture content for persimmon cubes during osmotic treatment, solid lines indicate the model values, whereas symbols indicate the experimental data..... | |
| 28 | 71 |
| (a)-(i) A comparison between experimental and model values of solid content for persimmon cubes during osmotic treatment, solid lines indicate the model values, whereas symbols indicate the experimental data..... | |
| 29 | 73 |
| Change in moisture content with time during osmotic treatment of persimmon whole fruit..... | |
| 30 | 73 |
| Change in solid content with time during osmotic treatment of persimmon whole fruit..... | |
| 31 | 74 |
| Variation of weight reduction with time for persimmon whole fruit.... | |
| 32 | 75 |
| Variation of water loss with time for persimmon whole fruit..... | |
| 33 | 75 |
| Variation of solid gain with time for persimmon whole fruit..... | |
| 34 | 78 |
| Firmness of fresh and osmotically persimmon by soaking in the osmotic solution of sucrose and NaCl in different concentration..... | |
| 35 | 78 |
| L* value of fresh and osmotically persimmon by soaking in the osmotic solution of sucrose and NaCl in different concentration..... | |

LIST OF FIGURES (continued)

| Figure | | Page |
|---------------|---|-------------|
| 36 | a* value of fresh and osmotically persimmon by soaking in the osmotic solution of sucrose and NaCl in different concentration..... | 79 |
| 37 | b* value of fresh and osmotically persimmon by soaking in the osmotic solution of sucrose and NaCl in different concentration..... | 79 |
| 38 | Confocal scanning laser micrograph of a) fresh and osmotically treated persimmon cube tissue at different immersion time of b) a) 30 min b) 120 min and c) 360 min in osmotic solution contained 55.6 g/100g sucrose and 8.53 g/100g NaCl..... | 81 |
| 39 | Confocal micrograph of the tissue of persimmon cube immersed in 360 min at different various osmotic solution contained a) 34.4 g/100g sucrose and 1.47 g/100g NaCl (code value -1,-1), b) 45.00 g/100g sucrose and 5.00 g/100g NaCl, and c) 55.6 g/100g sucrose and 8.53 g/100g NaCl (code value +1, + 1)..... | 83 |
| 40 | Water activity of fresh and osmotically persimmon by soaking in the osmotic solution of sucrose and NaCl in different concentration..... | 84 |
| 41 | Sucrose content (%) of fresh and osmotically persimmon by soaking in the osmotic solution of sucrose and NaCl in different concentration | 85 |
| 42 | NaCl content (%) of fresh and osmotically persimmon by soaking in the osmotic solution of sucrose and NaCl in different concentration | 86 |
| 43 | Response surface for D_{ew} as functions of sucrose and NaCl by disks | 89 |
| 44 | Response surface for D_{es} as functions of sucrose and NaCl by disks | 90 |

LIST OF FIGURES (continued)

| Figure | | Page |
|---------------|--|-------------|
| 45 | Response surface for D_{ew} as functions of sucrose and NaCl by cubes | 92 |
| 46 | Response surface for D_{es} as functions of sucrose and NaCl by cubes | 93 |
| 47 | Response surface for WR as functions of sucrose and NaCl concentration (whole fruit immersed for 6 h)..... | 101 |
| 48 | Response surface for WR as functions of sucrose and NaCl concentration (whole fruit immersed for 12 h)..... | 101 |
| 49 | Response surface for WR as functions of sucrose and NaCl concentration (whole fruit immersed for 24 h)..... | 102 |
| 50 | Response surface for WR as functions of sucrose and NaCl concentration (whole fruit immersed for 36 h)..... | 102 |
| 51 | Response surface for WR as functions of sucrose and NaCl concentration (whole fruit immersed for 48 h)..... | 103 |
| 52 | Response surface for WL as functions of sucrose and NaCl concentration (whole fruit immersed for 6 h)..... | 103 |
| 53 | Response surface for WL as functions of sucrose and NaCl concentration (whole fruit immersed for 12 h)..... | 104 |
| 54 | Response surface for WL as functions of sucrose and NaCl concentration (whole fruit immersed for 24 h)..... | 104 |
| 55 | Response surface for WL as functions of sucrose and NaCl concentration (whole fruit immersed for 36 h)..... | 105 |

LIST OF FIGURES (continued)

| Figure | Page | |
|---------------|--|-----|
| 56 | Response surface for <i>WL</i> as functions of sucrose and NaCl concentration (whole fruit immersed for 48 h)..... | 105 |
| 57 | Response surface for <i>SG</i> as functions of sucrose and NaCl concentration (whole fruit immersed for 6 h)..... | 106 |
| 58 | Response surface for <i>SG</i> as functions of sucrose and NaCl concentration (whole fruit immersed for 12 h)..... | 106 |
| 59 | Response surface for <i>SG</i> as functions of sucrose and NaCl concentration (whole fruit immersed for 24 h)..... | 107 |
| 60 | Response surface for <i>SG</i> as functions of sucrose and NaCl concentration (whole fruit immersed for 36 h)..... | 107 |
| 61 | Response surface for <i>SG</i> as functions of sucrose and NaCl concentration (whole fruit immersed for 48 h)..... | 108 |
| 62 | Response surface for <i>WL/SG</i> as functions of sucrose and NaCl concentration (whole fruit immersed for 6 h)..... | 108 |
| 63 | Response surface for <i>WL/SG</i> as functions of sucrose and NaCl concentration (whole fruit immersed for 12 h)..... | 109 |
| 64 | Response surface for <i>WL/SG</i> as functions of sucrose and NaCl concentration (whole fruit immersed for 24 h)..... | 109 |
| 65 | Response surface for <i>WL/SG</i> as functions of sucrose and NaCl concentration (whole fruit immersed for 36 h)..... | 110 |

LIST OF FIGURES (continued)

| Figure | Page | |
|---------------|--|-----|
| 66 | Response surface for <i>WL/SG</i> as functions of sucrose and NaCl concentration (whole fruit immersed for 48 h)..... | 110 |
| 67 | Response surface contour plots of the constant ratio of <i>WL/SG</i> ≥ 8 at the immersion time of a) 6 h, b) 12 h, c) 24 h, and d) super imposed contour plots showing the shaded overlapping area for <i>WL/SG</i> ≥ 8 of osmosed product..... | 112 |
| 68 | Weight reduction during osmotic dehydration of whole fruit persimmons untreated and treated with CaCl_2 | 116 |
| 69 | Water loss during osmotic dehydration of whole fruit persimmons untreated and treated with CaCl_2 | 116 |
| 70 | Solid gain during osmotic dehydration of whole fruit persimmons untreated and treated with CaCl_2 | 117 |
| 71 | Solid and moisture content of persimmon whole fruit during osmotic treatment in sucrose (concentration 40 g/100g) and NaCl concentration 1 g/100g) solution..... | 118 |
| 72 | The flow diagram for osmodehydrated persimmon product..... | 117 |
| 73 | Response surface contour plots of the constant diffusivity as a) $D_{ew} \geq 2.6 \times 10^{-10} \text{ m}^2 \text{ s}^{-1}$ and b) $D_{es} \leq 1.7 \times 10^{-13} \text{ m}^2 \text{ s}^{-1}$, and c) super imposed contour plots showing the shaded overlapping for possible working area..... | 125 |

LIST OF FIGURES (continued)

| Figure | Page |
|---|-------------|
| 74 Drip loss and firmness of osmodehydrofrozen persimmon during storage at -18 °C..... | 129 |
| 75 Color values (L*, a* and b*) of osmodehydrofrozen persimmon during storage at-18 °C..... | 129 |
| Appendix Figure | |
| 1 P2 persimmons vacuum-packed in Nylon-LDPE..... | 145 |
| 2 Ballot used in the QDA of persimmon during storage..... | 146 |
| 3 Sample preparation for dehydration: a) disk b) cube, and c) peeled whole fruit..... | 147 |
| 4 a) The CSLM conducted with a Leica TCS NT confocal imaging system b) 0.1% Congo red solution and c) a stained sample for observation..... | 147 |
| 5 a) Microwave-vacuum dryer and b) whole fruit placed on the glass disk of the microwave-vacuum dryer..... | 148 |
| 6 a) Cryogenic freezer and b) persimmon cubes on the tray of cryogenic freezer..... | 148 |
| 7 Osmodehydrated persimmon product..... | 149 |
| 8 The final product of osmodehydrofrozen persimmon..... | 149 |