

**LITERTURE CITED**

- Bergeron, D. and P. Brassard. 1992. Naturally occurring naphthazarins. Synthesis of Ventiloquinones C, D, E and G. **Heterocycles**. 34(9): 1835-1845.
- Blatchly, J.M., J.F.W. McOmie and J.B. Searle. 1969. Acetylation of quinones. Part II. *p*-Benzoquinones with halogen substituents. **J. Chem. Soc. (C)**. 50: 1350-1353.
- Brassard, P., M. Blouin and M.C. Beland. 1990. Regiospecific and highly stereoselective formation of benzisochroman-6,9-quinones. Synthesis of (±)-ventilagone and (±)-ventiloquinone H. **J. Org. Chem.** 55: 1466-1471.
- Brown, J. M., S. J. Leppard, J. Oakes and D. Thornthwaite. 2000. Diastereoselectivity in scalemic tartrate/titanium epoxidations. **Chirality** 12(5/6) ; 496-504.
- Brimble, M. A., M. R Nairn and H. Prabakaran. 2000. Synthetic strategies towards pyranonaphthoquinone antibiotics. **Tetrahedron**. 56(14): 1937-1992.
- \_\_\_\_\_, S.J. Phythian and H. Prabakaran. 1995. Synthesis of arizonin C1. **J. Chem Soc. Perkin Trans. 1** : 2855-2860.
- Bravo, P., M. Frigerio, T. Ono, W. Panzeri, C. Pesenti, A. Sekine and F. Viani. 1999. Synthesis of 2-fluoro analogs of frontaline. **J. Org. Chem.** 8 : 1387-1389..
- Butler, C. L., M. C. Renfrew and G. Alice. 1938. The preparation of benzyloxyalkyl *p*-toluenesulfonates. **J. Am. Chem. Soc.** 60 : 1472-1474.
- Claisen, L. 1912. Berichte der Deutschen chemischen Gesellschaft. **Ber.** 45 : 3157-3158.

- Crowther, G. P. 1984. Dilithiation of aromatic ethers. **J. Org. Chem.** 49(24): 4657-4663.
- Decker, O.H.W. and H.W. Moore. 1987. A brief, convergent, regioselective synthesis of naphthoquinones. A formal synthesis of nanaomycin A and doxyfrenolicin. **J. Org. Chem.** 52: 1174-1175.
- De Kimpe, N., Bart K. and Luc Van Puyvelde. 1998. Isagarin , a new type of tetracyclic naphthoquinone from the roots of pentas longiflora. **J. Nat. Prod.** 61(8): 1020-1021.
- \_\_\_\_\_, \_\_\_\_\_ and \_\_\_\_\_. 1999. Synthesis of Isagarin , a new type of tetracyclic naphthoquinone from Pentas longiflora. **J. Org. Chem.** 64(2): 438-440.
- \_\_\_\_\_ and T. V., Nguyen. 2003. (Synthesis of 6H-naphtho[2,3-c]chromene-7,12-diones via palladium-catalyzed intramolecular cyclization of 2-bromo-3-aryloxymethyl-1,4-naphthoquinones. **Tetrahedron.** 59(31): 5941-5946.
- \_\_\_\_\_, N., B. Kesteleyn and Luc Van Puyvelde. 1999. Total synthesis of two naphthoquinone antibiotics, psychorubrin and pentalongin, and their C(1)-substituted alkyl and aryl derivatives. **J. Org. Chem.** 64(4): 1173-1179.
- Dotz, K.H., W.A. Donaldson and W. Sturm. 2000. Reaction of alkenes with tetracabonyl[methoxy(2,4-dimethoxyphenyl)carbene]chromium: A formal synthesis of 7-methoxyeleutherin. **Synth. Commun.** 30(20): 3775-3784.
- Eggerer, H. and C. Grunewalder. 1964. Synthese von Malyl-coenzym A und seiner diastereomeren. **Liebigs Ann. Chem.** 667 : 200-208.

- Enders, D. and T. Schusseler. 2002. First highly efficient asymmetric synthesis of the Hyrtios erectus diketotriterpenoid. **Synthesis** (2002): 2280-2288.
- Fieser, L.F. and E.B. Hershberg. 1963. The synthesis of phenanthrene and hydrophrnanthrene derivatives. IV. Hydroxylated compounds. **J. Am. Chem. Soc.** 58: 2314-2318.
- Giles, R. G. F., I.R. Green, V.I. and C.B Koning 1988. Convenient synthesis of the naturally occurring benzo[b]xanthen-12-one bikaverin. X-ray Crystallographic confirmation of the product regiochemistry. **J. Chem. Soc. Perkin Trans. 1.** : 3209-3216.
- \_\_\_\_\_, \_\_\_\_\_, J. Elsworth, J.E. Ramdohr and S.C. York. 1988. Synthesis of the aphid derivatives Quinone A, Quinone A' and Deoxyquinone A as racemates. **J. Chem. Soc. Perkin trans.** 1: 2469-2476.
- Green, I.R. 1996. A high yielding synthesis of racemic hongconin. **Synth. Commun.** 26(5): 867-880.
- Grigg, R., N.T. Byrom and B. Kongkathip. 1976. Catalytic synthesis of endo-brevicommin and related di-and tri-oxabicyclo[x.2.1] system. **J. Chem. Soc. Chem. Com.** (6): 216-217.
- \_\_\_\_\_, G. Reimer and A.R. Wade. 1984. Palladium-catalysed synthesis of endo and exo-brevicommin and related di-and tri-oxabicyclo[x.2.1] system. **J. Chem. Soc. Perkin. Trans. 1.** (8) : 1643-1653.
- Harvey, R. G., Q. Dai and C. Ran. 2004. Synthesis of the o-ouinones and other oxidized metabolites of polycyclic aromatic hydrocarbons implicated in carcinogenesis. **J. Org. Chem.** 69(6): 2024-2032.

- Hardegger, E., N. Rigassi., J. Seres., Ch. Egli., P. Mueller and K. O. Fitzi. 1963. Wilting agents and antibiotics. XXIX. Synthesis of 2,4-dimethoxy-6-hydroxy-9,10-dihydrophenanthrene. **Helv. Chim. Acta.** 46(7): 2543-51.
- Holenstein, J.E. and A. Stoessl. 1983. The marticin: Evidence for a mixed origin from the polyketide and tricarboxylic acid pathway by [2-<sup>13</sup>C<sub>1</sub>] and [1,2-<sup>13</sup>C<sub>2</sub>]-acetate incorporation experiments. **Tetrahedron Lett.** 24(38) : 4056-4062.
- \_\_\_\_\_ and \_\_\_\_\_. 1984. The Marticins: Confirmation of structure, Elucidation of biosynthetic origin by <sup>13</sup>Cmr studies, and revision of stereochemical assignments. **Can. J. Chem.** 62 : 1971-1976.
- Hon, Yung-Son, S. Lin and Y. Chen. 1995. Mechanistic study and synthetic applications of base treatment in ozonolytic reactions. **Tetrahedron** 51(17): 5019-5034.
- Hosckawa, T., S. I. Murahashi, Y. Makabe and T. Shinohara. 1985. Synthesis of natural and unnatural frontalinalin. **Chem. Lett.** 1529-1530.
- Hunt, D. F. and G. T. Rodeheaver. 1972. Conversion of olefins to ethylene ketals with mercuric acetate and palladium chloride. **Tetrahedron Let.** 34: 3595-8.
- Jones, Graham B. and Ghassan Q. 2000. Annulation strategies for benzo[b]fluorene synthesis; Efficient routes to the kinafluorenone and WS-5995 antibiotics. **J. Org. Chem.** 65: 7187-7194.
- Katz, Thomas J., L. Liu, N. D Willmore, J. M. Fox, A. L.Rheingold, S. Shi, C. Nuckolls and B. H Rickman. 1997. An efficient synthesis of functionalized helicenes. **J. Am. Chem. Soc.** 119(42): 10054-10063.

- Kraus, G.A., H. Cho, S. Crowley, B. Roth, H. Sugimoto and S. Prugh. 1983. Phthalide annulation: The synthesis of kalafungin, pachybasin, and chrysophanol. **J. Org. Chem.** 48: 3439-3444.
- \_\_\_\_\_ and J. Li. 1993. Regiocontrol by substituents. An enantioselective total synthesis of frenolicin B via a high regioselective Diels-Alder reaction. **J. Am. Chem. Soc.** 115: 5859-5860.
- \_\_\_\_\_, M.T. Molina and J.A. Walling. 1987. Synthesis of deoxyfrenocilin and nanaomycin A. **J. Org. Chem.** 52: 1273-1276.
- Kometani, T. 1989. Pyranonaphthoquinone antibiotic 4. Total synthesis of (+)-griseusine A, an enantiomer of the naturally occurring griseusine A. **J. Org. Chem.** 48: 2311-2314.
- Kongkathip, B. and N. Kongkathip. 1984. Short-step synthesis of 1,3-dimethyl-2-,9-dioxabicyclo[3.3.1] nonane: An insect attractant. **Tetrahedron Lett.** 25(20): 2175-2176.
- \_\_\_\_\_, \_\_\_\_\_ and R. Sookkho. 1985. Convenient synthetic route to (±)-frontalin. **Chem. Soc. Japan** : 1849-1850.
- \_\_\_\_\_, \_\_\_\_\_ and \_\_\_\_\_. 1987. R. A short, efficient synthesis of (±)-frontalin and its analog. **J. Sci. Soc. Thailand.** 13: 239-242.
- \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_ and W C. Taylor. 1999. Syntheses of both diastereoisomer of 2,8-dioxabicyclo[3.2.1]octane derivative: Degradation products of daphniphyllum alkaloids. **Chem. Lett** : 1095-1096.
- \_\_\_\_\_, \_\_\_\_\_ S. Janthorn and D. Virarangsiyakorn. 1999. Stereospecific total synthesis of amberketal and a homolog. **Chem. Lett.** (1): 51-52.

- Kusakabe, M., H. Kato and F. Sato. 1987. A practical synthesis of several polyhydroxylated chiral building blocks. **Chem. Lett.** 11: 2163-2166.
- Lafontaine, J. A. 2003. Enantioselective total synthesis of the antitumor macrolide rhizoxin D. **J. Org. Chem.** 24(25): 6147-6158.
- Marshall, J. A. 1988. Stereochemistry of SN2' additions to acyclic vinyloxiranes. **J. Org. Chem.** 53(18): 4274-4282
- Masquelin, T.; U. Hengartner and J. Streith. 1995. Coccidiostatic agents: synthesis of some analogs of ( $\pm$ )-frenolicin B. **Synthesis.** (7): 780-786.
- Masamoto, K., Y. Takeuchi, K. Takeda and E. Yoshii. 1981. Synthesis of pentacyclic structure of griseusin A. **Heterocycles** 16(10): 1659-1664.
- McPherson, H. L. 1976. Synthesis of hydroxy-6H-benzofuro[3,2-c][1]benzopyran-6-ones. **J. Hetero. Chem.** 13(4) ; 909-911.
- Miller, D. G. and D. D. M. Wayner. 1992. Electrode-mediated Wacker oxidation of cyclic and internal olefins. **Canadian J. Chem.** 70(9): 2485-90.
- Moore, H W. and R. Czerniak. 1981. Naturally occurring quinones as potential bioreductive alkylating agents. **Med. Res. Rev.** 1(3): 249-80.
- Mori, K. and Y.B. sue. 1985. Synthesis of both the enantiomers of endo-brevicomine. The aggregation pheromone of *Dryocoetes autographus*. **Tetrahedron** 41(16): 3429-3431.
- Maruyama, K., H. Imahori, A. Osuka and A. Takuwa. 1986. Photoallylation of quinones with allylstannane. **Chem. Lett.** 10: 1719-1722.

- Menicagli, R. 1987. Triisobutylaluminum-assisted reductive rearrangement of alkyl 1-alkenyl acetals: an easy synthesis of  $\beta$ -alkoxy alcohols. **J. Org. Chem.** 52(26): 5700-5704.
- Namura, K., K. Hori, M. Ishizuka and E. Yoshii. 1987. Studies on the total synthesis of granaticin: Synthesis of 7-deoxygranaticin 12-o-methyl ether from chrysazin. **Heterocycles.** 25 : 167-173.
- \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_ and \_\_\_\_\_. 1987. Total synthesis of granaticin. **J. Am. Chem. Soc.** 109: 3402-3408.
- Naruta, Y. 1980. Allylation of quinones with allyltin reagents. **J. Am. Chem. Soc.** 102(11): 3774-3783.
- \_\_\_\_\_. 1980. Regio- and stereoselective synthesis of coenzyme Q<sub>n</sub> (n = 2-10), vitamin K, and related polyprenylquinones. **J. Org. Chem.** 45: 4097-4104.
- Oatis, J E., T. Walle, H. B. Daniell, T. E. Gaffney and R. Daniel. 1985. Synthesis of 4'-hydroxypropranolol sulfate, a major non- $\beta$ -blocking propranolol metabolite in man. **J. Med. Chem.** 28(6): 822-824.
- Sartori, G., F. Bigi, G. Canali., R. Maggi and G. Casnati. 1993. Friedel-Crafts coordinated processes: highly selective synthesis of hydroxynaphthoquinones. **J. Org. Chem.** 58(4): 840-3.
- Semmelhack, M.F. L. Keller, T. Sato and E. Spiess. 1985. Conjugate addition of acylate-nickel complexes to quinone monoketals: Formal synthesis of the naphthoquinone antibiotics nanaomycin A and deoxyfrenolicin. **J. Org. Chem.** 50: 5566-5574.
- Shih, H. and G. O. Rankin. 1989. Convenient synthesis of N-aryl-2-hydroxysuccinimides and characterization of their hydrolysis products. **Synthesis** 11: 866-867.

- Sutherland, I. O., C. M. rayner and P.C. Buiman. 1986. Stereospecific synthesis of exo- and endo-1,3-dimethyl-2,9-dioxabicyclo[3.3.1]nonane. **Tetrahedron Lett.** 27(30): 3535-3538.
- Thomas, A. and T. M Sharp. 1930. (Mercuration of some polyhydroxybenzaldehydes and their monomethyl ethers. *J. Chem. Soc.* : 2279-2289.
- Oliveira, R. A. D., F. Carazza and M.O. Pereira. 1997. Synthesis of 2,6-dimethoxy-3-(3-methyl-2-butenyl)-1,4-benzoquinone using organometallic reagents. **Synth. Commun.** 27(10): 1743-1749.
- Pollex, A. 2005. Ester dienolate [2,3]-Wittig rearrangement in natural product synthesis: Diastereoselective total synthesis of the triester of viridifungin A, A2, and A4. **J. Org. Chem.** 70(14): 5579-5591.
- Tatum, J. H. and R.A. Baker. 1983. Naphthoquinones produced by *Fusarium Solani* isolated citrus. **Phytochemistry.** 22(2): 543-547.
- Tsuji, J. 1979. Palladium catalysts in natural products synthesis. **Pure and Applied Chem.** 51(6): 1235-41.
- Uno, H. 1986. Allylation of 2-alkanoyl 1,4-quinones with allylsilanes and allylstannanes. Efficient synthesis of pyranonaphthoquinone antibiotics. **J. Org. Chem.** 51: 350-358.
- \_\_\_\_\_, Y. Naruta and K. Maruyama. 1981. Synthesis of (±)-eleutherin, (±)-isoeleutherin, and their demethoxy analogs. A novel synthetic approach. **J. Chem. Soc., Chem. Commun.** (24): 1277-1278.
- Van de Coevering, R. 2005. Organometallic zwitterions: arylpalladium(II) (pincer) complexes with a tethered sulfato group as para-substituent. **Organometallics** 24(25): 6147-6158.

Wigal, C. T., Jessica L. Boyer, Jodie E. K., Michael C. M. and Aleem N. F. 2000.  
Synthetic utility and mechanistic implications of the Fries rearrangement of  
hydroquinone diesters in boron trifluoride complexes. **J. Org. Chem.** 65: 4712-  
4714.