## TABLE OF CONTENTS

# Page

TABLE OF CONTENTS	i
LIST OF TABLES	ii
LIST OF FIGURES	iii
INTRODUCTION	1
LITERATURE REVIEWS	3
MATERIALS AND METHODS	12
RESULTS	24
DISCUSSION	65
CONCLUSION	72
LITERATURE CITED	74
APPENDIX	83

#### LIST OF TABLES

Table		Page
1	Time to exhibit petal senescence of unpollinated and	
	pollinated flowers of Dendrobium 'Miss Teen' with	
	5 cultivars pollinia	26
2	Time to exhibit petal senescence of Dendrobium 'Miss Teen'	
	flowers after pollination with and without soaked pollinia.	44
3	Time to exhibit symptoms of senescence after chemical	
	application	50
4	Time to exhibit early senescence symptoms of	
	Dendrobium 'Miss Teen' after application of octanoic acid	58

# Appendix Table

1	ACC and IAA content in pollinia of <i>Dendrobium</i> cultivars	84
2	Pollinia weight, ACC, and IAA content in pollinia	
	of various Dendrobium cultivars	84
3	Specific upstream and downstream primers for PCR reaction	85
4	The component of PCR reaction DIG labeling	85
5	The size of amplified Den-ACO fragments and the sequences	
	of amplified clone from the sequencer	86
6	The size of amplified Den-Actin fragments and the sequences	
	of amplified clone from the sequencer	87

#### LIST OF FIGURES

Figure		Page
1	Inflorescence of <i>Dendrobium</i> orchid	5
2	Parts of orchid flower	5
3	Unpollinated flowers, epinasty, droop, and ovary	
	development of Dendrobium 'Miss Teen'	27
4	Changes in distance between lip and peduncle of	
	unpollinated Dendrobium 'Miss Teen' flowers, and	
	pollinated with pollinia from 'Miss Teen', 'Karen',	
	'Pompadour', 'Sakura, and 'Willie'	28
5	Ovary growth of unpollinated Dendrobium 'Miss Teen'	
	flowers, and pollinated with pollinia from 'Miss Teen',	
	'Karen', 'Pompadour', 'Sakura, and 'Willie'	29
6	Ethylene production of unpollinated Dendrobium	
	'Miss Teen' flowers, and pollinated with pollinia from	
	'Miss Teen', 'Karen', 'Pompadour', 'Sakura, and 'Willie'	31
7	Pollen tube growth of 'Miss Teen', 'Karen', 'Pompadour',	
	'Sakura', and 'Willie' placed on the stigma surface	
	of Dendrobium 'Miss Teen'	32
8	IAA concentration of Dendrobium 'Miss Teen',	
	Dendrobium 'Karen', Dendrobium 'Pompadour',	
	Dendrobium 'Sakura', and Dendrobium 'Willie' pollinia	33
9	ACC content of Dendrobium 'Miss Teen',	
	Dendrobium 'Karen', Dendrobium 'Pompadour',	
	Dendrobium 'Sakura', and Dendrobium 'Willie' pollinia	34
10	Ethylene production of unpollinated Dendrobium	
	'Miss Teen' flowers, compatibly pollinated flowers	
	(x 'Sakura'), and incompatibly pollinated flowers (x 'Karen)	37

Figure		Page
11	Ethylene production of unpollinated column plus pedicel,	
	unpollinated petal, sepal plus lip, compatibly pollinated	
	column plus pedicel, and compatibly pollinated petals,	
	sepals plus lip of Dendrobium 'Miss Teen'	38
12	ACC content in unpollinated column plus pedicel,	
	unpollinated petal, sepal plus lip, compatibly	
	pollinated column plus pedicel, compatibly pollinated	
	petal, sepal plus lip, incompatibly pollinated column	
	plus pedicel, and incompatibly pollinated petal, sepal	
	plus lip of Dendrobium 'Miss Teen'	39
13	ACC synthase activity in unpollinated column plus pedicel,	
	unpollinated petal, sepal plus lip, compatibly pollinated	
	column plus pedicel, compatibly pollinated petal, sepal	
	plus lip, incompatibly pollinated column plus pedicel,	
	and incompatibly pollinated petal, sepal plus lip of	
	Dendrobium 'Miss Teen'	40
14	ACC oxidase activity in unpollinated column plus pedicel,	
	unpollinated petal, sepal plus lip, compatibly pollinated	
	column plus pedicel, compatibly pollinated petal, sepal	
	plus lip, incompatibly pollinated column plus pedicel,	
	and incompatibly pollinated petal, sepal plus lip of	
	Dendrobium 'Miss Teen'	41
15	Changes in distance between lip and peduncle of	
	unpollinated Dendrobium 'Miss Teen' flowers, pollinated	
	with pollinia from Dendrobium 'Sakura' and soaked in	
	water for 1, 3, 5, and 10 min.	45

# Figure

16	Ovary growth of unpollinated Dendrobium 'Miss Teen'	
	flowers, pollinated with pollinia from Dendrobium 'Sakura',	
	and soaked in water for 1, 3, 5, and 10 min.	46
17	IAA concentration in pollinia of Dendrobium 'Sakura',	
	and soaked in water for 1, 3, 5, and 10 min.	47
18	Ovary growth of unpollinated and pollinated Dendrobium	
	'Miss Teen' flowers, application of TIBA 5 $\mu$ g per flower	
	with and without pollination with pollinia from	
	Dendrobium 'Sakura', and application of PCIB 5 µg per	
	flower with and without pollination	51
19	Ovary growth of unpollinated and pollinated Dendrobium	
	'Miss Teen' flowers, application of AOA 0.3 nmol per flower	
	with and without pollination with pollinia from	
	Dendrobium 'Sakura'	52
20	Ovary growth of unpollinated Dendrobium 'Miss Teen'	
	flowers, pollinated with pollinia from Dendrobium 'Sakura',	
	fumigated with 500 ppb 1-MCP for 4 h. prior to pollination	
	with pollinia from Dendrobium 'Sakura', and application of	
	0.15 $\mu$ mol AOA prior to pollination with pollinia from	
	Dendrobium 'Sakura'	53
21	Ovary growth of unpollinated Dendrobium 'Miss Teen'	
	flowers, application of NAA 0.5 $\mu$ mol per flower	
	with, and without pollination with pollinia from	
	Dendrobium 'Sakura', and application of AOA 0.3nmol	
	per flower prior to application of NAA 0.5 µmol per flower	54

#### Figure Page 22 Effect of AOA and 1-MCP on pollen tube length of Dendrobium 'Pompadour' placed on stigma of Dendrobium 'Miss Teen' flowers 55 23 Ovary growth of pollinated and unpollinated Dendrobium 'Miss Teen' flowers, application of NOA 5 µg per flower prior with and without pollination with pollinia from Dendrobium 'Sakura' 56 24 Ovary growth of unpollinated Dendrobium 'Miss Teen' flowers, pollinated with pollinia from Dendrobium 'Sakura', application of NOA 5, and 10 µg per flower 57 The accumulation of ACO transcript analyzed by 25 northern blot analysis and ACC oxidase activity of compatibly pollinated column plus pedicel of Dendrobium 'Miss Teen' flowers following 61 pollination at various times 26 Time courses of the accumulation of ACO transcript in compatibly pollinated column plus pedicel of Dendrobium 'Miss Teen' flowers analyzed by RT-PCR 62 27 Comparison of ACO transcript accumulation in compatibly pollinated column plus pedicel and sepal plus petal plus lip of *Dendrobium* 'Miss Teen' following pollination at 0, 12, 24, 36 and 48 h 63 Accumulation of ACO transcript in column plus 28 pedicel analyzed by RT-PCR analysis and ACC oxidase activity in column plus pedicel of Dendrobium 'Miss Teen' 64

vi

Appendix Figure		Page
1	Epinasty, petal senescence, and colomn thickening after	
	pollination in Dendrobium cv. Miss Teen flowers	88
2	Effects of pollination on labellum colour, venation,	
	and water soaking in Dendrobium 'Miss Teen' flowers	89