TABLE OF CONTENTS

TABLE OF CONTENTS	i
LIST OF TABLES	iii
LIST OF FIGURES	iv
INTRODUCTION	1
Objectives	2
LITERATURE REVIEW	3
Life History	3
Habitats	7
Feeding	7
Classification and Characters	.11
Cytotaxonomy	.13
Family Simuliidae	.13
Ecology and Distribution	.23
Black Flies in Thailand	.24
MATERIALS AND METHODS	.28
Materials	.28
Field equipment needed to sample the immature stages of lotic	
Diptera	.28
Laboratory equipment needed to process samples	.28
Methods	.29
Sample collection and processing	.29
Cytotaxonomic study	.30
Data analysis	31
Place	.31
Duration	.34
RESULTS AND DISCCUSION	.41
Physical variables	.41
Altitude	.41

TABLE OF CONTENTS (CONTINUED)

Drought	41
Water temperature	41
рН	42
Stream size	42
Simuliid taxonomy and description	48
Summary and checklist of Simuliidae of Khao Yai	
National Park	48
Keys to the species of Simuliidae of Khao Yai	
National Park	50
Descriptions of species and ecology of the aquatic stages	s56
Morphological characters of polytene chromosomes	163
Simuliid biodiversity and environmental factors	182
Sampling efficiency	182
Environmental factors and biological associations	184
Abudandance	184
Species richness	190
Fisher's α	202
Community composition	207
Other Families	210
CONCLUSIONS	216
LITERATURE CITED	219
APPENDIX	229
Appendix Table	234
CURRICULUM VITAE	241

LIST OF TABLES

Table Page 1 Families of common aquatic and semiaquatic habitats of Diptera......9 2 Air temperature (°C), relative humidity (%) and rainfall (mm) at Khao Yai 3 Collection site descriptions at Khao Yai National Park and photographs......37 4 Map co-ordinates and environmental data from Khao Yai National Park between July 2000 and June 2001 ("Drought" = without flowing water)......44 5 6 Summary of larval characters for 12 Simulium species in the subgenus Gomphostilbia......179 7 Species counts, estimators and standard errors for the pooled sample......193

Appendix Table

1	List of recorded lotic Diptera taxa at Khao Yai National Park from July	
	2000 to June 2001. Sites numbers as in table 3	234
2	List of recorded black fly taxa at Khao Yai National Park from July	
	2000 to June 2001 and environmental data at which each was collected	238

LIST OF FIGURES

Figure

1	Morphological features of female black fly	16
2	Front view of adult heads: A, Simulim female; B, Simulim (Simulim)	
	<i>decorum</i> male	17
3	A, B: basic morphology of the terminalia in ventral view. A, male;	
	B, female. C, D: basic morphology of the terminalia in lateral view.	
	C, male; D, female	18
4	Morphological features of pupa. A, Simulium (Psilozia) vittatum	
	in lateral view; B, head integument in front view; C, obtect condition;	
	D, abdomen in lateral view	20
5	Morphological features of larva. A, lateral view; B, C: head capsule.	
	B, dorsal view; C, ventral view; D, hypostomium; E, posterior tip of larva	l
	abdomen in posterodorsal view	22
6	Khao Yai National Park, showing black fly collection sites	35
7	Water temperature of 20 collection sites at Khao National Park.	
	Grey = 2000, Black = 2001	45
8	pH of 20 collection sites at Khao National Park. Grey = 2000,	
	Black = 2001	45
9	Stream width (max.) of 20 collection sites at Khao National Park.	
	Grey = 2000, Black = 2001	47
10	Larval structures of Simulium angulistylum. A, lateral view of mature	
	larva; B, hypostomium; C, apical tip of mandible; D, setae on abdomen;	
	E, F: head capsule; E, dorsal view; F, ventral view; G, gill histoblast	58
11	Pupal structures of Simulium angulistylum. A, dorsal view; B, terminal	
	hooks; C, D: head integument in front view; C, female; D, male;	
	E, gill filaments	59
12	Adult structures of Simulium angulistylum female. A, genitalia in ventral	
	view; B, claws; C, antenna; D, maxillary palp; E, mandible; F, legs (fore,	
	mid and hind legs from left)	60

13	Adult structures of Simulium angulistylum male. A, genitalia in ventral
	view; B, claws; C, antenna; D, maxillary palp; E, legs (fore, mid and
	hind legs from left)
14	Larval structures of Simulium decuplum. A, lateral view of mature larva;
	B, hypostomium; C, apical tip of mandible; D, setae on abdomen;
	E, F: head capsule; E, dorsal view; F, ventral view; G, gill histoblast64
15	Pupal structure of Simulium decuplum. A, dorsal view; B, terminal hooks;
	C, D: head integument in front view, C, female, D, male, E, gill filaments65
16	Adult structures of Simulium decuplum female. A, genitalia in ventral
	view; B, claws; C, antenna; D, maxillary palp; E, mandible; F, legs (fore,
	mid and hind legs from left)
17	Adult structures of Simulium decuplum male. A, genitalia in ventral view;
	B, claws; C, antenna; D, maxillary palp; E, legs (fore, mid and hind legs
	from left)
18	Larval structures of Simulium dentistylum. A, lateral view of mature larva;
	B, hypostomium; C, apical tip of mandible; D, setae on abdomen;
	E, F: head capsule; E, dorsal view; F, ventral view; G, gill histoblast69
19	Pupal structures of Simulium dentistylum. A, dorsal view; B, gill filaments70
20	Larval structures of Simulium gombakense. A, lateral view of mature
	larva; B, gill histoblast; C, D: head capsule; C, dorsal view; D, ventral
	view; E, hypostomium; F, apical tip of mandible72
21	Pupal structures of Simulium gombakense. A, dorsal view; B, gill filaments.73
22	Larval structures of Simulium siamense. A, lateral view of mature larva;
	B, hypostomium; C, apical tip of mandible; D, setae on abdomen;
	E, F: head capsule; E, dorsal view; F, ventral view; G, gill histoblast76
23	Pupal structures of Simulium siamense. A, cocoon in dorsal view;
	B, terminal hooks; C, D: head integument in front view; C, female;
	D, male; E, gill filaments77

Figure

24	Adult structures of Simulium siamense female. A, genitalia in ventral	
	view; B, claws; C, antenna; D, maxillary palp; E, mandible; F, legs (fore,	
	mid and hind legs from left)	78
25	Adult structures of Simulium siamense male. A, genitalia in ventral view;	
	B, claws; C, antenna; D, maxillary palp; E, legs (fore, mid and hind legs	
	from left)	.79
26	Larval structures of Simulium sp. A. A, lateral view of mature larva;	
	B, hypostomium; C, apical tip of mandible; D, setae on abdomen;	
	E, F: head capsule; E, dorsal view; F, ventral view; G, gill histoblast	.82
27	Pupal structures of Simulium sp. A. A, dorsal view; B, terminal hooks;	
	C, D: head integument in front view, C, female, D, male, E, gill filaments	83
28	Adult structures of Simulium sp. A female. A, genitalia in ventral view;	
	B, claw; C, antenna; D, maxillary palp; E, mandible; F, legs (fore, mid and	
	hind legs from left)	.84
29	Adult structures of Simulium sp. A male. A, genitalia in ventral view;	
	B, claws; C, antenna; D, maxillary palp; E, legs (fore, mid and hind legs	
	from left)	.85
30	Larval structures of Simulium asakoae. A, lateral view of mature larva;	
	B, C and F, G: head capsule, B, F, dorsal view; C, G, ventral view;	
	D, apical tip of mandible; E, setae on abdomen; H, hypostomium;	
	I, gill histoblast	.88
31	Pupal structures of Simulium asakoae. A, cocoon in dorsal view;	
	B, terminal hooks; C, D: head integument in front view; C, female;	
	D, male; E, gill filaments	.89
32	Adult structures of Simulium asakoae female. A, genitalia in ventral	
	view; B, claws; C, antenna; D, maxillary palp; E, mandible; F, legs (fore,	
	mid and hind legs from left)	.90

Figure

33	Adult structures of Simulium asakoae male. A, genitalia in ventral view;
	B, claws; C, antenna; D, maxillary palp; E, legs (fore, mid and hind legs
	from left)
34	Larval structures of Simulium sheilae. A, lateral view of mature larva;
	B, hypostomium; C, apical tip of mandible; D, setae on abdomen;
	E, F: head capsule; E, dorsal view; F, ventral view; G, gill histoblast93
35	Pupal structures of Simulium sheilae. A, cocoon in dorsal view;
	B, terminal hooks; C, D: head integument in front view; C, female;
	D, male; E, gill filaments94
36	Adult structures of Simulium sheilae female. A, genitalia in ventral view;
	B, claws; C, antenna; D, maxillary palp; E, mandible; F, legs (fore, mid
	and hind legs from left)
37	Adult structures of Simulium sheilae male. A, genitalia in ventral view;
	B, claws; C, antenna; D, maxillary palp; E, legs (fore, mid and hind legs
	from left)
38	Larval structures of Simulium sp. nr. sheilae. A, lateral view of mature
	larva; B, C and F, G: head capsule; B, F, dorsal view; C, G, ventral view;
	D, apical tip of mandible; E, setae on abdomen; H, hypostomium;
	I, gill histoblast100
39	Pupal structures of Simulium sp. nr. sheilae. A, cocoon in dorsal view;
	B, terminal hooks; C, D: head integument in front view; C, female;
	D, male; E, gill filaments101
40	Adult structures of Simulium sp. nr. sheilae female. A, genitalia in ventral
	view; B, claw; C, antenna; D, maxillary palp; E, mandible; F, legs (fore,
	mid and hind legs from left)102
41	Adult structures of Simulium sp. nr. sheilae male. A, genitalia in ventral
	view; B, claw; C, antenna; D, maxillary palp; E, legs (fore, mid and
	hind legs from left)103

42	Larval structures of Simulium novemarticulatum. A, lateral view of
	mature larva; B, hypostomium; C, apical tip of mandible; D, setae on
	abdomen; E, F: head capsule; E, dorsal view; F, ventral view;
	G, gill histoblast107
43	Pupal structures of Simulium novemarticulatum. A, cocoon in dorsal
	view; B, terminal hooks; C, D: head integument in front view; C, female;
	D, male; E, gill filaments108
44	Adult structures of Simulium novemarticulatum female. A, genitalia in
	ventral view; B, claws; C, antenna; D, maxillary palp; E, mandible;
	F, legs (fore, mid and hind legs from left)109
45	Adult structures of Simulium novemarticulatum male. A, genitalia in
	ventral view; B, claws; C, antenna; D, maxillary palp; E, legs (fore, mid
	and hind legs from left)110
46	Larval structures of Simulium sp B. A, lateral view of mature larva;
	B, hypostomium; C, apical tip of mandible; D, setae on abdomen;
	E, F: head capsule; E, dorsal view; F, ventral view; G, gill histoblast113
47	Larval structures of Simulium sp. C. A, lateral view of mature larva;
	B, gill histoblast; C, D: head capsule; C, dorsal view; D, ventral view;
	E, hypostomium; F, apical tip of mandible116
48	Larval structures of Simulium feuerborni. A, dorsal view of mature larva;
	B, gill histoblast; C, D: head capsule; C, dorsal view; D, ventral view;
	E, hypostomium; F, apical tip of mandible118
49	Pupal structures of Simulium feueborni. A, dorsal view; B, gill filaments;
	C, terminal hooks; D, E: head integument in front view: D, female;
	E, male
50	Adult structures of Simulium feuerborni female. A, genitalia in ventral
	view; B, claw; C, antenna; D, maxillary palp; E, mandible; F, legs (fore,
	mid and hind legs from left)120

51	Adult structures of Simulium feuerborni male. A, genitalia in ventral
	view; B, claws; C, antenna; D, maxillary palp; E, legs (fore, mid and
	hind legs from left)121
52	Pupal structures of Simulium grossifilum. A, B: cocoon and
	pupal exuviae; A, dorsal view; B, lateral view; C, head integument of
	male in front view; D, gill filaments; E, terminal hooks123
53	Adult structures of Simulium grossifilum male. A, genitalia in ventral
	view; B, claws; C, antenna; D, maxillary palp; E, legs (fore, mid and
	hind legs from left)124
54	Larval structures of Simulium rudnicki. A, lateral view of mature larva;
	B, gill histoblast; C, D: head capsule; C, dorsal view; D, ventral view;
	E, hypostomium; F, apical tip of mandible126
55	Pupal structures of Simulium rudnicki. A, dorsal view; B, gill filaments127
56	Larval structures of Simulium chainarongi. A, lateral view of mature
	larva; B, gill histoblast; C, D: head capsule; C, dorsal view; D, ventral
	view; E, hypostomium; F, apical tip of mandible130
57	Larval structures of Simulium fenestratum. A, lateral view of mature
	larva; B, gill histoblast; C, D: head capsule; C, dorsal view; D, ventral
	view; E, hypostomium; F, apical tip of mandible133
58	Pupal structures of Simulium fenestratum. A, dorsal view; B, cocoon
	in lateral view; C, D: head integument in front view; C, female; D, male;
	E, gill filaments; F, terminal hooks
59	Adult structures of Simulium fenestratum female. A, genitalia in ventral
	view; B, claw; C, antenna; D, maxillary palp; E, mandible; F, legs (fore,
	mid and hind legs from left)
60	Adult structures of Simulium fenestratum male. A, genitalia in ventral
	view; B, claw; C, antenna; D, maxillary palp; E, legs (fore, mid and
	hind legs from left)136

61	Larval structures of Simulium nakhonense. A, lateral view of mature
	larva; B, gill histoblast; C, D: head capsule; C, dorsal view; D, ventral
	view; E, hypostomium; F, apical tip of mandible139
62	Pupal structures of Simulium nakhonense. A, dorsal view; B, cocoon
	in lateral view; C, terminal hooks; D, E: head integument in front view:
	D, female; E, male; F, gill filaments140
63	Adult structures of Simulium nakhonense female. A, genitalia in ventral
	view; B, claw; C, antenna; D, maxillary palp; E, mandible; F, legs (fore,
	mid and hind legs from left)141
64	Adult structures of Simulium nakhonense male. A, genitalia in ventral
	view; B, claws; C, antenna; D, maxillary palp; E, legs (fore, mid and
	hind legs from left)142
65	Larval structures of Simulium quinquestriatum. A, lateral view of mature
	larva; B, gill histoblast; C, D: head capsule; C, dorsal view; D, ventral
	view; E, hypostomium; F, apical tip of mandible145
66	Pupal structures of Simulium quinquestriatum. A, dorsal view;
	B, cocoon in lateral view; C, terminal hooks; D,E: head integument
	in front view; D, female; E, male; F, gill filaments146
67	Adult structures of Simulium quinquestriatum female. A, genitalia
	in ventral view; B, claws; C, antenna; D, maxillary palp; E, mandible;
	F, legs (fore, mid and hind legs from left)147
68	Adult structures of Simulium quinquestriatum male. A, genitalia in ventral
	view; B, claws; C, antenna; D, maxillary palp; E, legs (fore, mid and
	hind legs from left)148
69	Larval structures of Simulium tani. A, lateral view of mature larva;
	B, gill histoblast; C, D: head capsule; C, dorsal view; D, ventral view;
	E, hypostomium; F, apical tip of mandible151

Figure

view; C, terminal hooks; D,E: head integument in front view; D, female;
E, male; F, gill filaments152
Adult structures of Simulium tani female. A, genitalia in ventral view;
B, claws; C, antenna; D, maxillary palp; E, mandible; F, legs (fore, mid
and hind legs from left)153
Adult structures of Simulium tani male. A, genitalia in ventral view;
B, claws; C, antenna; D, maxillary palp; E, legs (fore, mid and hind legs
from left)
Larval structures of Simulium sp. D. A, lateral view of mature larva;
B, gill histoblast; C, D: head capsule; C, dorsal view; D, ventral view;
E, hypostomium; F, apical tip of mandible157
Pupal structures of Simulium sp. D. A, dorsal view; B, lateral view;
Pupal structures of <i>Simulium</i> sp. D. A, dorsal view; B, lateral view; C, gill filaments
C, gill filaments158
C, gill filaments
 C, gill filaments
C, gill filaments
 C, gill filaments
C, gill filaments
C, gill filaments

79	The karyotype of larval polytene chromosomes of Simulium dentistylum.
	I, II, and III, chromosomes; S and L, short and long arms, respectively;
	C, centromere; Bl, blister; Bu, bulge; NO, nucleolar organizer;
	RB, ring of Balbiani168
80	The karyotype of larval polytene chromosomes of Simulium gombakense.
	CI, CII, and CIII, centromeres of chromosomes I, II, and III; S and
	L, short and long arms, respectively; Bl, blister; Bu, bulge;
	NO, nucleolar organizer; RB, ring of Balbiani169
81	The karyotype of larval polytene chromosomes of Simulium siamense.
	CI, CII, and CIII, centromeres of chromosomes I, II, and III; S and
	L, short and long arms, respectively; Bl, blister; Bu, bulge;
	NO, nucleolar organizer; RB, ring of Balbiani170
82	The karyotype of larval polytene chromosomes of Simulium asakoae.
	CI, CII, and CIII, centromeres of chromosomes I, II, and III; S and
	L, short and long arms, respectively; Bl, blister; Bu, bulge;
	NO, nucleolar organizer; RB, ring of Balbiani173
83	The karyotype of larval polytene chromosomes of Simulium sheilae.
	II, chromosome; S and L, short and long arms, respectively;
	C, centromere; Bu, bulge; NO, nucleolar organizer; RB, ring of Balbiani174
84	The karyotype of larval polytene chromosomes of Simulium sp. nr. sheilae.
	CI, CII, and CIII, centromeres of chromosomes I, II, and III; S and
	L, short and long arms, respectively; Bl, blister; Bu, bulge;
	NO, nucleolar organizer; RB, ring of Balbiani175
85	The karyotype of larval polytene chromosomes of Simulium
	novemarticulatum. I, II, and III, chromosomes; S and L, short and
	long arms, respectively; C, centromere; Bu, bulge;
	NO, nucleolar organizer; RB, ring of Balbiani176

86	The karyotype of larval polytene chromosomes of Simulium sp. B.
	CI, CII, and CIII, centromeres of chromosomes I, II, and III; S and
	L, short and long arms, respectively; Bl, blister; Bu, bulge;
	NO, nucleolar organizer; RB, ring of Balbiani177
87	The karyotype of larval polytene chromosomes of Simulium sp. C.
	I, II, and III, chromosomes; S and L, short and long arms, respectively;
	C, centromere; Bl, blister; Bu, bulge; NO, nucleolar organizer;
	RB, ring of Balbiani178
88	Idiograms of chromosome arm IIS for 12 Simulium species in the
	subgenus Gomphostilbia from Khao Yai National Park, showing relative
	locations of Ce, centromere; RB, ring of Balbiani; Bu, bulge;
	Sh, shoestring. A, Simulium angulistylum; B, S. decuplum;
	C, S. dentistylum; D, S. gombakense; E, S. siamense; F, S. sp. A;
	G, S. asakoae; H, S. sheilae; I, S. sp. nr. sheilae; J, S. novemarticulatum;
	K, S. sp. B; L, S. sp. C
89	Species accumulation from 20 collection sites between July 2000 and June
	2001 (solid line) with estimated 95% confidence limits (dashed blue) and
	singleton (red solid) and doubleton (green solid) curves
90	Drought and black fly abundance
91	Altitude and black fly abundance. Black=no drought, blue=less than six
	months drought, green=six or more months
92	Water temperature and black fly abundance. Black=no drought,
	blue=less than six months drought, green=six or more months drought187
93	pH and black fly abundance. Black=no drought, blue=less than six
	months drought, green=six or more months drought187
94	Stream size (max. width) and black fly abundance. Black=no drought,
94	Stream size (max. width) and black fly abundance. Black=no drought, blue=less than six months drought, green=six or more months drought188

Figure

96	Substrate type and black fly mean abundance. $B = bedrock$, $R = rock$,
	G = gravel, and S = sand
97	Human disturbance and black fly mean abundance
98	Drought and black fly estimated species
99	Altitude and black fly estimated species. Black = no drought, blue = less
	than six months drought, green = six or more months drought194
100	Water temperature and black fly estimated species. Black = no drought,
	blue = less than six months drought, green = six or more months
	drought
101	pH and black fly estimated species. Black = no drought, blue = less than
	six months drought, green = six or more months drought195
102	Stream size (max. width) and black fly estimated species.
	Black = no drought, blue = less than six months drought, green = six or
	more months drought
103	Canopy and black fly estimated species
104	Substrate type and black fly estimated species. $B = bedrock$, $R = rock$,
	G = gravel, and S = sand197
105	Human disturbance and black fly estimated species197
106	Drought and black fly observed species
107	Altitude and black fly observed species. Black = no drought, blue = less
	than six months drought, green = six or more months drought
108	Water temperature and black fly observed species. Black = no drought,
	blue = less than six months drought, green = six or more months
	drought199
109	pH and black fly observed species. Black = no drought, blue = less than
	six months drought, green = six or more months drought

110	Stream size (max. width) and black fly observed species.	
	Black = no drought, blue = less than six months drought, green = six or	
	more months drought	200
111	Canopy and black fly observed species	200
112	Substrate type and black fly observed species. $B = bedrock$, $R = rock$,	
	G = gravel, and S = sand	201
113	Human disturbance and black fly observed species	201
114	Drought and black fly Fisher's α	203
115	Altitude and black fly Fisher's α . Black = no drought, blue = less than	
	six months drought, green = six or more months drought	203
116	Water temperature and black fly Fisher's α . Black = no drought,	
	Blue = less than six months drought, green = six or more months	
	drought	204
117	pH and black fly Fisher's α . Black = no drought, blue = less than six	
	months drought, green = six or more months drought	204
118	Stream size (max. width) and black fly Fisher's α . Black = no drought,	
	blue = less than six months drought, green = six or more months	
	drought	205
119	Canopy and black fly Fisher's α	205
120	Substrate type and black fly Fisher's α . B = bedrock, R = rock,	
	G = gravel, and S = sand	206
121	Human disturbance and black fly Fisher's α	206
122	Transformed Black fly CCA (without constraint) ordination diagram	
	and the 20 collection sites. Black = disturbed, Red = undisturbed	208
123	Black fly CCA ordination diagram and the 20 collection sites. Black =	
	species, Red = collection sites	209
124	Larval Tipulidae (Diptera) showing lateral view. A, Antocha sp.;	
	B, Hexatoma sp.; C, Tipula sp	213

Figure		Page
125	Larval Blephariceridae (Diptera) showing dorsal and ventral view.	
	A, Blepharicera sp.; B, Apistomyia sp	214
126	Larval Psychodidae (Diptera) showing dorsal, ventral and lateral view.	
	A, B Neotelmatoscopus sp.; C, Telmatoscopus sp	215