

REFERENCES

REFERENCES

- [1] Keller, A. (1992). Morphology of polymer. **Pure and Applied Chemistry**, 64, 193-204.
- [2] Michler, G. H. and Baltá- Calleja, F. J. (2005). **Mechanical properties of polymer based on nanostructure and morphology**. United States of America: Talor & Francis group.
- [3] Keith, H. D., Padden, F. J., Walt N. M. and Wyckoff H. W. (1959). Evidence for a second crystal form of polypropylene. **Journal of Applied Physics**, 30, 1485-1488.
- [4] Natta, G. and Porradini, P. (1960). Structure and properties of isotactic polypropylene. **Nuovo Cimento, Suppl.**, 15, 40-51.
- [5] Addink, E. J. and Beintema, J. (1961). Polymorphism of crystalline polypropylene. **Polymer**, 2, 185-193.
- [6] Jones, A. T., Aizlewood, J. M. and Beckett, D. R. (1964). Crystalline form of isotactic polypropylene. **Makromolecule Chemistry**, 75, 134-158.
- [7] **Beta nucleating masterbatch offers enhanced properties in polypropylene products**. (2007). Retrieved May 22, 2011, from www.mayzo.com/pdf/Beta-Nucleation-Article-Plastic-Additives-Compound.pdf
- [8] Lipp, J., Shuster, M., Feldman, G. and Cohen, Y. (2008). Orientation crystallization in polypropylene fibers induced by a sorbitol based nucleator. **Macromolecules**, 41, 136-140.
- [9] Panumati, S. (2009). **Effect of organoclay on internal morphology and mechanical properties of highly drawn polypropylene/organoclay composite fibers**. Master thesis. M.S., Mahidol University, Nakornpratom.
- [10] Kristiansen, M., Werner, M. Tervoort, T. and Smith, P. (2003). The binary system isotactic polypropylene/bis(3,4-dimethylbenzylidene)sorbitol: phase behavior, nucleation, and optical properties. **Macromolecules**, 36, 5150-5156.

- [11] Shepard, T., Delsorbo, C., Louth, R. Walborn, J., Norman, D., Harvey, N., et al. (1997). Self-organization and polyolefin nucleation efficacy of 1,3:2,4-di-*p*-methylbenzylidene sorbitol. **Journal of Polymer Science: Part B: Polymer Physics**, 35, 2617-2628.
- [12] Nogales, A., Olley, R. H. and Mitchell, G. R. (2003). Directed crystallisation of synthetic polymers by low-molar-mass self-assembled templates. **Macromolecular Rapid Communications**, 24, 496-502.
- [13] Nogales, A. and Mitchell, G. R. (2003). Anisotropic crystallization in polypropylene induced by deformation of a nucleating agent network. **Macromolecules**, 36, 4898-4906.
- [14] Nogales, A. and Mitchell, G. R. (2005). Development of highly oriented polymer crystals from row assemblies. **Polymer**, 46, 5615-5620.
- [15] Wangsoub, S., Olley, R. H. and Mitchell, G. R. (2005). Directed crystallization of poly (ϵ -caprolactone) using a low-molar-mass self-assembled template. **Macromolecular Chemistry and Physics**, 206, 1826-1839.
- [16] Wilder, E. A., Hall, C. K. and Spontak R. J. (2003). Physical organogels composed of amphiphilic block copolymers and 1,3:2,4-dibenzylidene-D-sorbitol. **Journal of Colloid and Interface Science**, 267, 509-518.
- [17] Thierry, A., Fillon, B., Straupé, C., Lotz, B. and Wittmann, J. C. (1992). Polymer nucleating agents: Efficiency scale and impact of physical gelation. **Progress in Colloid and Polymer Science**, 87, 28-31.
- [18] Wilder, E. A. (2002). **A fundamental study of the molecular structure, interactions and self-organization of 1,3:2,4-dibenzylidene-D-sorbitol.** Doctoral dissertation, Ph.D., North Carolina State University, United States of America.
- [19] Keller, A., Kolnaar, H. W. (1997). Material science and technology, processing of polymer. In Meijer, H. E. M. (Ed.), **Flow induced orientation and structure formation** (p.189-268). New York: Wiely-VCH.
- [20] Jay, F., Haudin, J. M. and Manasse, B. (1999). Shear-induced crystallization of polypropylene: effect of molecular weight. **Journal of Materials Science**, 34, 2089-2102.

- [21] Jerschow, P. and JaneschitzKriegl, H. (1997). The role of long molecules and nucleating agents in shear induced crystallization of isotactic polypropylene. **International Polymer Processing**, 12, 72-77.
- [22] Pornnimit, B. and Ehrenstein, G. W. (1991). Extrusion of self-reinforced polyethylene. **Advances in Polymer Technology**, 11, 91-98.
- [23] Wang, K., Chen, F., Zhang, Q. and Fu, Q. (2008). Shish-kebab of polyolefin by “melt manipulation” strategy in injection-molding: A convenience pathway from fundament to application. **Polymer**, 49, 4745-4755.
- [24] Liang, S., Wang, K., Zhang, Q., Du, R. and Fu, Q. (2008). Unique crystal morphology and tensile properties of injection-molded bar of LLDPE by adding HDPE with different molecular weights. **Acta Materialia**, 56, 50-59.
- [25] Kim, Y. C., Kim, C. Y. and Kim, S. C. (1991). Crystallization characteristics of isotactic polypropylene with and without nucleating agents. **Polymer Engineering & Science**, 31, 1009-1014.
- [26] Beck, H. N. (1967). Heterogeneous nucleating agents for polypropylene crystallization. **Journal of Applied Polymer Science**, 11, 673-685.
- [27] Binsbergen, F. L. and De Lang B. G. M. (1970). Heterogeneous nucleation in the crystallization of polyolefins: Part2. Kinetics of crystallization of nucleated polypropylene. **Polymer**, 11, 309-332.
- [28] Thierry, A., Straupé, C., Wittmann, J. and Lotz, B. (2006). Organogelators and polymer crystallisation. **Macromolecular Symposia**, 214, 103-110.
- [29] Blundell, D. J., Keller A. and Kovacs, A. J. (1966). A new self-nucleation phenomenon and its application to the growing of polymer crystals from solution. *Journal of Polymer Science*. **Polymer Letters**, 4, 481-486.
- [30] Friedrich, K. (1978). Analysis of crack propagation in isotactic polypropylene with different morphology. **Progress in Colloid and Polymer Science**, 64, 103-112.
- [31] Wittmann, J. C. and Lotz, B. (1989). Epitaxial crystallization of monoclinic and orthorhombic polyethylene phases, **Polymer**, 30, 27-34.

- [32] Wittmann, J. C. and Lotz, B. (1981). Epitaxial crystallization of polyethylene on organic substrates: A reappraisal of the mode of action of selected nucleating agents. **Journal of Polymer Science: Polymer Physics Edition**, 19, 1837-1851.
- [33] Fillon, B., Wittmann, J. C. Lotz, B. and Thierry, A. (1993). Self-nucleation and recrystallization of isotactic polypropylene (α phase) investigated by differential scanning calorimetry. **Journal of Polymer Science Part B: Polymer Physics**, 31, 1383-1393.
- [34] Hua, Z. R. (2008). **The crystallization behavior of β -nucleated isotactic polypropylene in multi-component system**. Doctoral dissertation, Ph.D., University of Hong Kong, Hong Kong.
- [35] Young, R. J. and Lovell, P. A. (1991). **Introduction to polymer** (2nd ed.). London : Chapman & Hall.
- [36] Natta, G. and Corradini, P. (1960). Structure and properties of isotactic polypropylene. **Nuovo Cimento**, 15, 40-51.
- [37] Mencik, Z. (1972). Crystal-structure of isotactic polypropylene. **Journal of Macromolecular Science Physics**, 6, 101-115.
- [38] Moore, E. P. (1996). Polypropylene Handbook. New York: Hanser.
- [39] Lipp, J., Shuster, M., Terry, A. E. and Cohen, Y. (2006). Fibril formation of 1,3:2,4-di(3,4-dimethylbenzylidene) sorbitol in a polypropylene melt. **Langmuir**, 22, 6398-6402.
- [40] Macro, C., Ellis, G., Gomez, M. A. and Arribas, J. M. (2002). Comparative study of the nucleation activity of third-generation sorbitol-based nucleating agents for isotactic polypropylene melt. **Journal of Applied Polymer Science**, 84, 2440-2450.
- [41] Watase, M. and Itagaki, H. (1998) Thermal and rheological properties of physical gels formed from benzylidene-D-sorbitol derivatives. **Bulletin of the Chemical Society of Japan**, 71, 1457-1466.
- [42] Sterzynski, T., Lambla, M., Crozier, H. and Thomas, M. (1994). Structure and properties of nucleated random and block copolymer of propylene. **Advance in Polymer Technology**, 13, 25-36.

- [43] Fahrländer, M., Fuchs, K. and Friedrich Chr. (2000). Rheological properties of dibenzylidene sorbitol networks poly(propylene oxide) matrices. **Journal of Rheology**, 44, 1130-1119.
- [44] Angyal, S. J. and Lawler, J. V. (1994). 1,3:2,4-Dibenzylidene-D-sorbitol. **Journal of the American Chemical Society**, 66, 837-838.
- [45] Meunier, M. J. (1891). Sur les composés que la mannite et la sorbite forment avec les aldehydes. **Annales de Chimie et de Physique**, 22, 412-423.
- [46] Murai, K., Akazome, G., Choshi, Y., Kobayashi, T. and Tsuji, A. (1973). Manufacture of benzylidene sorbitol. United States patent 3,721,682.
- [47] Uchiyama, H. (1978). Process for purifying crude dibenzylidene sorbitol. United States patent 4,131,612.
- [48] Gardlik, J. M. and Burkes, R. V. (1992). **Process for preparing dibenzylidene-D-sorbitol compound**. United States patent, No. 5106999.
- [49] Wilder, E. A., Hall, C. K., Khan, S. A. and Spontak, R. J. (2003). Effect of composition and matrix polarity on network development in organogels of poly(ethylene glycol) and dibenzylidene sorbitol. **Langmuir**, 19, 6004-6013.
- [50] Anderson, J. D., Dotson, D. L., Jones, J. R. and Mehl, N. A. (2003). **Systemetic halogen-alkyl alditol derivatives as nucleators and clarifiers for polyolefins, and polyolefin plastic compositions containing same**. United States patent, No. 6548581 B2.
- [51] Mercurio, D. J. and Spontak, R. J. (2001). Morphological characteristics of 1,3:2,4-dibenzylidene sorbitol/poly(propylene glycol) organogels. **Journal of Physical Chemistry B**, 105, 2091-2098.
- [52] Yamasaki, S., Ohashi, Y., Tsutsumi, H. and Tsujii, K. (1995). The aggregated higher-structure of 1,3:2,4-di-*o*-benzylidene-D-sorbitol in organic gels. **Bulletin of the Chemical Society of Japan**, 68, 146-151.
- [53] Kobayoshi, T., Takenata, M. and Hashimoto, T. (1998). The formation of higher order structures of 1,3:2,4-cis-*o*-inside-bis-*o*-(*p*-methylbenzylidene)-D-sorbitol in physical gels of molten polymers and organic solvents. **Kobunshi Ronbunshu**, 55, 513-627.

- [54] Thierry, A., Straupé, C., Lotz, B. and Wittmann, J. C. (1990). Physical gelation : a path towards 'ideal' dispersion of additives in polymers. **Polymer Communications**, 31, 299-301.
- [55] Mahaffey, R. L. (1983). **Polyolefin plastic compositions comprising marta- or para-derivatives (chloro- or bromo-) of di-benzylidene sorbitol**. United States patent, No. 4371645.
- [56] Murai, K., Kobayashi, T. and Fujitani, K. (1984). **Process for preparing dibenzylidene sorbitol and dibenzylidene xylitols**. United States patent, No. 4429140.
- [57] Feng, Y., Jin, X. and Hay, J. N. (1998). Effect of nucleating agent addition on crystallization of isotactic polypropylene. **Journal of Applied Polymer Science**, 69, 2098-2095.
- [58] Nagarajan, K., Levon, K. and Myerson, A. S. (2002). Nucleating agents in polypropylene. **Journal of Thermal Analysis and Calorimetry**, 59, 497-508.
- [59] Cao, J., Wang, K., Cao, W., Zhang, Q., Du, R. and Fu, Q. (2009). Combined effect of shear and nucleating agent on the multilayered structure of injection-molded bar of isotactic polypropylene. **Journal of Applied Polymer Science**, 112, 1140-1113.
- [60] Siripitayananon, J., Wangsoub, S., Olley, R. H. and Mitchell, G. R. (2004). The use of a low-molar-mass self-assembled template to direct the crystallisation of poly(ϵ -caprolactone). **Macromolecular Rapid Communications**, 25, 1365-1370.
- [61] Zhu, P., Tung, J., Phillips, A. and Edward, G. (2006). Morphological development of oriented isotactic polypropylene in the presence of a nucleating agent. **Macromolecules**, 39, 1821-1831.
- [62] Wang, Y., Meng, K., Hong, S., Xie, X., Zhang, C. and Han, C. (2009). Shear-induced crystallization in a blend of isotactic polypropylene and high density polyethylene. **Polymer**, 50, 636-644.
- [63] Varga, J. (1995). **polypropylene: Structure, blends and composites**. In J. Karger Kocsis (Ed.), *Structure and morphology* (Vol.1, p. 55-115). London: Chapman & Hall.

- [64] **D-sorbitol**. (2010). Retrieved February 12, 2010, from http://www.chemicalbook.com/ProductMSDSDetailCB7183649_EN.htm
- [65] Wilder, E. A., Braunfeld, M. B., Jinnai, H., Hall, C. K., Agard, D. A. and Spontak, R. J. Nanofibrillar networks in poly(ethyl methacrylate) and its silica nanocomposites.(2003). **Journal of Physical Chemistry B**, 107, 11633-11642.
- [66] Wunderlich, B. (1980). **Macromolecular Physics**. New York; Academic Press.
- [67] Somani, R. H., Yang, L. and Hsiao, B. S. (2005). Shear-induced molecular orientation and crystallization in isotactic polypropylene: effect of the deformation and strain. **Macromolecules**, 38, 1244-1255.
- [68] Zhu, P., Tung, Phillips, A. and Edward, G. (2006). Morphological development of oriented isotactic polypropylene in the presence of a nucleating agent. **Macromolecules**, 39, 1821-1831.
- [69] Chen, Y., Mao, Y., Li, Z. and Hsiao, B. (2010). Competitive growth of α - and β -crystals in β -nucleated isotactic polypropylene under shear flow. **Macromolecules**, 43, 6760-6771.
- [70] Nogales, A., Hsiao, B. S., Somani, R. H., Srinivas, S., Tsou, A. H., Balta-Cellega, F.J., et al. (2001). Shear-induced crystallization of isotactic polypropylene with different molecular weight distributions: in situ small- and wide-angle X-ray scattering studies. **Polymer**, 42, 5247-5256.
- [71] Huo, H., Jaing, S., An, L. and Feng, J. (2004). Influence of shear on crystallization behavior of the β phase in isotactic polypropylene with β -nucleating agent. **Macromolecules**, 37, 2478-2483.
- [72] Kumaraswamy, G., Verm, R. K., Kornfield, J. A., Yeh, F. and Hsiao, B. S. (2004). Shear-enhanced crystallization in isotactic polypropylene. In-situ synchrotron SAXS and WAXD. **Macromolecules**, 37, 9005-9017.
- [73] Tabatabaei, S.H., Carreau, P. J. and Ajji, A. (2009). Effect of processing on the crystalline orientation, morphology, and mechanical properties of polypropylene cast film and microporous membrane formation. **Polymer**, 50, 4228-4240.

- [74] Fujiyama, M., Wakino, T. and Kawasaki, Y. (1988). Structure of skin layer in injection-molded polypropylene. **Journal of Applied Polymer Science**, 35, 29-49.
- [75] Somani, R. H., Hsiao, B. S. and Nogales, A. (2001). Structure development during shear flow induced crystallization of iPP: in situ wide-angle X-ray diffraction study. **Macromolecules**, 34, 5902-5909.

BIOGRAPHY

BIOGRAPHY

Name – Surname

Thanita Sutthatang

Date of Birth

July 20, 1984

Address

63 Injaimee Road Tombon Ta-It Amphur Maung
Uttaradit Province Thailand 53000

Education Background

2006

B.S. (Chemistry) Naresuan University
Phitsanulok, Thailand.



