

## **REFERENCES**

## REFERENCES

- Arab, K. and Steghens, J.P. (2004). Plasma lipid hydroperoxides measurement by an automated xylenol orange method. **Analytical biochemistry**, 325(1), 158-163.
- Aruoma, O. (1998). Free radicals, oxidative stress and antioxidants in human health and disease. **Journal of the American Oil Chemists' Society**, 75(2), 199-212.
- Badisa, V.L., Latinwo, L.M., Odewumi, C.O., Ikediobi, C.O., Badisa, R.B., Brooks-Walter, A., et al. (2008). Cytotoxicity and stress gene microarray analysis in cadmium-exposed CRL-1439 normal rat liver cells. **Int. J. Mol. Med.**, 22, 213–219.
- Bertin, G. and Averbeck, D. (2006). Cadmium: cellular effects, modifications of biomolecules, modulation of DNA repair and genotoxic consequences (a review). **Biochimie**, 88, 1549–1559.
- Bolduc, J.S., Denizeau, F. and Jumarie, C. (2004). Cadmium-induced mitochondrial membrane-potential dissipation does not necessarily require cytosolic oxidative stress: studies using rhodamine-123 fluorescence unquenching. **Toxicol. Sci.**, 77, 299–306.
- Casalino, E., Sblano, C., Calzaretti, G. and Landriscina, C. (2006). Acute cadmium intoxication induces alpha-class glutathione S-transferase protein synthesis and enzyme activity in rat liver. **Toxicology**, 217, 240–245.
- Dotan, Y., Lichtenberg, D. and Pinchuk, I. (2004). Lipid peroxidation cannot be used as a universal criterion of oxidative stress. **Progress in Lipid Research**, 43(3), 200-227.
- Edelstein, C.L. (2008). Biomarkers of acute kidney injury. **Advances in Chronic Kidney Disease**, 15, 222-234.
- Evans, C.R. and Burdon, R. (1993). Free radical-lipid interactions and their pathological consequences. **Progress in Lipid Research**, 32, 71-110.
- Filipic, M. and Hei, T.K. (2004). Mutagenicity of cadmium in mammalian cells: implication of oxidative DNA damage. **Mutat. Res.**, 546, 81–91.


- Gate, L., Paul, J., Ba, G.N., Tew, K.D. and Tapiero, H. (1999). Oxidative stress induced in pathologies: The role of antioxidants. **Biomedicine and Pharmacotherapy**, 53(4), 169-180.
- Ghiselli, A., Serafini, M., Natella, F. and Scaccini, C. (2000). Total antioxidant capacity as a tool to assess redox status: critical view and experimental data. **Free Radical Biology and Medicine**, 29(11), 1106-1114.
- Gutteridge, J.M. (1995). Lipid peroxidation and antioxidants as biomarkers of tissue damage. **Clinical Chemistry**, 41, 1819-1828.
- Halliwell, B. and Chirico, S. (1993). Lipid peroxidation: its mechanism, measurement, and significance. **American Journal of Clinical Nutrition**, 57(5), 715-724.
- Halliwell, B. (1994). Free radicals and antioxidants: a personal view. **Nutrition Reviews**, 52, 253-265.
- Halliwell, B., Murcia, M.A., Chirico, S. and Aruoma, O.I. (1995). Free radicals and antioxidants in food and in vivo: what they do and how they work. **Critical Reviews in Food Science and Nutrition**, 35(1-2), 7-20.
- Halliwell, B. (1997). Antioxidants and human disease: a general introduction. **Nutrition Reviews**, 55, 44-52.
- Janero, D.R. (1990). Malondialdehyde and thiobarbituric acid-reactivity as diagnostic indices of lipid peroxidation and peroxidative tissue injury. **Free Radical Biology and Medicine**, 9, 515-540.
- Jiang, Z.Y., Hunt, J.V. and Wolff, S.P. (1992). Ferrous ion oxidation in the presence of xylenol orange for detection of lipid hydroperoxide in low density lipoprotein. **Analytical Biochemistry**, 202(2), 384-389.
- Jiang, Z.Y., Woppard, A. and Wolff, S. (1991). Lipid hydroperoxide measurement by oxidation of Fe<sup>2+</sup> in the presence of xylenol orange. Comparison with the TBA assay and an iodometric method. **Lipids**, 26(10), 853-856.
- Joseph, P., Muchnok, T.K., Klishis, M.L., Roberts, J.R., Antonini, J.M., Whong, W.Z., et al. (2001). Cadmium-induced cell transformation and tumorigenesis are associated with transcriptional activation of c-fos, c-jun, and c-myc proto-oncogenes: role of cellular calcium and reactive oxygen species. **Toxicol. Sci.**, 61, 295-303.

- Joseph, P. (2009). Mechanisms of cadmium carcinogenesis. **Toxicology and Applied Pharmacology**, 238, 272-279.
- Jurczuk, M., Brzoska, M.M., Moniuszko-Jakoniuk, J., Galazyn-Sidoreczuk, M. and Kulikowska- Karpinska, E. (2004). Antioxidant enzymes activity and lipid peroxidation in liver and kidney of rats exposed to cadmium and ethanol. **Food Chem. Toxicol.**, 42, 429–438.
- Lee, D.H., Lim, J.S., Song, K., Boo, Y. and Jacobs Jr., D.R. (2006). Graded associations of blood lead and urinary cadmium concentrations with oxidative-stress-related markers in the U.S. population: results from the third National Health and Nutrition Examination Survey. **Environ. Health Perspect**, 114, 350–354.
- Lin, A.J., Zhang, X.H., Chen, M.M. and Cao, Q. (2007). Oxidative stress and DNA damages induced by cadmium accumulation. **Journal of Environmental Sciences**, 19(5), 596-602.
- Liu, F. and Jan, K.Y. (2000). DNA damage in arsenite- and cadmium-treated bovine aortic endothelial cells. **Free Radic. Biol. Med.**, 28, 55–63.
- Lo'pez, E., Arce, C., Oset-Gasque, M.J., Cañadas, S. and González, M.P. (2006). Cadmium induces reactive oxygen species generation and lipid peroxidation in cortical neurons in culture. **Free Radical Biology and Medicine**, 40(6), 940-951.
- Mikhailova, M.V., Littlefield, N.A., Hass, B.S., Poirier, L.A. and Chou, M.W. (1997). Cadmiuminduced 8-hydroxydeoxyguanosine formation, DNA strand breaks and antioxidant enzyme activities in lymphoblastoid cells. **Cancer Lett.**, 115, 141–148.
- Nigam, D., Shukla, G.S. and Agarwal, A.K. (1999). Glutathione depletion and oxidative damage in mitochondria following exposure to cadmium in rat liver and kidney. **Toxicol. Lett.**, 106, 151–157.
- Nilsson, U., Schutz, A., Bensryd, I., Nilsson, A., Skerfving, S. and Mattsson, S. (2000). Cadmium levels in kidney cortex in Swedish farmers. **Environ Res.**, 82(1), 53-59.

- Nourooz-Zadeh, J., Tajaddini-Sarmadi, J. and Wolff, S.P. (1994). Measurement of plasma hydroperoxide concentrations by the ferrous oxidation-xylenol orange assay in conjunction with triphenylphosphine. **Analytical Biochemistry**, 220, 403-409.
- Nourooz-Zadeh, J. (1999). Ferrous ion oxidation in presence of xylenol orange for detection of lipid hydroperoxides in plasma. **Methods in Enzymology**, 300, 58-62.
- Ochi, T. and Ohsawa, M. (1985). Participation of active oxygen species in the induction of chromosomal aberrations by cadmium chloride in cultured Chinese hamster cells. **Mutat. Res.**, 143, 137-142.
- Pathak, N. and Khandelwal, S., (2006). Oxidative stress and apoptotic changes in murine plenocytes exposed to cadmium. **Toxicology**, 220(1), 26-36.
- Qu, W., Diwan, B.A., Reece, J.M., Bortner, C.D., Pi, J., Liu, J. and Waalkes, M.P. (2005). Cadmiuminduced malignant transformation in rat liver cells: role of aberrant oncogene expression and minimal role of oxidative stress. **Int. J. Cancer**, 114, 346-355.
- Robert, R.E., Pellegrini, N., Proteggente, A., Pannalaa, A., Yang, M. and Evan, C.R. (1999). Antioxidant activity applying an improved ABTS radical cation decolorization assay. **Free Radical Biology and Medicine**, 26, 1231-1237.
- Shih, C.M., Ko, W.C., Wu, J.S., Wei, Y.H., Wang, L.F., Chang, E.E., et al. (2004). Mediating of caspase-independent apoptosis by cadmium through the mitochondria-ROS pathway in MRC-5 fibroblasts. **J. Cell. Biochem.**, 91, 384-397.
- Sinnhuber, R.O. and Yu, T.C. (1957). 2-Thiobarbituric acid method for the measurement of rancidity in fishery products: II. the quantitative determination of malondialdehyde. **Food Technology**, 12, 9-12.
- Sodergren, E., Nourooz-Zadeh, J., Berglund, L. and Vessby, B. (1998). Re-evaluation of the ferrous oxidation in xylenol orange assay for the measurement of plasma lipid hydroperoxides. **Journal of Biochemical and Biophysical Methods**, 37(3), 137-146.
- Stohs, S. J. and Bagchi, D. (1995). Oxidative mechanism in the toxicity of metal ions. **Free Radical Biology and Medicine**, 18, 321-326.

- Swaddiwudhipong, W., Limpatanachote, P., Mahasakpan, P., Krinratun, S. and Padungtod, C. (2007). Cadmium-exposed population in Mae Sot District, Tak Province: 1. Prevalence of high urinary cadmium levels in the adults. **J Med Assoc Thai**, 90, 143-148.
- Tangvarasittichai, S., Poonsub, P., Tangvarasittichai, O. and Sirigulsatien, V. (2009). Serum Levels of Malondialdehyde in Type 2 Diabetes Mellitus Thai Subjects. **Siriraj Med J.**, 61, 20-23.
- Waalkes, M.P. (2000). Cadmium carcinogenesis. **Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis** 2003, 533, 107-120.
- Wagner, G. J. (1993). Accumulation of cadmium in crop plants and its consequences to human health. **Advances in Agronomy**, 51, 173–212.
- Waisberg, M., Joseph, P., Hale, B. and Beyersmann, D. (2003). Molecular and cellular mechanisms of cadmium carcinogenesis. **Toxicology**, 192, 95-117.
- Westhuyzen, J., Endre, Z.H., Reece, G., Reith, D.M., Saltissi, D. and Morgan, T.J. (2003). Measurement of tubular emzymuria facilitates early detection of acute renal impairment in the intensive care unit. **Nephrol. Dial. Transplant**, 18, 543-551.
- Wong, S.H., Knight, J.A., Hopfer, S.M., Zaharia, O., Leach, C.N., Jr. and Sunderman, F.W., Jr. (1987). Lipoperoxides in plasma as measured by liquid-chromatographic separation of malondialdehyde-thiobarbituric acid adduct. **Clinical Chemistry**, 33(2), 214-220.
- Xie, J. and Shaikh, Z.A. (2006). Cadmium-induced apoptosis in rat kidney epithelial cells involves decrease in nuclear factor-kappa B activity. **Toxicol. Sci.**, 91, 299–308.
- Yang, J.L., Chao, J.I. and Lin, J.G. (1996). Reactive oxygen species may participate in the mutagenicity and mutational spectrum of cadmium in Chinese hamster ovary-K1 cells. **Chem. Res. Toxicol.**, 9, 1360–1367.
- Yin, H. and Porter, N.A. (2005) New Insights Regarding the Autoxidation of Polyunsaturated Fatty Acids. **Antioxidant and Redox Signaling**, 7, 170–184.

## **BIOGRAPHY**



## BIOGRAPHY

|                      |  |
|----------------------|--|
| Name - Surname       | Sukumarn Niyomtham   |
| Date of Birth        | September 3, 1978  |
| Address              | 47/7 Moo 4, Tumbol Arunyig,<br>Muang District, Phitsanulok, Thailand 65000 |
| Work Place           | Central Laboratory, Naresuan University Hospital,<br>Thailand 65000        |
| Position             | Medical technologist   |
| Education Background |  |
| 2001                 | B.S. (Medical Technology) Naresuan University,<br>Thailand                 |

